

FILED
OFFICE OF THE CITY CLERK
OAKLAND

CITY OF OAKLAND 2012 JUN 28 PM 5:04

AGENDA REPORT

TO: DEANNA J. SANTANA
CITY ADMINISTRATOR

FROM: Vitaly B. Troyan, P.E.

SUBJECT: Adoption of East Bay Bus
Rapid Transit Project

DATE: July 10, 2012

City Administrator
Approval

Date

6/26/12

COUNCIL DISTRICTS: 2, 3, 5, 6, 7

RECOMMENDATION

Staff Recommends That City Council Adopt A Resolution Approving The Downtown Oakland – San Leandro Alternative (DOSL) As The Locally Preferred Alternative For The AC Transit District’s East Bay Bus Rapid Transit Project (BRT Project); Adopt Conditions Of Approval For The DOSL BRT Project; And, As A CEQA Responsible Agency, Adopt As Its Own Independent Findings And Conclusions To The Attached CEQA-Related Findings Adopted By AC Transit For The DOSL BRT Project, Including Rejections Of Alternatives As Being Infeasible, The Findings Of Fact, Statement Of Overriding Considerations (Finding That The Benefits Of The Project Outweigh Its Environmental Impacts), And The Mitigation Monitoring And Reporting Program.

EXECUTIVE SUMMARY

AC Transit has obtained a commitment for federal funding for a Bus Rapid Transit (BRT) line through Oakland, and has established a priority corridor (the Downtown Oakland to San Leandro, or DOSL) in which to construct this project (the DOSL BRT Project). The terms to accept the Federal funding of the project require that Oakland formally approve a "Locally Preferred Alternative" (LPA) and adopt the California Environmental Quality Act (CEQA) and the National Environmental Protection Act (NEPA) Findings of Fact and a Statement of Overriding Consideration for the project. The DOSL BRT Project, and the new LPA, represents a substantial investment in transit and City street infrastructure with potentially significant impacts and benefits, which are discussed in detail below.

Existing City policy and practice has long promoted the establishment of transit lines as an important means of travel within the City. The Land Use and Transportation Element of the General Plan, the *1996 Transit First policy (Attachment A)*, the Pedestrian Master Plan, the Bicycle Master Plan, and the Sustainable Oakland strategy all support improving transit lines and access to them. Various specific plans, area plans, and streetscape projects have been designed to

Item: _____
Public Works Committee
July 10, 2012

support Transit-Oriented Development (TOD); this is the transit part of that equation. This project could represent a bold stride toward realizing the City's commitment to TOD and associated increased development opportunities at each permanent station stop. Finally, the DOSL BRT Project line will allow more transit capacity along the corridor, improving speed and frequency by using fewer vehicles, which in turn will decrease the environmental impacts of travel in the corridor including the reduction of greenhouse gases and other pollutants.

Positive Attributes

The DOSL BRT Project, if approved, will invest between one hundred fifty two million dollars (\$152,000,000.00) and one-hundred seventy-two million dollars (\$172,000,000.00) in improving bus transit and providing other related and significant benefits to the people living, walking, and working on or near the International Boulevard corridor between downtown Oakland and the San Leandro border (See *Attachment B: Map of BRT Project Line*). During the construction period, the project will create approximately three hundred construction jobs, and four hundred additional local jobs in retail, services, and manufacturing during the construction period. BRT lines with permanent stations, like the one proposed for Oakland, have been a transit and economic success in other cities, including Los Angeles' (Orange Line), Boston (Silver Line), Cleveland (RTA HealthLine), and Pittsburgh (Martin Luther King Jr. East Busway).

Because virtually every transit user is a pedestrian, increased transit ridership depends on the high-quality of the station areas and access to those stations, as well as the increased frequency of buses and speed of travel on the line. Because the frequency of buses will increase to 5 minute headways (five minutes between buses), the system will be more efficient, and the average speed will also rise from 9 miles per hour to 13 miles per hour. This will mean that by the year 2035 approximately 70,000 more riders will be able to rely on the new transit system to meet their destinations quickly and on-time. Additionally, the DOSL BRT Project promises to provide permanent, lighted and secure bus stations that allow pre-paid, level floor boarding, and other modern transit technology upgrades for using dedicated bus lanes that provide safe accessibility from both sides of the street. The DOSL BRT Project will significantly improve transit line service in the most heavily utilized transit corridor in Oakland.

Another feature of the proposed project is that the City's proposed Conditions of Approval COAs, (see *Exhibit A to the Resolution: Conditions of Approval*) for the DOSL BRT Project will require that the project pave City streets, construct curb ramps and other disability access features, construct lighted and safe pedestrian improvements and bicycle lanes, add new street lights at stations and crossings, and maintain existing and new facilities along the project corridor.

Challenges for the Project

Practical challenges to implementation of the project include addressing the impact of the removal of street parking along sections of the DOSL BRT Project corridor where stations will be located. Auto travel along the corridor will be slowed by removing one travel lane in either direction to accommodate the bus-only lanes. The average walking distance to a stop, which is between two blocks for a local bus, and eight blocks for an express bus, will be close to four

blocks for the DOAL BRT Project on average, which represents a potentially significant tradeoff for the elderly and people with disabilities. AC Transit has estimated that 90% of current riders will walk no further than they currently do to access the BRT system (and once they get there their journey will be swifter and more pleasant).

The DOSL BRT Project is not yet fully designed; it is still in the conceptual stage. Therefore, several advisory bodies, including the Commission on Aging, Commission on Persons with Disabilities, and the Bicycle and Pedestrian Advisory Committee have requested that they be included in ongoing design development. This has been included as a Condition of Approval (COA) for the project, especially given that access for parents with children, older adults, and persons with disabilities is so critical. Many detailed design issues that can affect citizen access to the line remain to be worked out during the next stage of the design process.

Additionally, to address these concerns, staff is working extensively with AC Transit and local merchants and community groups to identify particular problem areas. To ensure these areas receive further attention as design progresses, staff has proposed a set of COAs that mitigate some of the negative impacts or otherwise improve the project beyond those required by the Environmental documents. For example, where the transit line impacts business by removing parking near station locations, AC Transit is committed by the City's COA to hold additional meetings to discuss and record the separate issues and to commit to specific solutions to each one. This COA is one of many that are part of the Resolution attached to this report, and they also include key items such as the addition of two new stations located closer to senior residential areas, more lighting and security improvements for safe station access, and the replacement of off-street parking or parking lots where necessary.

Summary Conclusion

Staff believes the DOSL BRT Project presents benefits that, on balance, outweigh its costs. The project advances City Council's long range policy goals, including transit-first, promotes transit-oriented development at each station stop, and reduces air pollutants and greenhouse gases. The permanent station stops should have a positive overall economic benefit, and the increased frequency and speed of the service should attract more riders, as has been shown in other cities. The impacts of increased auto travel-time and removal of station-area street parking are mitigated by the project's substantial transit, pedestrian, and bicycle benefits and by inclusion of the COAs and continued staff and community participation in the next steps of design.

Approval of the Locally Preferred Alternative at this stage does not allow AC Transit to proceed without continued City participation and the need to acquire a range of permits. Should this project be approved and move forward, the Conditions of Approval that are attached to the City Council Resolution include provisions that AC Transit will work with staff to develop formal agreements that will address reimbursement of City costs and ensure the City's proper role in continued public outreach with City advisory bodies, residents and merchants, preliminary engineering and final design, and construction oversight. Each of these agreements will be prepared and presented to City Council for approval. Other COAs that respond to community needs include provisions for new paving, parking, lighting, additional BRT stations, improved

Item: _____
Public Works Committee
July 10, 2012

accessibility for the elderly and people with disabilities, and the maintenance and operation of new facilities; these Conditions of Approval are incorporated by reference into the proposed Resolution.

AC Transit is the lead agency for the project under the California Environmental Quality Act (CEQA). The FEIS/R evaluated the entire project throughout Oakland and into San Leandro; however, the DOSL BRT Project portion is wholly within the City's right of way. AC Transit's environmental analysis found, and City staff concurs, that the greatest environmental impacts are due to projected traffic in the year 2035 and beyond. Combinations of design modifications and mitigation measures that have been built into the project have reduced significant traffic impacts to less than significant for all but one intersection (a Significant Impact at 5th Avenue and East 12th Street). Accordingly, staff recommends that City Council concur with AC Transit's certification of the FEIS/R, including their Findings of Fact, Statement of Overriding Considerations, and Mitigation Monitoring and Reporting Plan.

The action now requested of City Council is to formally adopt the DOSL Alternative as the preferred BRT Project. This will allow AC Transit to proceed with a full funding agreement with the Federal Transit Administration (FTA), which is due in September 2012. This funding will support AC Transit and Oakland to work together to complete preliminary and final design, and then proceed to construction.

OUTCOME

Should City Council approve the Resolution, AC Transit will be able to report this milestone in their Federal "Small Starts" grant update (required in early September 2012), and will be able to proceed to a full funding grant agreement which will allow them to access up to seventy five million dollars (\$75,000,000.00) in Federal Transit Administration (FTA) funds for design and construction of the project. Combined with other already committed funds, this funding will allow AC Transit to proceed to final design and construction. This decision is therefore a critical project milestone for both the City of Oakland and AC Transit.

As noted, this action alone will not give AC Transit the right to build the DOSL BRT Project on Oakland streets, but this decision commits the City's endorsement of this project as it is conceptually designed. It will indicate the City's intention to make this project a priority and to work together with AC Transit towards its completion.

BACKGROUND/LEGISLATIVE HISTORY

The AC Transit East Bay Bus Rapid Transit Project has a very lengthy history in the Cities of Oakland, Berkeley, and San Leandro that is summarized briefly here.

Major Investment Study Selects Bus Rapid Transit (1998-2001)

In 1998, AC Transit undertook a federally-funded Major Investment Study (MIS) to closely examine alternatives for transit service on several transit corridors in their service area. This

Item: _____
Public Works Committee
July 10, 2012

study was governed by a Policy Steering Committee comprised of representatives from all affected jurisdictions including Oakland. In 2001, the MIS Policy Steering Committee concluded the MIS study by recommending a preferred route for a Bus Rapid Transit Project that specified the corridor alignment of Telegraph Avenue to International Boulevard/East 14th Street in the cities of Oakland, Berkeley, and San Leandro.

Bus Rapid Transit, the choice of the MIS, is a form of bus service that is characterized by a combination of dedicated lanes and transit priority at signalized intersections, often utilizing advanced-technology high capacity buses. It also may include more widely separated stations than conventional bus service. These stations have amenities such as larger platforms with seating and weather protection, ticket vending machines for pre-paid boarding, and level floor boarding to allow full ADA accessibility. In combination these facilities allow for the provision of faster and more reliable service than conventional bus service.

Draft Environmental Impact Statement/ Report (2002-2007)

In May of 2007, after lengthy study, AC Transit released a Draft Environmental Impact Statement/Report (DEIS/R) for the entire East Bay Bus Rapid Transit Project. The DEIS/R analyzed five BRT alternatives along the corridor.

1. No Build
2. Alternative 1 – Separate BRT and Local Service from Berkeley through Oakland to Bay Fair BART
3. Alternative 2 – Separate BRT and Local Service from Berkeley through Oakland to San Leandro BART
4. Alternative 3 – Combined BRT and Local Service from Berkeley through Oakland to Bay Fair BART
5. Alternative 4 – Combined BRT and Local Service from Berkeley through Oakland to San Leandro BART

The City of Oakland formally submitted comments and concerns in response to the Draft Environmental Impact Statement/Report on line alignment, traffic, parking, economic, construction, roadway maintenance and operational impacts, among other concerns.

2009- 2010 Locally Preferred Alternative (LPA)

In 2009, AC Transit began working with the three cities (Berkeley, Oakland, and San Leandro) on the corridor to adopt a “Locally Preferred Alternative” (LPA), in order to complete the Final Environmental Impact Statement/Report (FEIS/R) on the Project. The AC Transit Board Policy Steering Committee adopted the combined BRT and Local service concept (Alternative 3 and 4 of the DEIS/R) as the preferred service scenario in 2009.

In April of 2010, the City of Oakland selected an LPA that modified the alternative in the DEIS/R in several important ways; including adding several more stations to provide additional local service, incorporating bike lanes where they are called for in Oakland’s Bicycle Master Plan, incorporating enhanced pedestrian amenities such as pedestrian bulb-outs (an extension of

Item: _____
Public Works Committee
July 10, 2012

the sidewalk that makes crossing distances shorter) and mid-block refuges (crossing islands). The LPA included the full extent of dedicated lanes proposed by AC Transit on Telegraph and International, as well as along East 12th Street through the Eastlake neighborhood. The City Council selected the LPA expressly in order for the full impacts of the project to be evaluated in the FEIS/R. In addition to approving the LPA for further study, the City Council asked AC Transit to include in the FEIS/R a full analysis of an alternative incorporating left-side boarding, parking losses and potential mitigations, the impacts of loss of local service on the elderly and disabled, security issues related to off-bus cash payment and increased walk distance to stops, and economic impacts to local businesses during and post-construction. The City Council also requested that AC Transit fully analyze a "Rapid Bus Plus" option that includes all of the facilities of Bus Rapid Transit, but without dedicated bus-only lanes.

In Berkeley, the Project proposed as their LPA along Telegraph Avenue lacked any dedicated lanes for transit, which ultimately resulted in insufficient support for the project. The inclusion of transit-only dedicated lanes is a key requirement of the system in order for transit to meet performance standards required by federal funding sources.

In San Leandro, an LPA was selected that terminated at the San Leandro BART Station, rather than traveling to Bay Fair. AC Transit relied on each of these determinations to prepare their FEIS/EIR for the Project.

Final Environmental Impact Study/Report (2011-2012)

In January, 2012, AC Transit released the FEIS on the Locally Preferred Alternative. Two alternatives are described in the FEIS/R:

1. The Locally Preferred Alternative (LPA) is a 14.4-mile, 47 station BRT line connecting Berkeley, Oakland, and San Leandro, with termini in downtown Berkeley and at the San Leandro BART station. The LPA is an improved version of Alternative 3 in the Draft EIS/R, responding to requests made by the City of Oakland and San Leandro. It includes minimal improvements in Berkeley limited to minor stop improvements and the provision of ticket machines to ease boarding.
2. A new, lower cost alternative to the LPA, designated as the Downtown Oakland to San Leandro BART Alternative (DOSL BRT Project). This alternative limits improvements to a 9.5 mile, 32-station segment from the Uptown Transit Center in downtown Oakland to the San Leandro BART station, traveling largely upon International Boulevard through the City of Oakland. This alternative was proposed to fully disclose a functional system that could be considered if funding or other constraints prohibited the full buildout of the LPA. This alternative also permitted an option which did not include Berkeley.

AC Transit Selection of Preferred Alternative and Certification of FEIS/R (April, 2012)

Following release of the FEIS/EIR, AC Transit collected comments during a 45-day public comment period, and hosted six public forums in Oakland at various locations along the Project alignment. On April 25, 2012, the AC Transit Board formally certified the FEIS/R and

Item: _____
Public Works Committee
July 10, 2012

identified the DOSL as their new Locally Preferred Alternative (See *Attachment C: AC Transit District – GM Memo – Certification of East Bay Bus Rapid Transit Final Environmental Impact Report and Adoption of New Locally Preferred Alternative* http://www.actransit.org/wp-content/uploads/board_memos/2_GM%2012-083a%20BRT.pdf).

ANALYSIS

The FEIS/EIR studied the full LPA from Berkeley to San Leandro (14 miles and 47 stations), and the DOSL BRT Project alternative, which travels 9.5 miles from from the Uptown Transit Center in downtown Oakland to San Leandro BART and has 32 stations.

The following are the primary reasons AC Transit adopted the shorter DOSL BRT Project alternative:

- Operations: Operating independently (without the Telegraph Avenue – Berkeley alignment), the DOSL BRT Project would provide dedicated lanes in eighty percent (80%) of the corridor, and would therefore be able to provide the reliability expected of (and gain the funding for) a Bus Rapid Transit Project.
- Transit benefits: Operating independently, the DOSL BRT Project improves transit capacity, speed, reliability, frequency, safety and convenience on what is currently the most heavily used section of the entire corridor. It corrects most of the reasons for currently slow and unreliable transit operations.
- Traffic: AC Transit and the City of Oakland identified measures that feasibly mitigate all year 2015 Significant Impacts to Less Than Significant for all intersections in the DOSL corridor, and to all but one intersection (5th Avenue and East 12th Street, which remains a Significant Impact) in the DOSL corridor for year 2035. In contrast, in the north corridor one intersection has Significant Impact in 2015, and five have Significant Impacts in 2035. The reason for this disparity is the narrower profile of Telegraph compared to International Boulevard (particularly in East Oakland), and the lack of feasible auto diversion routes along Telegraph. Mitigating the impacts on Telegraph would require acquiring right-of-way to provide additional roadway capacity, which is unacceptable to the City of Oakland.
- Parking: The Telegraph Avenue corridor project in the full LPA would displace 416 parking spaces in the north corridor, or 34%. While still significant, the DOSL displaces 352 spaces in the much longer southern corridor, or 17% of the total supply. A higher percentage of the displaced spaces on the north corridor are metered, as well, (32% in the north vs 23% in the DOSL corridor), which would require additional replacement metering of side streets to maintain parity with the existing supply and guarantee the availability of parking to visitors.
- Funding: The DOSL BRT Project can be provided at a lower cost than the entire Telegraph Avenue- DOSL BRT Project. The DOSL BRT Project is judged to be “fully-funded” with current and projected available funding.
 - DOSL cost \$152 million
 - LPA cost \$205 million

Item: _____
Public Works Committee
July 10, 2012

- o Committed Funds \$171 million

Given the reasons articulated above, AC Transit chose the DOSL BRT Project as the environmentally preferred alternative, and proposes to move ahead on that corridor only. Seeing no practical reason to disagree with this assessment, staff concurs, and confines further discussion in this document to the DOSL BRT Project alternative adopted by AC Transit.

The DOSL Project Description

In Oakland, traveling east to west, the DOSL BRT Project starts on International Boulevard at the San Leandro border and operates in median bus-only lanes to 14th Avenue. Stations in this section are located on median center islands that can serve both directions of travel because the system will have buses with doors on both the left and right sides. Existing landscaped medians in East Oakland and Fmitvale districts will be preserved, with portions used to accommodate center platform stations. Additional medians may be created to result in no net loss of landscaping and to unify the streetscape where opportunities exist that do not reduce parking spaces.

Between 14th Street and Broadway, the DOSL BRT Project will travel in one-way couplets, East 12th Street and International Boulevard in the Eastlake district, and 11th and 12th Streets in Downtown. In these couplets, the BRT will operate in right-side running transit ways with curbside stations, similar to conventional buses. These lanes will be limited to buses, but will allow auto access for right turns or parking with curbside level or near-level boarding. The project would travel in conventional mixed-flow auto lanes along Broadway through downtown Oakland, terminating at the Uptown Transit Center at 20th and Broadway. The dedicated bus lanes would be distinguished from auto lanes only by color or pavement markings, would not be physically separated in any way, and would be fully accessible to emergency vehicles. (See *Attachment D: Sample Plan View, Travel Lanes*)

Thirty-two stations are spaced an average of six blocks apart along the whole length of the system. Stations will include shelters, proof of payment ticket validation, lighting and security. In addition, access to stations will have level boarding, enhanced and additional crosswalks, sidewalk bulb-outs, mid-block pedestrian refuges, and pedestrian scale lighting. (See *Attachment E: Perspective Views of Typical Stations*)

Buses will be modern, articulated, low-floor, low-emission vehicles, and will travel on five-minute headways during peak and midday periods and on ten-minute headways at other times. They will allow both left-side and right-side boarding, and will therefore be able to utilize center median stations as well as conventional curb-side stations.

Transit Impacts

The DOSL BRT Project will allow for faster transit travel time due to decreased auto congestion and faster boarding at stations, resulting in a 25-30% average speed increase, from 9 miles per hour to 13 miles per hour. It is important to note that buses will operate no faster than the speed limit of 25 miles per hour, but will travel more constantly with fewer interruptions. This

Item: _____
Public Works Committee
July 10, 2012

constancy will reduce driver's perceived need to have fast starts and sudden stops in order to meet required stop times. This method of driving is dangerous for passengers both entering and already on-board the bus, and will be greatly diminished by the dedicated lane system.

This travel time, combined with the greater reliability and improved frequency is projected to increase ridership 70%, or by 17,100 patrons per day, by 2035. This increase in transit patronage will contribute to a net decrease in auto travel (by 11,300 miles per day) and consequent reductions in pollution and greenhouse gas emission. Projections indicate that the number of bus riders in the corridor will substantially outnumber the number of auto passengers, reversing the current situation.

Auto Impacts

In order to accommodate two dedicated bus-only lanes (one in each direction), two automobile lanes must be removed. Although roadway width varies in the corridor, in general the current condition is two lanes in either direction, so the DOSL BRT Project leaves one through lane each way in the corridor. In order to provide acceptable traffic flow through major intersections, the DOSL BRT Project will provide dedicated left-turn lanes, and sometimes dedicated right-turn lanes at appropriate intersections. However, project roadways will serve fewer automobiles at a slower speed. Projections show peak period auto speed to decrease by 18-23% upon implement of the DOSL BRT Project. There will also be lower overall traffic volumes, because some auto trips will be converted to transit trips, and other auto trips will be diverted to parallel routes.

In the FEIS/FEIR AC Transit and Oakland Staff devoted considerable efforts to designing mitigations to ensure that traffic will flow acceptably with the project. AC Transit completed detailed traffic analysis in the FEIS/R, increasing the number of study intersections by 50% from the DEIS/R. Oakland performed additional analysis utilizing SimTraffic micro simulation to confirm these results and help craft mitigations. The proposed project includes mitigations both on-corridor and off corridor on adjacent streets (such as San Leandro and E. 12th) to ensure that traffic will flow smoothly. Based on these studies, staff is confident that traffic conditions in the corridor will continue to meet Oakland's performance standards.

Impacts to Pedestrians Including Older Adult and Disability Populations

The DOSL BRT Project will provide many pedestrian safety benefits to the corridor by transforming it from one that often has five lanes of auto traffic (two lanes in each direction with a median turning lane), high travel speeds, and limited crosswalks into a facility that will be much safer for pedestrians to cross the street and access the bus. The project will add high visibility crosswalks and new pedestrian signals with increased crossing time, bulbouts and curb ramps at all stations and at other locations along the corridor. At station locations, the station will provide a "pedestrian refuge" by allowing pedestrians to cross only half of the street if they need additional time. In addition, slower average auto travel speed will make uncontrolled street crossings safer for pedestrians. New pedestrian scale lighting at and adjacent to station locations will also provide additional security to pedestrians. Level floor boarding will allow easy entry and exit to the bus.

Item: _____
Public Works Committee
July 10, 2012

The negative impact to pedestrians and particularly to older adults and persons with disabilities who have more difficulty with mobility is that the BRT system will replace the existing local and rapid systems. While the existing local service has stops on average every two blocks, the BRT stops approximately every four-to-six blocks, and some patrons will inevitably need to travel further to get to their bus station. Because most of the local bus stop locations that were dropped were very low patronage locations, AC Transit estimates that 90% of current riders will walk no further to access a DOSL BRT station (and once they get there their journey will be swifter and more pleasant). However, concerns have repeatedly been raised about this issue at community meetings. As one solution, AC Transit has committed to relocating three stations and adding two new stations closer to senior facilities.

AC Transit reviewed the proposal with the Mayor's Commission on Persons with Disabilities (MCPD) and Commission on Aging joint Access Compliance Advisory Committee (ACAC). The Committee recognized the positive impacts of the BRT plan on older adult and disability populations, but asked for further consideration and correction of critical disability access issues in the planning of the BRT.

The MCPD asked that AC Transit commit to continued involvement by the ACAC through the design process and to ensuring that the local needs of older adult and disabilities populations are met by the BRT, as well as a commitment on AC Transit's part to strive for universal access in the design of the DOSL BRT Project. See *Attachment F: Motion approved by the MCPD*.

Parking Impacts

On-street parking is removed by the DOSL BRT Project in some areas for a variety of reasons. Parking may need to be reduced at station locations, or where additional turning lanes or through lanes are required to allow the remaining mixed-flow traffic lane to work acceptably. There will be no loss of meter revenue, although there will be removal and replacement of 76 parking meters out of the total of 450 meters in commercial areas along the line. AC Transit is responsible for the removal as well as one-to-one replacement of meters on adjacent side streets that serve businesses or commercial areas, or further down the corridor, as specified by the City. The City will continue to maintain these relocated meters and collect revenue.

The impact of parking losses are highly localized and depend on the current usage rate of on-corridor spaces, as well as the availability of parking spaces on adjacent side streets. AC Transit's analysis used a figure of 85% as an acceptable "full occupancy", which is currently only exceeded in the Eastlake area and a portion of the San Antonio District. AC Transit assumed that if occupancy exceeds that rate in the future, due to loss of parking spaces due to the project, it would need to be mitigated by policy changes (metering or time-limiting of adjacent non-residential side streets) or, if that is not an available alternative, through construction of off-street parking lots. AC Transit's analysis found that on-corridor parking demand would exceed 85%, with the DOSL BRT Project, in the following locations:

- 11th & 12th Streets between Webster and Alice Streets
- International Boulevard/East 12th Street between 1st and 6th Avenue

Item: _____
Public Works Committee
July 10, 2012

- International Boulevard between 20th Ave. and Munson Way
- International Boulevard between 27th Ave. and Derby St
- International Boulevard between 37th and 40th Avenues
- International Boulevard between 57th and 61st Avenues
- International Boulevard between 67th and 71st Avenues
- International Boulevard between 71st Avenue and Hegenberger
- International Boulevard between 76th and 84th Avenues

Most of these locations have available parking on side streets, and a lack of current parking limitations (meters or time limits) which makes it possible to accommodate demand. While parking impacts may not be significant on a district or multi-block level, individual businesses may be understandably concerned if a significant portion of parking is removed from their block face, particularly if they depend on automobile access to support their businesses. At this stage of the conceptual design process, it is not possible to tell with certainty how some existing businesses' parking needs will be impacted by the DOSL BRT Project.

The recommended conditions of approval include a requirement that AC Transit hold additional meetings with those businesses or residents impacted by the removal of parking, and establish a process to discuss and record the separate owner issues and to commit to specific mutually agreeable solutions with the business owner and the City within the financial constraints of the project. All solutions are to be incorporated into the DOSL BRT Project before finalizing the 35% stage of preliminary design. Additionally, in response to these types of concerns, AC Transit has also located and committed to providing additional off-street parking locations in the San Antonio, Fruitvale, and Elmhurst districts.

Bicycle Impacts

Much of the corridor has the bicycle facilities indicated in the City of Oakland Bicycle Master Plan. In this project, where there is sufficient roadway right-of-way and community support, bicycle lanes are proposed to be installed as a part of the DOSL BRT Project, increasing Oakland's bike network by approximately five lane miles of Class II bike lanes. Installation of bike racks, as demand is needed and space permits, will be managed and maintained by AC Transit in areas adjacent to the stations. In addition, DOSL BRT Project buses will allow bicycles on-board, with some space limitations to be further determined during preliminary engineering.

Responses to Specific City Council Concerns

In approving the LPA in April 2010, the City Council asked AC Transit to include in the FEIS/R a full analysis of an alternative incorporating left-side boarding, parking losses and potential mitigations, the impacts of loss of local service on the elderly and disabled, security issues related to off-bus cash payment and increased walk distance to stops, and economic impacts to local businesses during and post-construction. These issues were incorporated into the FEIS/R, and staff notes the following:

- Left side boarding:
This has been adopted as the preferred alternative, allowing flexibility in using single center islands or conventional curb-side stations where road width dictates
- Access for older adults and people with disabilities:
AC Transit completed an analysis identifying the location of significant elderly housing complexes, has located stations in close proximity to these locations, and has added stations to decrease walk distance between stations. Additionally, the City's COAs specify the Mayor's Commission on Persons with Disabilities and Commission on Aging joint Access Compliance Advisory Committee being included on an ongoing basis in design and operations development.
- Security issues:
AC Transit has added security cameras at all stations, and has further decided to allow use of on-board fare collection in the evening hours to address potential concerns with use of on-platform fare boxes.
- Economic impacts:
The FEIS/R partially addresses the economic impacts to local businesses during and after construction by discussing the typical staging and duration of construction. The City desires construction staging that will minimize impacts along the corridor (i.e., construct a block or two at a time without disturbing the entire corridor). The FEIS/R also discusses parking loss during construction and the potential impacts on businesses dependent on convenient auto access. However, the analysis is not fine-grained enough to estimate the severity of these potential impacts, as they will depend greatly on the nature of the business and of the immediate environment. The City's COA on this issue requires AC Transit to continue to address these concerns and provide solutions prior to the 35% level of engineering design.
- "Rapid Bus Plus":
The City Council also requested that AC Transit fully analyze a "Rapid Bus Plus" option that includes all of the facilities of Bus Rapid Transit, but *without* dedicated bus-only lanes. AC Transit produced the "Oakland Bus Bulbs Analysis: Telegraph Avenue Corridor" report in January, 2012. The report finds that a facility of this type, which would include reduced headways, near-level boarding at curb-side bulb-outs, proof of payment ticketing, and all door boarding, would indeed increase the number of patrons on the system, but at significant additional cost over the current "no-build" system. Unlike a BRT system, which decreases unit operating costs over the no build option due to increased productivity, the bus bulbs alternative would increase unit operating costs. While it would cost less to build, and would have fewer traffic and parking impacts than the BRT system project, the analysis finds that the bus bulbs proposal can't justify the investment due to its high operating costs.

The DOSL BRT Project is consonant with *Oakland's Transit First Policy (Attachment A)*, approved the City Council in October, 1996 (Resolution No. 73036 C.M.S.) This policy declares that the City encourages and promotes the use of public transit as an alternative to single-occupant vehicles, and specifically indicates several components of bus rapid transit as potential transit improvements, including:

- Exclusive bus lanes
- Restricting auto turning lanes
- Synchronizing traffic signals for buses on transit preferential streets, and permitting transit vehicles to preempt signals

BRT systems like the one proposed for Oakland have been a transit and economic success in other cities. Systems in place include the Los Angeles' Orange Line, Boston's Silver Line, Cleveland's RTA HealthLine, and Pittsburgh's Martin Luther King Jr. East Busway. For example, Cleveland's system is 7.1 miles in length and shares the same off-board fare, at-level boarding, and median-dedicated bus-only lanes as proposed for the Oakland BRT. The average speed of buses prior to BRT was comparable to that of AC Transit on the International Boulevard corridor: 9.3 miles per hour. The new system now has average bus speeds of 13.5 miles per hour (a 34% increase). This enables more people to use transit to get to work and home efficiently and on-time. A 60% ridership increase has happened since 2008. Because the system improvements also addressed the business communities' concerns adjacent to the BRT line, the Euclid Avenue corridor has experienced approximately \$4.3 billion of real estate investment.

The DOSL BRT Project constitutes a major and transformative investment in the public realm of the City of Oakland. It will significantly enhance transit performance along the International Boulevard corridor from downtown Oakland to the San Leandro border, provide enhancements to pedestrians and bicyclists, and decrease access for auto travel and remove significant on-corridor parking. The impacts of such an investment are far-reaching. There will be significant impacts, both positive and negative, and these impacts will affect different Oakland residents differently.

Based on staff's independent review, staff recommends that the City Council adopt a Statement of Overriding Consideration, as discussed above, finding that the positive impacts of the DOSL BRT Project – supporting economic development with fixed stations, providing better transit service, investing in improvements to the pedestrian realm including enhanced lighting, improved street crossings, repaving the entire corridor resulting in decreased pollution and greenhouse gas emissions – all of these outweigh the negative consequences to auto travel time and parking as well as the short-term economic disruption to businesses typical of any major construction project. (*See Exhibit B to the Resolution: Findings of Fact and Statement of Overriding Considerations dated March 24, 2012 and adopted by AC Transit on April 25, 2012.* http://www.actransit.org/wp-content/uploads/board_memos/2_GM%2012-083a%20BRT.pdf)

Item: _____
Public Works Committee
July 10, 2012

POLICY ALTERNATIVES

<i>Alternative 1</i>	Decline to Adopt the DOSL BRT Project
<i>Pros</i>	Without a project, there will be no traffic and parking impacts, and no impacts during construction
<i>Cons</i>	Without a project, there will be none of the associated transit mobility benefits, no improvements to pedestrian and bicycle facilities, no repaving of auto travel lanes along the corridor, and none of the positive impacts of a \$150 - \$170 million dollar project constructed largely in Oakland
<i>Reason for not recommending</i>	On balance, the benefits of the project outweigh its negative impacts

<i>Alternative 2</i>	Reject Dedicated Lanes in favor of "Rapid Bus Plus"
<i>Pros</i>	Lower traffic and parking impacts, lower cost to construct
<i>Cons</i>	No dedicated funding for construction, higher operating costs than current system
<i>Reason for not recommending</i>	AC Transit will not pursue this option, because it cannot fund capital or operations costs of this alternative

PUBLIC OUTREACH/INTEREST

The City coordinated seven public meetings with AC Transit in early 2010, prior to the start of the FEIS, to confirm a Locally Preferred Alternative (LPA) to study in the FEIS/R. This LPA, which included both the Telegraph Avenue and International Boulevard segments of the BRT Project, was then confirmed by City Council on April 25, 2010.

AC Transit, as project sponsor, coordinated public outreach during the FEIS/R phase of the project. At the City's request, AC Transit organized six public meetings along the corridor in Oakland following the release of the FEIS/R in February and March 2012, prior to the required public hearing that was held at AC Transit on April 25, 2012. At these public meetings, held on weekday evenings in the Fruitvale, East Oakland, Elmhurst, Eastlake, Downtown and Temescal districts, AC Transit described the proposed entire BRT project and its impacts, answered questions about the project, and took written comments. A variety of viewpoints were expressed during public meetings, from enthusiastic support to outright opposition. City staff attended each of these meetings and answered questions regarding the City's involvement in the process, but otherwise did not have an official role.

The BRT Project has been presented many times to the Bicycle and Pedestrian Advisory Committee of the City, and comments from that group enhanced the project. After release of the FEIS/R, AC Transit presented the project to the Commission on Aging and the Commission on Persons with Disabilities and their comments have also been integrated into this report and as Conditions of Approval.

Item: _____
Public Works Committee
July 10, 2012

COORDINATION

The DOSL BRT Project has been the subject of intense coordination between AC Transit, the City of Oakland and the City of San Leandro. Coordination within the City of Oakland has been managed by the Infrastructure Plans and Programming Division and the Transportation Services Division of the Public Works Agency. Over a two year period, AC Transit and Oakland staff and their respective consultants have met on a regular basis, as often as once a week, to review and ensure that the project elements meet Oakland's needs.

The DOSL BRT Project has also been reviewed by staff with responsibilities for ADA compliance, transportation planning, traffic engineering, street design, the paving program, and the street and landscape maintenance groups, to ensure that major concerns are addressed. Redevelopment and Parking staff participated in review of parking mitigations. As a result, project configuration, operation, and maintenance responsibilities have been defined in principle and are attached in the COAs.

The International Boulevard Transit Oriented Development Plan, developed by the Planning, Building, and Historic Preservation Department, was developed during the analysis leading up to the FEIS/R, and considered the DOSL BRT Project in its analysis. While the International Boulevard plan was not officially adopted by the City Council, it provides guidance for the future development of the corridor. The final BRT plan helps implement the goals of that TOD plan.

COST SUMMARY/IMPLICATIONS

This action alone has no direct cost impact on the City of Oakland. However, this action will allow AC Transit to apply for and receive federal funding to complete final design of the project and proceed to construction. The construction and eventual operation of the DOSL BRT Project will have a net positive impact as a capital investment that will renew and replace infrastructure along the International Boulevard and 11th and 12th Street corridors. It will result in no new maintenance and operations costs for the City, as AC Transit will be responsible for maintenance of its new facilities, including transit stations, dedicated bus lanes, and other transit infrastructure. See the next sub-sections for the analysis of Capital Cost, Project Development and Construction, Parking Meters, and Operations and Maintenance.

Item: _____
Public Works Committee
July 10, 2012

Capital Costs

The cost of the DOSL BRT Project is currently estimated at one hundred fifty-two million dollars (\$152,000,000.00), however, committed funding totals approximately one hundred and seventy-two million dollars (\$172,000,000.00).

Committed Funding, DOSL BRT Project (from AC Transit)

Source of funds	Amount (\$ millions)
Federal Transit Administration "Small Starts"	75.0
Federal Transit Administration Bus	3.1
Regional Measure 2 (Bridge Tolls)	43.4
Alameda County Measure B	5.5
Alameda CTC STIP funds	40.0
Other Committee (various)	4.9
Total	171.9

While the funding summary suggests the project is fully funded, and in fact has nearly twenty million dollars (\$20,000,000.00) in additional funds, this cost estimate is based on conceptual engineering and is subject to change during future project phases. AC Transit's total DOSL BRT Project costs include only those that are within the scope of the federally funded transit project, and do not include some of the "other related improvements" requested by the City of Oakland in the approval of our Locally Preferred Alternative of April, 2010.

These "other related improvements" are currently estimated (again, on a conceptual engineering cost basis) to total approximately twenty-four million dollars (\$24,000,000.00). These costs include paving the entire length of the lanes along the BRT corridor, and providing lighting and streetscape improvements (pedestrian bulbouts, parking lots, and median refuges) in locations other than the BRT station sites. Many of these improvements have now been incorporated into the project's committed funding. However, the other related improvements do not include any estimates for "whole corridor" street lighting improvements, nor do they include all of the costs of the two new stations recommended projects in the COAs, nor additional parking in the San Antonio district.

With the addition of improvements requested by the City of Oakland, the project does not appear to be fully funded, although there currently seems to be funding available for most of the requested additions. The City has proposed our absolute minimum requirements in the COAs that AC Transit must fund with existing or additional BRT Project funds. During the next phase of project development, during which cost estimates will be refined, staff will work with AC Transit to ensure that all necessary project components are included in the baseline project costs.

Project Development and Construction

During the next phase of project development, when the DOSL BRT Project will move from the planning phase to the preliminary and final design phases, there will be substantial costs to the

Item: _____
Public Works Committee
July 10, 2012

City for development review of this very complex project. There will be significant alterations to the street and sidewalks all along the corridor and staff in the Public Works Agency will need to review all steps of the project to ensure that Oakland's requirements and standards are met. There will be a need to fund community engagement during the design process. Finally, during project construction the city will incur costs for project permits, review and inspection. As AC Transit and the City have done in previous planning phases of the project, the two parties will draft agreements that seek to cover Oakland's reasonable costs during this phase. Reimbursement of City costs is listed as a Condition of Approval.

Parking Meters – No Loss of Revenue

There will be no loss of meter revenue, although there will be removal and replacement of 76 parking meters out of the total of 450 meters in place along the line. Downtown will need 15 meters moved, East Lake/San Antonio will need 14 meters moved, and the Fruitvale area will need 47 meters relocated. AC Transit is responsible for the removal as well as one-to-one replacement on adjacent side streets that serve businesses or commercial areas, or further down the corridor, as specified by the City. After the capital investment by AC to remove, replace, or install new meters as required for the DOSL BRT Project, the City will assume ownership, operations and maintenance of the relocated on-street meters.

Operations and Maintenance

AC Transit agrees that the City of Oakland should not incur additional maintenance costs due to implementation of the DOSL BRT Project, and that AC Transit will assume responsibility for any City maintenance cost resulting from the project. This agreement is specified in the proposed COAs for this project.

Post-construction, the street will be rebuilt with a dedicated transit lane and stations, a through travel lane in each direction, new traffic signals, pedestrian scale lighting, enhanced sidewalks, crosswalks, and pedestrian signals. An MOU will be developed for a maintenance agreement for new facilities including but not limited to stations, transit-way, security, street furniture, median landscaping, and graffiti and litter to ensure that the project is attractive and that total City costs will not increase.

SUSTAINABLE OPPORTUNITIES

Economic: The design and construction of the proposed East Bay Bus Rapid Transit system will have a significant economic impact to the corridor, investing approximately one hundred fifty-two million dollars (\$152,000,000 - \$172,000,000) in capital facilities and vehicles. AC Transit estimates that the DOSL BRT Project will create approximately three hundred local construction jobs (in person years), as well as four hundred additional local jobs in retail, services, and manufacturing during the construction period.

Environmental: Construction of the DOSL BRT Project and improvement of bicycle and pedestrian facilities in this corridor promises to increase the number of people traveling by bus, bicycle and foot, and decrease the number otherwise traveling by automobile. These actions will

Item: _____
Public Works Committee
July 10, 2012

decrease the environmental impacts of travel in the corridor, including the generation of greenhouse gases and other pollutants.

Social Equity: The DOSL BRT Project will significantly improve bus service in the most heavily utilized bus transit corridor in Oakland, by providing both more frequent service and faster average transit speeds. It promises to benefit transit-dependent citizens, and all residents of the corridor, by providing better and more accessible mobility options than they currently enjoy.

CEQA

AC Transit is the lead agency for the project, and as such prepared the FEIS/R that addressed the entire route from Berkeley through Oakland to San Leandro. AC Transit Certified the Final Environmental Impact Report for this project on April 25, 2012, adopting Resolution No. 12-018. The certification also included the adoption of the Findings of Fact, the Mitigation Monitoring and Reporting Plan and the Statement of Overriding Considerations.

As a Responsible Agency under CEQA (Section 15096. Process for a Responsible Agency) the City of Oakland is required to make findings required by CEQA (Section 15091. Findings) for each significant impact. As a Responsible Agency the City is also required to approve a Statement of Overriding Considerations (Section 15093. Statement of Overriding Considerations) that documents that the benefits of a proposed project outweigh any unavoidable adverse environmental effects. City staff has independently reviewed these documents and the evidence in the record that supports these findings and recommends them for City Council adoption and find them adequate. Therefore, for these purposes, staff proposes that City Council adopt, as their own, the Findings of Fact and Statement of Overriding Considerations dated March 24, 2012 and adopted by AC Transit on April 25, 2012. These findings are attached as ***Exhibit B*** and in the proposed Resolution.

Item: _____
Public Works Committee
July 10, 2012

For questions regarding this report, please contact Bruce Williams, Senior Transportation Planner, at (510)-238-7229.

Respectfully submitted,


VITALY B. TROYAN, P.E.
Director of the Public Works Agency

Reviewed by:
Michael Neary, P.E.
Assistant Director of the Public Works Agency
Department of Design, Engineering and Construction

Prepared by: Bruce Williams
Senior Transportation Planner
Infrastructure Plans and Programming Division

Exhibits to the Resolution:

- A. Proposed Conditions of Approval
- B. Findings of Fact and Statement of Overriding Considerations dated March 24, 2012 and adopted by AC Transit on April 25, 2012. http://www.actransit.org/wp-content/uploads/board_memos/2_GM%2012-083a%20BRT.pdf

Attachments:

- A. Oakland Transh First Policy (Resolution No. 73036 C.M.S.)
- B. Map of BRT Project Line
- C. AC Transit District – GM Memo 12-083a -Certificafion of East Bay Bus Rapid Transit Final Environmental Impact Report and Adoption of New Locally Preferred Alternative
http://www.actransit.org/wp-content/uploads/board_memos/2_GM%2012-083a%20BRT.pdf
- D. Sample Plan View, Travel Lanes
- E. Perspective Views of Typical Stations
- F. Motion Approved by the Mayor's Commission on Persons with Disabilities (MCPD) and Commission on Aging Joint Access Compliance Advisory Committee (ACAC), June 11, 2012

Item: _____
Public Works Committee
July 10, 2012

ATTACHMENT A:

OAKLAND TRANSIT FIRST POLICY (RESOLUTION NO. 73036 C.M.S.)

OAKLAND CITY COUNCIL

RESOLUTION No. 73036 C. M. S.

INTRODUCED BY COUNCILMEMBER _____

RESOLUTION DECLARING THE CITY OF OAKLAND'S SUPPORT OF PUBLIC TRANSIT AND OTHER ALTERNATIVES TO SINGLE-OCCUPANT VEHICLES

WHEREAS, public transit including buses, trains and ferries carries 120,000 riders per day in Oakland and reduces air pollution by eliminating the need for private automobiles; and

WHEREAS, shifting additional trips from the private automobile to public transit has many benefits including: reducing traffic congestion, thereby making streets safer for pedestrians and bicyclists; decreasing demand for auto parking so that land can be put to more productive use; decreasing automobile tail pipe emissions; and potentially reducing the cost of housing by eliminating the need for garage space; and

WHEREAS, a shift from private vehicles to public transit or other transportation modes also reduces an individual's transportation costs thereby freeing up personal resources for other important needs; and

WHEREAS, increased speed, better accessibility to, and improved frequency of transit services encourages greater use of public transit and increases fare box revenues; and

WHEREAS, certain traffic engineering techniques such as creation and enforcement of exclusive transit lanes, synchronization of traffic signals to transit speed, extension of bus stop curbs out to the traveled transit lane, and the use of signal preemption devices can improve the speed of transit travel; and

WHEREAS, improvements to public transit infrastructure and pedestrian facilities can increase the attractiveness and use of public transit by making it safer, more convenient, and more comfortable; and

WHEREAS, increased use of other transportation alternatives including bicycling and walking, carpooling, vanpooling, and telecommuting also reduce traffic congestion and improve air quality, as well as enable more efficient use of our roadway system by accommodating more people in fewer vehicles; and

WHEREAS, use of transportation alternatives also frees up roadway space for freight and commercial vehicles thereby stimulating economic development; and

WHEREAS, a balanced transportation system which offers an array of choices to travelers makes communities more livable; and

WHEREAS, in determining improvements that will facilitate travel by public transit and other alternative modes of transportation, it is important to strike a balance between economic development opportunities and the mobility needs of those who travel by other than the private automobile; now therefore be it

RESOLVED, that it shall be the official policy of the City of Oakland to encourage

and promote use of public transit in Oakland and to expedite the movement of and access to transit vehicles on designated "transit streets;" and be it further

RESOLVED, that the City, in constructing and maintaining its transportation infrastructure, shall resolve any conflicts between public transit and single occupant vehicles on City streets in favor of the transportation mode that provides the greatest mobility for people, rather than vehicles, giving due consideration to the environment, public safety, economic development, health, and social equity impacts; and be it further

RESOLVED, that as part of the General Plan Transportation Element, a system of transit preferential streets and associated transit-oriented improvements shall be proposed; and be it further

RESOLVED, that the General Plan Congress shall consider and incorporate in the General Plan Transportation Element, as appropriate, various methods of expediting transit services on designated streets and encouraging greater transit use including but are not limited to:

1. Creating exclusive bus lanes.
2. Restricting automobile turning movements that conflict with transit vehicles.
3. Synchronizing traffic signals for buses on transit preferential streets.
4. Permitting transit vehicles to preempt traffic signals.
5. Installing sidewalk curb cuts at all transit stops.
6. Bulbing out bus stops into the travel lane.
7. Enforcing parking restrictions at bus stops.
8. Encouraging regular maintenance of bus stops and the provision of amenities such as benches, shelters, and posting of schedules.
9. Ensuring that designated transit loading areas are not blocked by news racks, trash receptacles, or other barriers.
10. Adhering to transit-oriented design features in all developments served by public transit (See AC Transit Board Policy No. 520).
11. Discouraging provision of free parking at transit stations and employment sites.
12. Promoting intermodal transfer stations to encourage seamless transfers among transit modes; and be it further

RESOLVED, that it shall also be the official policy of the City of Oakland to encourage and promote bicycle and pedestrian travel by providing a bicycle circulation system which includes, Class I, II and III facilities, safe and secure bicycle parking, pedestrian/bicycle bridges, pedestrian plazas, bicycle loop detectors, traffic calming devices, crosswalks and sidewalk bulbs, median "safety zones," and repair of damaged sidewalks.

IN COUNCIL, OAKLAND, CALIFORNIA, October 29, 19 96

PASSED BY THE FOLLOWING VOTE:

AYES- BAYTON, CHANG, DE LA FUENTE, JORDAN, MILEY, RUSSO, SPEES, ~~WOODS-JONES~~, and PRESIDENT HARRIS **8**

NOES- **NONE**

ABSENT- **NONE**

ABSTENTION- **NONE**

Excused- Woods-Jones #1

ATTEST:




CEDA FLOYD


City Clerk and Clerk of the Council
of the City of Oakland, California

ATTACHMENT B:

MAP OF BRT PROJECT LINE



AC Transit East Bay BRT Project



AC Transit East Bay BRT Project

ATTACHMENT C:

**AC TRANSIT DISTRICT – GM MEMO12-083a - CERTIFICATION OF EAST
BAY BUS RAPID TRANSIT FINAL ENVIRONMENTAL IMPACT REPORT
AND ADOPTION OF NEW LOCALLY PREFERRED ALTERNATIVE**

AC TRANSIT DISTRICT
Board of Directors

GM Memo No. 12-083a

Meeting Date: April 25, 2012

Committees:

Operations Committee
External Affairs Committee
Board of Directors

Planning Committee
Finance and Audit Committee
Financing Corporation

SUBJECT: Certification of East Bay Bus Rapid Transit Final Environmental Impact Report and Adoption of New Locally Preferred Alternative

RECOMMENDED ACTION: Briefing Item Recommended Motion

Receive Public Comment and Consider the Adoption of Resolution No. 12-018 Certifying the Final Environmental Impact Report (FEIR) for the East Bay Bus Rapid Transit Project, and selection of the Downtown Oakland-San Leandro Alternative (DOSL) as the Locally Preferred Alternative (LPA) for the Project, and authorizing the filing of a Notice of Determination.

Budgetary/Fiscal Impact:

None directly associated with this action. However, this project will require the expenditure of District funds to match federal and state funds currently dedicated to this project for its design and construction, and to purchase specialized Bus Rapid Transit (BRT) vehicles. The project will require an expenditure of operating funds to operate the service, maintain vehicles and facilities and to implement and monitor environmental mitigation measures.

Background/Discussion:

There are two proposed actions requested in this memorandum: 1) certification of the Final Environmental Impact Report (FEIR) and 2) adoption of the Downtown Oakland San Leandro (DOSL) Alternative as the new definition of the Locally Preferred Alternative (LPA).

1) **Certification of the FEIR**

As the lead agency for the project under the California Environmental Quality Act (CEQA), the District is responsible for certifying environmental documents for their legal and technical sufficiency. For this project, that certification also includes the adoption of the Findings of Fact, the Mitigation Monitoring and Reporting Plan and the Statement of Overriding Considerations. Once the FEIR is certified, the District is responsible for submitting a Notice of Determination (NOD) with the Alameda County Clerk as part of the certification process, along with paying any filing fees associated with the action of certifying the EIR.

The Federal Transit Administration is the lead agency at the federal level and is responsible for issuing environmental approvals under the National Environmental Protection Act (NEPA). FTA is expected to issue a Record of Decision (ROD) shortly after certification of the California element of the joint NEPA/CEQA FEIS/FEIR.

Per CEQA Guidelines Section 15090, prior to approving the proposed project or DOSL Alternative, the AC Transit Board of Directors (Board) shall certify that:

- The Final EIR has been completed in compliance with CEQA;
- The Final EIR was presented to the Board and that the Board reviewed and considered the information contained in the Final EIR; and
- The Final EIR reflects the independent judgment and analysis of the Alameda-Contra Costa Transit (AC Transit).

In addition to the NOD, the District must also issue the following documents:

- Finding of Fact
- Mitigation Monitoring and Reporting Plan
- Summary of Public Comments on the FEIR

Findings of Fact

As defined in Section 15091 of the CEQA Guidelines, AC Transit shall not approve or carry out a project for which an EIR has been certified that identifies one or more significant environmental effects of the project unless the Board makes one or more written findings for each of those significant effects, accompanied by a brief explanation of the rationale for each finding. These are included in the Finding of Fact document contained in Attachment A.

Within the FEIR, the Finding of Fact document and the Mitigation Monitoring and Reporting Plan, the Board will find that design features and mitigation measures have been incorporated into the proposed project and the DOSL Alternative to reduce, minimize or avoid significant environmental effects identified in the Final EIR. If the DOSL is adopted, design features and mitigation measures would only apply to that alternative. The District would be responsible for funding and implementing the mitigation measures. However, the implementation of mitigation measures would not occur prior to approval by agencies with jurisdiction, which may include the cities of Oakland, San Leandro and the California Department of Transportation for the DOSL alternative.

Traffic is the area where the greatest environmental impacts are expected. A combination of design modifications and mitigation measures has reduced traffic impacts at all but 6 intersections in the full LPA and at all but 1 intersection in the DOSL alternative. Most traffic impacts that could not be mitigated would be on Telegraph Avenue, which is why, from a CEQA perspective, the DOSL Alternative, has been identified as the superior environmental alternative in the FEIR and in the Finding of Fact document.

There would be no other significant environmental impacts. For example, there would be small adverse impacts and small positive impacts to the aesthetic/visual environment, depending on location. There would be no impacts to biology, noise, air quality, cultural resources, etc. For those impacts that cannot be reduced, avoided or eliminated, the District will adopt, as part of the CEQA certification, a Statement of Overriding Considerations (see Section 11 of Attachment A). Its adoption should be balanced with the project benefits summarized above.

Statement of Overriding Considerations

In order to approve the proposed project or DOSL Alternative, CEQA requires that AC Transit as the lead agency, balance, as applicable, the economic, legal, social, technological, or

other benefits against unavoidable environmental risks. If economic, legal, social, technological, or other benefits of the proposed project or DOSL Alternative outweigh the unavoidable adverse environmental effects, the adverse environmental effects may be considered "acceptable." The Statement of Overriding Considerations is incorporated as Section 11 of the Findings of Fact and identifies potentially significant traffic and circulation impacts that may result from implementation of the proposed project or DOSL Alternative.

AC Transit, as the lead agency, must state in writing the specific reasons to support its action based on the Final EIS/EIR and/or other information in the record for projects that would result in the occurrence of significant effects identified in the Final EIS/EIR but are not avoided or substantially lessened. All material supporting the Findings of Fact and Statement of Overriding Considerations is included in the administrative record.

Summary of Mitigation Monitoring & Reporting Plan

CEQA Section 21081.6 of the Public Resources Code requires a public agency to adopt a monitoring and reporting program assessing and ensuring the implementation of required standard conditions and mitigation measures applied to proposed developments. Specific reporting and monitoring requirements enforced during project initiation, implementation, and ongoing operation are adopted at the same times as the final approval of the project by the lead agency. Each potentially significant environmental impact is identified with accompanying mitigation measures to reduce potential impacts to less than significant.

When a lead agency approves a project, it is doing so with a fully disclosed understanding of the project's impacts. The District has an obligation to adopt feasible mitigation measures and impose design features that ensure a project's environmental effects are reduced, avoided, or eliminated—except in those cases where statements of overriding consideration have been adopted. The FEIR identifies a number of potentially significant adverse environmental impacts that may occur if the project is approved and developed. Measures are recommended for each of the identified significant adverse impacts to mitigate those effects and which become part of the project that is adopted. Further, if the proposed project were approved, requirements enacted by ordinance or policy are imposed upon the District and other regulatory agencies. The Mitigation Monitoring and Reporting Plan is included as Attachment B.

Public Comments on the FEIS/FEIR

During the Final EIS/EIR review and comment period (February 3 to March 19, 2012), AC Transit received comments on the proposed LPA and the DOSL Alternative. A summary of the public outreach, categories of comments received and copies of all comments are included in Attachment C.

Ninety-three written comments were received by mail and by email and 43 comments were submitted through the public meeting process during the public comment period, while 7 comments were received after the comment period closed. Major themes included comments on the trade-offs associated with how BRT achieves greater speed and reliability – namely the use of dedicated lanes that require allocating portions of the roadway to transit that are previously allocated to mixed flow traffic (buses, trucks, cars and etc.) and parking. Feedback

at the community meetings was mixed; generally either extremely supportive of whatever would provide the greatest benefit to transit riders or, conversely concerned about impacts to automobile drivers, parking loss (particularly in front of small businesses) and the distance between stops.

The comments will be used to identify possible refinements to the project that will be further evaluated, as appropriate, during the Preliminary Engineering (PE) phase of project development. The potential refinements will remedy design issues, and further minimize specific impacts along the corridor. For example, refinements may include shifting stations or adding 1-2 stations, adjusting safety and pedestrian features, increasing parking mitigation or other minor design adjustments. Refining the project design will require continued coordination with the cities and Caltrans. If the refinements developed in PE result in changes requiring additional environmental review, the District will be required to prepare the appropriate level of environmental documentation, and conduct outreach, in compliance with applicable federal and state environmental review requirements.

Additionally, today's public hearing was widely publicized through the web, newspapers, on-board vehicles and other channels to ensure that the general public and those that commented on the prior environmental documents were notified. The process is explained in Attachment C-1.

2) Adoption of the Downtown Oakland to San Leandro (DOSL) Alternative as the Locally Preferred Alternative

The East Bay BRT project has undergone years of planning studies. Modifications to the project have been made based on community and city input and as mitigation for project impacts. Below is a summary of the decisions that have led to the recommendation by staff that the Board adopt the DOSL Alternative.

Evolution of LPA & Recommendation of DOSL

In 2001, the Board adopted the recommendations of the Policy Steering Committee to pursue BRT on Telegraph Avenue, International Boulevard and East 14th Street.

In 2007, four BRT alternatives were analyzed in the Draft EIS/EIR:

- No-Build Alternative
- Build Alternative 1 – Separate BRT and Local Service to Bay Fair BART
- Build Alternative 2 – Separate BRT and Local Service to San Leandro BART
- Build Alternative 3 – Combined BRT and Local Service to Bay Fair BART
- Build Alternative 4 – Combined BRT and Local Service to San Leandro BART

For each of the Build Alternatives, route alignment, service options, and features were analyzed. Basic features of the proposed East Bay BRT Project include transit priority at all signalized intersections, new passenger stations, and a combination of mixed-flow and dedicated travel lanes throughout the proposed project alignment. The East Bay BRT will take

the place of existing Route 1 local and Route 1R Rapid Bus service currently operating in the corridor.

Following the release of the Draft EIS/EIR, a concerted effort was undertaken with the cities to evaluate the four BRT alternatives and select or develop an Alternative that would meet city goals, address concerns and still meet the project purpose and need.

In 2010, the District completed its efforts to refine the project to increase community benefits and minimize negative impacts. The Oakland and San Leandro city councils defined their "Locally Preferred Alternative" BRT project for study in Final EIS/EIR and to potentially build. Of the Build Alternatives studied in the Draft EIS/EIR, Alternative 4-- BRT service from Berkeley to the San Leandro BART station--with a combination of mixed-flow and dedicated BRT lanes, was selected as the LPA for the Final EIS/EIR. The full LPA corridor is 14.38 miles long. The process for selecting the LPA is described in greater detail in Section 2.1 of the Final EIS/EIR. The LPA was determined at that time to be the most desirable alternative for balancing functional efficiency with environmental and social effects.

When the LPA was adopted, the AC Transit Board, and in response to the City of Oakland and other stakeholder input, included a second less-costly build alternative for evaluation in the Final EIS/EIR. This alternative was defined and evaluated in the Final EIS/EIR in an effort to fully disclose a functional system that could be considered if funding or other constraints prohibit the full build out of the currently defined LPA. This alternative is called the Downtown Oakland-San Leandro BRT (DOSL) Alternative.

The boundaries for the DOSL alternative were developed based on capital cost estimates, ridership forecasts, and consideration regarding logical termini for a shortened project. Under this alternative, there will be no significant dedicated BRT lanes north of 20th Street (Uptown station). South of 20th Street, the BRT will run in center-running or side-running BRT lanes as described in the LPA. Other features of the DOSL Alternative would be the same as the LPA, but with fewer stations (32).

Downtown Oakland-San Leandro BRT Alternative (DOSL Alternative)

Staff recommends that the Board adopt the DOSL Alternative as the Locally Preferred Alternative. The DOSL Alternative is an effective and viable project that meets the project's purpose and need while minimizing negative impacts

As noted above, the Final EIS/EIR included the identification and full impact assessment of the LPA as well as the proposed DOSL Alternative. Consistent with the decision making throughout the EIS process and in compliance with requirements of the National Environmental Policy Act (NEPA), the recommendation of a revised LPA-- the DOSL Alternative--is based on the analysis in the Final EIS/EIR, consultation with permitting agencies, comments received during the Final EIS/EIR review and comment period, more detailed analysis, and the results of the planning and engineering processes conducted with the cities of Oakland and San Leandro. As documented in the Final EIS/EIR, the DOSL Alternative is consistent with the goals and objectives developed for the project and that best meets the identified project Purpose and Need within the fiscal and environmental constraints

of the corridor. Additionally, as defined and disclosed in Sections 6.2.4.2 and 3, of the FEIS/EIR, the DOSL Alternative is identified as the environmentally superior alternative under the California Environmental Quality Act (CEQA) process, as it would result in fewer transportation related impacts than the original LPA. The table below from Chapter 9 of the FEIR compares the LPA and DOSL for their ability to meet project goals and objectives.

Summary of Effects Relative to Project Goals and Objectives

Measure	LPA	DOSL Alternative
Improve Transit Service in the Project Corridor		
Express buses per hour (frequency)	++	++
Capacity		
- Bus seat-miles operated	+++	++
- Roadway auto capacity	--	-
- Roadway person-trip capacity	0	0
Speed		
- BRT bus average speed	+	+
- Auto average speed	-	-
Express bus travel time (Berkeley to San Leandro BART)	++	+
Express bus boarding time	+	+
Reliability (Berkeley to San Leandro BART)	++	+
Security, comfort and cleanliness	+	+
Improve Transit Ridership by Providing Transit Alternative to Automobile		
Weekday boardings		
- New trips and total corridor/system	+++	++
- Auto vehicle VMT/trips	+	+
Improve and Maintain Efficiency of Transit Service Delivery		
Capital costs – total	--	-
Net operating costs – total	--	-
Net operating costs – per trip	++	+
Annualized total cost – per new transit trip	++	+
Support Local and Regional Planning Goals		
Weekday express buses between key activity centers (trips)	++	+
Point-to-point peak-period express bus travel time between key activity centers	+	+
Potential for transit-oriented development	++	+
Environmental Impacts		
Parking displaced	--	-
Intersection and roadway LOS	--	-
Construction Impacts (traffic, utilities)	--	-
Environmental Justice (effect on low-income/minority)	++	+

Measure	LPA	DOSL Alternative
Other environmental effects (air quality, hazardous materials, land use)	0	0

SCALE: - worse/greater impact than No-Build

The DOSL Alternative improves transit capacity, speed, reliability, frequency, safety and security, and comfort and convenience between Downtown Oakland and San Leandro BART, benefiting existing and future passengers. Shortly after the system opens in 2016, it is forecasted to increase transit boarding in the corridor by 11,400 per day, increase AC Transit's system-wide boardings by 5,900 per day, and "new riders" formerly using autos by 2,500 per day.

The DOSL Alternative is also financially viable. It would reduce net operating cost per boarding (adjusted for fare revenue) by approximately \$0.76 in year 2016, from \$2.26 to \$1.49. The DOSL achieves the purpose of the project at substantially lower cost (\$152.3 million versus \$205.1 million).

The DOSL Alternative has positive environmental attributes and fewer negative impacts. It reduces vehicles miles traveled (VMT) by autos by 8,000 per day. It reduces generation of greenhouse gases in the corridor by 4,100 lbs of CO2 equivalents per day. The DOSL Alternative has fewer intersection and roadway impacts and fewer parking displacements than the LPA. The DOSL Alternative has only one significant and unavoidable intersection impact in year 2035 and none in year 2015. In contrast, the LPA has six significant and unavoidable intersection impacts in year 2035 and one in year 2015. The DOSL Alternative displaces a total of 607 parking spaces compared to the LPA which displaces 1,071.

The DOSL alternative also supports Transit Oriented Development. It provides a major infrastructure investment that enhances livability and helps attract economic investment and transit oriented development. The City of Oakland recently approved the International Boulevard Transit Oriented Development Plan, which heavily featured the BRT in the corridor.

During the outreach for the FEIR/S, several stakeholders expressed interest in forwarding BRT development in portions of the corridor that were already eliminated by city action (e.g. Bayfair BART terminus) or would be eliminated through the selection of the DOSL (i.e. Telegraph Avenue). While an environmental document only has a 3 year shelf life, much of the work conducted in the development of the BRT corridor would need to be redone if begun after the BRT is operational. However, because the FEIR/S represents a comprehensive body of study, cities wishing to forward BRT development could use any and all of the work conducted to date to assist them in that decision-making process. This includes all of the technical documentation and studies that the District has undertaken thus far.

Additionally, the District's Strategic Vision has not been revised since its inception. As a result, the corridors listed for BRT improvements may not reflect our current priorities. During the revision of the Strategic Vision, District staff commits to working with our city partners to ensure that the corridors selected for advancement match the District's priorities as well as city direction.

Next Steps

After certification of the FEIR and adoption of the DOSL as the LPA, the following activities would commence.

1. **May & June 2012**

- FTA issues Record of Decision on Final Environmental Impact Statement according to the National Environmental Policy Act
- City councils of Oakland and San Leandro adopt project
- Refine parking mitigation plan

2. **Summer & Fall 2012**

- AC Transit to establish Community Advisory Committee for design, aesthetics, parking Impact mitigation and construction
- Refine BRT design during Preliminary Engineering phase based on public input
- Refine operating and maintenance costs
- Formalize interagency agreements for operations (use of the street) and maintenance
- Substantial progress on preliminary engineering (PE)
- Identify scope of other improvements to be pursued

Prior Relevant Board Actions/Policies:

GM 10-144: Adopting the LPA

GM 10-212: Amending LPA

Attachments:

Attachment A: East Bay Bus Rapid Transit Finding of Fact

Attachment B: East Bay Bus Rapid Transit Mitigation Monitoring and Reporting Plan

Attachment C: East Bay Bus Rapid Transit Final Environmental Impact Statement
/ Report Comment Summary & Public and Agency Comments

Attachment C-1: Description of Public Hearing Notification

Attachment D: Notice of Determination (Draft)

Attachment E: Resolution No. 12-018

Approved by: David Armijo, General Manager

Reviewed by: Vincent C. Ewing, General Counsel

Prepared by: Tina Spencer, Director of Service Development and Planning
Jim Cunradi, Manager of Special Projects

Victoria Wake, Manager of Marketing and Communications


Date Prepared: April 6, 2012

CITY OF OAKLAND

POST OFFICE

COUNTY ADMINISTRATION


SUPERIOR COURT



Jan. 09, 2012 ... 3:46pm R:\ASAM\1\Urban\2011\04-06.dwg


NO.	DATE	DESCRIPTION	BY	APP.
TABLE OF REVISIONS				
CHECK WITH TRACING TO SEE IF YOU HAVE LATEST REVISION				

REFERENCE INFORMATION
& FILE NO. OF SURVEYS



DESIGNED: MB	DATE: 2/12	APPROVED:	SCALE: 1" = 100'
DRAWN: CE	DATE: 2/12	SECTION ENGINEER:	DATE:
CHECKED: KF	DATE: 2/12	DEP. DIRECTOR AND CITY TRAFFIC ENGINEER:	DATE:
		SHEET OF SHEETS	
		OF	


East Bay Bus Rapid Transit Concept Design		CONTRACT NO.
EXHIBIT		DRAWING NO.
		FILE NO.
		REV. NO.



4. FILE# 179

NO.	DATE	DESCRIPTION	BY	APP.
TABLE OF REVISIONS				
CHECK WITH TRACING TO SEE IF YOU HAVE LATEST REVISION				

REFERENCE INFORMATION & FILE NO. OF SURVEYS



DESIGNED: DATE:	APPROVED:
MB 2/12	
DRAWN: DATE:	SECTION ENGINEER: DATE:
CE 2/12	
CHECKED: DATE:	REP. DIRECTOR AND DATE: CITY TRAFFIC ENGINEER
KF 2/12	

SCALE:
1" = 100'
SHEET OF SHEETS
OF

East Bay Bus Rapid Transit
Concept Design

EXHIBIT

CONTRACT NO.
DRAWING NO.
FILE NO.
REV. NO.

Jan. 04, 2012 - 3:30pm R:\PROJECTS\2012\2012-02-08\2012-02-08.dwg

ATTACHMENT E:

PERSPECTIVE VIEWS OF TYPICAL STATIONS



INTERNATIONAL BLVD @ 34TH AVE - OAKLAND LOOKING SOUTHWEST



11th STREET @ HARRISON STREET
OAKLAND

PROPOSED CURBSIDE STATION
CANOPY OPTION B

ATTACHMENT F:

**MOTION APPROVED BY THE MAYOR'S COMMISSION ON PERSONS WITH
DISABILITIES (MCPD) AND COMMISSION ON AGING JOINT ACCESS
COMPLIANCE ADVISORY COMMITTEE (ACAC), JUNE 11, 2012**



CITY OF OAKLAND

Mayor's Commission on Persons with Disabilities (MCPD)

May 14, 2012

MINUTES

- I. Called to order at 1:10 p.m.
- II. Roll Call:
 - Quorum: Yes
 - See Exhibit A1
- III. Public Comments
 - None
- IV. Commissioner's Announcements
 - None
- V. Approval of Minutes
 - March 12, 2012
 - Susie is the correct spelling of Commissioner Beard's late wife. Motion: "Susie Beard" is to be consistently used though the entire March 12, 2012 minutes.
 - Motion/Second: Commissioner Moore/Commissioner Bums
 - Motion passes. Commissioners Beard and Dotson abstained.
 - Special ACAC, April 16, 2012
 - Motion; Correction on page 21, Item X correct spelling is Jacobson and not Jacobsen.
 - Motion/Second: Commissioner Aguillard/Commissioner Rosenblatt
 - Motion passes: Commissioners Hurd and Dotson abstained.
- VI. Agenda Modification and Approval
 - May 14, 2012

- Motion: Correction on page 2, item IX, section B, the time for the Older Americans Celebration is from 11:30 a.m. to 1:30 p.m.
- Motion/Second: Commissioner Dotson/Commissioner Moore.
- Motion passed without objection.

VII. Chair Report

- Chair Beard reported that the commission has two vacancies. There are several commissioners who are completing their second term this year, who will have holdover status. He will talk with each commissioner that is terming out regarding their holdover status. Commissioner Beard asked commissioners to help with outreach to the community in finding new candidates for the commission.
- Commissioner Beard wrote a letter last month to Senator Dianne Feinstein regarding the regressive “ADA Notification Act of 2011” (H.R. 881) and its effects on the disability community. He received an extremely positive response from the Senator. (See Chair Report in this packet).

VIII. Special Order of Business: Review East Bay Bus Rapid Transit (BRT) Downtown Oakland to San Leandro (“DOSL”) Alternative with Commission on Aging, A/C Transit, and Public Works representatives. This item was continued from the Special Access Compliance Advisory Committee meeting on April 16, 2012.

- Alameda/Contra Costa Transit, A/C Transit representatives were: Tina Spencer, Director of Service Development and Planning and Jim Cunradi, BRT Transit Project Manager, Long Range Planning.
- Mr. Cunradi reported on the April 25, 2012, A/C Transit Board Meeting.
 - The Board voted to adopt the California Environment Quality Act, CEQA, report regarding the BRT. It also approved the alternative Downtown Oakland San Leandro route, DOSL. This route starts at the San Leandro BART station and terminates at Broadway and 20th Street.
- Ms. Spencer reported that based upon suggestions made on Monday, April 16, 2012, AC Transit will consider the following: (Please refer to the May 14, 2012 packet, page 17)

- Ticket distribution issues; i.e., ease in acquisition by persons with mobility limitations.
- Security at stations.
- Way finding for people who are blind or have visual impairments; tactile treatment and other ways that blind persons navigate transit.
- AC Transit is committed to working with its Accessibility Advisory Committee, AAC, and the MCPD on these and other issues from this point going forward.
- Mr. Cunradi stated that AC Transit wants to resolve long standing transit barriers faced by persons who are blind and implement industry best practices for way-finding and hazard mitigation.
- Commissioners and members of the public discussed and commented on functional needs access and other issues of concern for the older adult and disability communities.
 - Scott Blanks, Lions Center for the Blind, commented that AC needs to have Blind persons go through a station mock-up to fully assess how its stations will/will not work for the visually impaired/blind community.
 - Commissioner Moore noted that individuals with white canes travel differently than persons with service animals. Seats with space underneath for the service animals are necessary.
 - Commissioner Jacobson commented on the varied forms of ties downs for people that use wheelchairs. Pointed out the difficulty and caution that she employs when traveling by Muni in San Francisco with its narrow platforms.
 - Mr. Cunradi noted that AC Transit's stations will be much wider than Muni and that the BRT will have street level boarding capability thereby making it easier for people who use wheelchairs to board the BRT.
 - Commissioner Jacobson further commented on the time which a driver takes to secure wheelchair users and that this forces a bus to become delayed in its schedule; thereby, making other riders impatient with persons that use wheelchairs.

- Mr. Cunradi commented that the BRT will also accommodate bike riders, with bikes stowed inside the bus in the rear. People will adjust and considering the frequency of the buses, there will be minimal, if any travel time loss because of wheelchair delays.
 - Commissioner Hurd suggested that the BRT coordinate “dry runs” that include wheelchair users and other mobility devices.
 - Mr. Cunradi agreed that would be a good idea and would like to work with its AAC and the MCPD on this.
 - Commissioner Burns commented that the Oakland Unified School District, OUSD provides its special needs pupils with paper bus tickets; how will the BRT station work and/provide for this?
 - AC Transit replied that it is still studying this issue but, presently, it still plans to accept the paper tickets/passes.
 - Commissioner Diaz, who also sits on the AAC, reported that present AC Transit functional needs access planning has not progressed much since 2009. She noted that a majority of the issues surfacing today were raised by the AAC in 2009 but little concrete work has been done to address these concerns in BRT planning.
- Allen Temple Baptist Church, Reverend David Buford, Minister of Prophetic Justice addressed the MCPD at the invitation Chair Stephan Beard.
 - He said ‘In the case of the BRT Plan, with all due respect, that Allen Temple is a 95 year old institution located in the Elmhurst District, a district which is older than the incorporated City of Oakland, itself. The Elmhurst District is the entryway to the City of Oakland. Allen Temple has a development plan which pre-dates the BRT. This includes real estate and interests from 79th Avenue outward. This includes an AIDS hospice, public health clinic, Allen Temple Arms, youth facilities, its sanctuary main building and Allen Temple Gardens. It is not enough for this area to be ADA compliant, it should be ADA exemplary. He proposed that beginning at 73rd Avenue the area should be designated as a “504 Zone” which would show case accessibility and be a locale for other like-minded business.’

- Reverend Buford went on to point out that there are physical constraints in the area because International Boulevard is extremely narrow in the Allen Temple area and he has concerns regarding BRT Station design along this corridor.
- MCPD and CoA recommendations for the City Administrator and City Council on adoption of the DOSL Alternative and/or on specific conditions of approval.
- Motion: Whereas the design of the East Bay Bus Rapid Transit (BRT) system seems to emphasize speed and convenience of bus transit with the least inconvenience for car drivers and local business, and with disability community concerns ignored except with respect to the minimally required ADA compliance for access into and out of buses; and

Whereas, the promise of some improvement in access to buses is appreciated, and potential improvements in transit travel time are always appreciated, the Oakland Mayor's Commission on Persons with Disabilities (MCPD) remains very concerned about the lack of adequate consideration and correction of the following issues in the planning of the BRT:

1. Access to bus stations for seniors and people with disabilities;
2. Access to the ticketing kiosks and fare boxes for seniors and people with disabilities;
3. Inadequate room for people who use wheelchairs and other mobility aides, as well people with service animals, on BRT buses; and
4. Inadequate consideration of community neighborhood concerns, especially neighborhoods with large senior and disability populations, such as the extended Allen Temple Baptist Church community.

Therefore, the MCPD recommends that the City require A/C Transit to concretely and fully address these issues as part of the conditions of approval for this project. We request that the Oakland City Administrator and City Council consider allowing the MCPD, along with A/C Transit's Access Advisory Committee, and Alameda County Transportation Commission's Paratransit Advisory Planning Committee, the opportunity to review and have input into the decision making of A/C Transit

and Oakland Public Works as a condition of City Council approval of the BRT.

- Motion/Second: Commissioner Beard/Commissioner Dotson
- Motion passed unanimously.

IX. Committee Reports

A. Access Compliance Advisory Committee, (ACAC);

- Biannual Curb Ramp Activities Report for July 1, 2011 to December 31, 2011. Attached report was revised per commissioner comments at April 18 ACAC meeting.
 - The report that was previously published contained errors. The report has been corrected; see Table 1 and revised map. The full report is included on page 26 of the May 14, 2012 packet.
 - Motion: Accept the Biannual Curb Ramp report: July 1, 2011 to December 21, 2011 with corrections.
 - Motion/Second: Commissioner Mulholland/Commissioner Rosenblatt
 - Motion passed without objection.
- Next meeting, June 20, 2012, 9:30 a.m. – 11:30 a.m. in City Hall Hearing Room 3.

B. Ad-Hoc Outreach and Educational Committee; Lorraine Rosenblatt, Chair reported:

- MCPD will participate in Older Americans Month Celebration on May 16, from 11:30 a.m. to 1:30 pm, in Frank H. Ogawa Plaza, hosted by the Department of Human Services (DHS).
 - Will send out email announcements regarding the MCPD participation in upcoming festivals and events around the City. Always looking for volunteers at the events.
- Youth in Action Planning Update. Commissioner Burns reported that the committee is proposing a scaled back Youth In Action celebration in City Hall, utilizing Hearing Room 3 in October 2012.
 - Have discussed producing certificates with the Mayor's staff. Will investigate if U. S. Congressional Representative

Barbara Lee will sign the certificates as she has done in previous years.

C. Ad Hoc Social Media Committee; *Stephen Beard*

- Held over to next meeting.

X. Staff Reports

- None

1:50 to 2:00 p.m.

XI. Old Business

A. Status of MCPD and Commission on Aging, CoA, Merger; Sara Bedford, DHS Acting Director reported that the reorganization/merger of the Department of Human Services, DHS with Oakland Parks and Recreation, OPR is presently underway and it is anticipated that the complexities surrounding this reorganization shall not be completed until the fall of 2012.

- Therefore an “official” merger of the CoA and MCPD will be put off until 2013. There are no anticipated problems with an eventual merger of the two commissions and it is recognized that a united commission will have a stronger impact on issues particular to their communities.
- In the interim, the two commissions will continue to hold joint meetings and work on common issues, such as the BRT.

B. Status of ADA Programs Division transfer from the City Administrator’s Office to the Public Works Agency under the FY 2011-13 Amended Policy Budget; Christine Calabrese reported that the ADA Programs Division was moved into the Public Works Agency, PWA effective March 2012. Ms. Calabrese will continue to hold enforcement authority under the City Administrator’s office for ADA compliance in regards to City departments and facilities outside PWA’s jurisdiction.

C. MCPD 2011 Annual Report Status; Christine Calabrese reported that the commission’s ordinance outlines quarterly reports to the Life Enrichment Committee, LEC. However, a few years ago, the LEC Chair directed the MCPD to go to an annual reporting schedule.

- The LEC would accept an abbreviated report outlining the activities and goals of the commission for the previous year and such a report can be issued by the MCPD Chair.
 - Chair Beard to consider if he will issue an abbreviated 2011 Annual report individually or defer this item until ADA staffers are available to write a detailed joint report on MCPD and ADA activities.

XII. New Business

- None

XIII. Meeting Evaluation

- Great, very productive
- Chair Beard expressed his satisfaction with the MCPD website and thanked Ms. Scalia for her work on it.

XIV. Agenda Items for Next Meeting

- BRT (Old Business)
- Committee reports
- Staff reports

XV. Adjourned at 3:35 p.m.

NOTE: THE COMMISSION MAY TAKE ACTION ON ANY ITEM
ON THE AGENDA

Public Comments: To offer public comments at the MCPD meeting, please register with Adriana Mitchell, ADA Programs Assistant, before the start of the meeting. Public Comments is one of the first agenda items therefore, please, arrive by 12:45 p.m. Please note that the MCPD will not provide a detailed response to your comments but may schedule your issue for a future MCPD or committee meeting. The Public Comment period is limited to 15 minutes and each individual speaker is limited to 5 minutes. If more than 3 public speakers register, however, then each speaker will be limited to 3 minutes. If more than 5 public speakers register, then each speaker will be limited to 2 minutes. Exceptions to these rules may be granted at the discretion of the Chairperson.

⌘ This meeting is wheelchair accessible. To request materials in alternative formats, or to request an ASL interpreter, captioning or assistive

listening device, please call Adriana Mitchell 238-5219 (V) or 238-2007 (TTY) at least three, 3, business days before the meeting. Please refrain from wearing scented products to this meeting so persons who may experience chemical sensitivities can attend. Thank you.

FILED **OAKLAND CITY COUNCIL**
 OFFICE OF THE CITY CLERK
 OAKLAND
RESOLUTION NO. _____ C.M.S.
 2012 JUN 28 PM 5:05
 Introduced by Councilmember _____


 City Attorney

RESOLUTION TO ADOPT THE DOWNTOWN OAKLAND – SAN LEANDRO ALTERNATIVE (DOSL) AS THE LOCALLY PREFERRED ALTERNATIVE FOR THE AC TRANSIT DISTRICT’S EAST BAY BUS RAPID TRANSIT PROJECT (BRT PROJECT); ADOPT CONDITIONS OF APPROVAL FOR THE DOSL BRT PROJECT; AND, AS A CEQA RESPONSIBLE AGENCY, ADOPT AS ITS OWN INDEPENDENT FINDINGS AND CONCLUSIONS TO THE ATTACHED CEQA-RELATED FINDINGS ADOPTED BY AC TRANSIT FOR THE DOSL BRT PROJECT, INCLUDING REJECTIONS OF ALTERNATIVES AS BEING ENEEASIBLE, THE FINDINGS OF FACT, STATEMENT OF OVERRIDING CONSIDERATIONS (FINDING THAT THE BENEFITS OF THE PROJECT OUTWEIGH ITS ENVIRONMENTAL IMPACTS), AND THE MITIGATION MONITORING AND REPORTING PROGRAM.

WHEREAS, in 1998 the AC Transit District (AC Transit) initiated work on the “Major Investment Study” (MIS) to closely examine alternatives for transit line service on several transit corridors in their service area; and

WHEREAS, in 2000 a MIS Policy Steering Committee comprised of membership from all affected jurisdictions, including the City of Oakland was convened to provide guidance to the study from a corridor-wide perspective; and

WHEREAS, in 2001 the Policy Steering Committee recommended a preferred route for a Bus Rapid Transit project that specified the corridor alignment of Telegraph Avenue to International Boulevard/East 14th Street in the cities of Berkeley, Oakland, and San Leandro; and

WHEREAS, Bus Rapid Transit is a transit service line that has some or all of the following characteristics: dedicated travel lanes; level boarding platforms; off-board fare collection; signal preemption and real-time arrival signs; and,

WHEREAS, the City of Oakland’s General Plan *Policy T3.6 Encouraging Transit* calls to “encourage and promote use of public transit... on designated “transit streets”, and *Policy T3.7 Resolving Transportation Conflicts* call for the City to “resolve any conflicts between public transit and single occupant vehicles in favor of the transportation mode that has the potential to provide the greatest mobility and access for people...”; and

WHEREAS, the 1996 Transit First Resolution (C.M.S. 73036) reads: “It shall be the official policy for the City of Oakland to encourage and promote public transit in Oakland to expedite the movement of and access to public transit vehicles on designated “transit streets” such as International Boulevard; and

WHEREAS, in May 2007, AC Transit, in collaboration with the Federal Transit Administration released a Draft Environmental Impact Statement/Report for the continued development of the East Bay BRT Project; and

WHEREAS, in July 2007 the City of Oakland formally submitted comments in response to the Draft Environmental Impact Statement/Report on the East Bay BRT Project, which comments focused on line alignment, traffic, parking, economic, construction, roadway maintenance and operational impacts, among other concerns; and,

WHEREAS, in April 2010 the City of Oakland selected a “Locally Preferred Alternative” for analysis in the Final Environmental Impact Statement/Report (FEIS/R) for the East Bay BRT Project which consisted of a Bus Rapid Transit system travelling largely on dedicated lanes along International Boulevard in East Oakland and Fruitvale/San Antonio, International Boulevard and East 12th Street in Eastlake, 11th and 12th Street in downtown, and Telegraph Avenue in North Oakland; and in mixed flow traffic lanes along Broadway through downtown Oakland; and

WHEREAS, the City, in addition to adopting the LPA, requested that AC Transit investigate including left-door loading vehicles in the East Bay BRT Project in order to minimize parking impacts associated with construction of stations; requested that AC Transit include in the FEIS/R a full analysis of: parking losses and potential mitigations, the impacts of loss of local service on older adults and the disabled, security issues related to off-bus cash payment; increased walk distance to stops, and economic impacts to local businesses during and post-construction; and requested that AC Transit fully analyze a “Rapid Bus Plus” option that includes all of the facilities of the BRT line but without dedicated bus-only lanes; and

WHEREAS, City staff has worked with AC Transit staff to refine the East Bay BRT Project design to meet City policy goals related to transit-oriented development (TOD) and to create a project incorporating pedestrian, transit, and bicycle improvements, and to mitigate impacts to vehicular traffic and parking; and

WHEREAS, in January 2012, AC Transit released the Final Environmental Impact Study/Report (FEIS/R) on the East Bay BRT Project; and

WHEREAS, in January 2012, AC Transit released a report analyzing a “Rapid Bus Plus” option titled “AC Transit Oakland Bus Bulbs Analysis: Telegraph/ International Corridor” that finds that this alternative is less desirable in terms of delivering efficient transit service and will be difficult if not impossible to fund, although it has fewer traffic and parking impacts; and

WHEREAS, in February and March, 2012, AC Transit presented the East Bay BRT Project to the community in a series of public meetings; and

WHEREAS, on April 25, 2012, the AC Transit Board of Directors certified the Final Environmental Impact Report (FEIR); and adopted the Finding of Fact and Statement of Overriding Considerations dated March 24, 2012 and attached here as *Exhibit B*; and

WHEREAS, the FEIS/R analyzed two BRT options, the first being the Locally Preferred Alternative from Berkeley through Oakland to San Leandro, and the second being the Downtown Oakland - San Leandro (DOSL) Alternative, which terminates the BRT project at the Uptown Transit Center on 20th Street; and

WHEREAS, on April 25, 2012, AC Transit selected the DOSL (DOSL BRT Project) alternative as their preferred project for reasons of greatly improved service, reduced environmental impacts, and Federal funding availability; and

WHEREAS, construction of the DOSL BRT Project would provide streamlined transit service from downtown Oakland to East Oakland and into San Leandro by providing faster, more frequent and more reliable service between fixed stations; and

WHEREAS, the construction of the approximately one hundred fifty-two to one hundred seventy-two million dollar (\$152,000,000.00 - \$172,000,000) DOSL BRT Project will provide employment opportunities and spin-off economic development activity for the City of Oakland; and

WHEREAS, fixed stations along a transit line are the basis for transit-oriented development, which provides certainty to investors, business owners, and residents as to the long-term reliability and location of the service; and

WHEREAS, the City is proposing a Condition of Approval (*Exhibit A to the Resolution*) to ensure that the DOSL BRT Project will continue to respond to and resolve business-owner concerns related to parking impacts along the corridor resulting from the project; and

WHEREAS, the City is proposing additional Conditions of Approval (*Exhibit A to the Resolution*) to ensure AC Transit delivers core upgrades such as paving, lighting, and pedestrian improvements; ensures that City operations and maintenance costs will not increase with the implementation of the DOSL BRT Project; and commits to funding City costs for continued community engagement, engineering design, and construction oversight and management; and

WHEREAS, the City is considered a Responsible Agency under CEQA because it has responsibility for approving the DOSL BRT Project, which is substantially within the City's street right of way; and

WHEREAS, the City has independently reviewed and considered the AC Transit FEIR/S on the East Bay Bus Rapid Transit Project, the April 25, 2012 AC Transit GM Memo No. 12-083a, Resolution No. 12-018, and CEQA findings, and other evidence in the administrative record, now therefore be it

RESOLVED, that the City Council hereby adopts as its own independent findings and conclusions, and the attached CEQA-related findings adopted by AC Transit, including rejections of alternatives as being infeasible, the Findings of Fact, Statement of Overriding Considerations (finding that the benefits of the Project outweigh its environmental impacts), and the Mitigation Monitoring and Reporting Program (*Exhibit B to the Resolution*); and be it

FURTHER RESOLVED, that the City's Environmental Review Officer is directed to file a Notice of Determination with the County Recorder; and be it

FURTHER RESOLVED, that the City hereby adopts the DOSL BRT Project and concurs with AC Transit on the selection of the DOSL BRT Project alternative as the preferred BRT Project, and encourages submission of the project to the Federal Transit Administration for funding and authorization to proceed to design and construction; and be it

FURTHER RESOLVED, that the City requires that the attached Conditions of Approval (Exhibit A to the Resolution) be appended to the DOSL BRT Project.

IN COUNCIL, OAKLAND, CALIFORNIA, _____, 20_____

PASSED BY THE FOLLOWING VOTE:

AYES - BROOKS, DE LA FUENTE, KAPLAN, KERNIGHAN, NADEL, QUAN, BRUNNER and PRESIDENT REID

NOES -

ABSENT -

ABSTENTION -

ATTEST: _____
LaTonda Simmons
City Clerk and Clerk of the Council
of the City of Oakland, California

**EXHIBIT A:
PROPOSED CONDITIONS OF APPROVAL FOR THE DOSL BRT PROJECT**

DOSL BRT PROJECT CONDITIONS OF APPROVAL

The following Conditions of Approval (COAs) are proposed to be accepted by AC Transit as a requirement of the City of Oakland's approval the Downtown Oakland-San Leandro (DOSL) Bus Rapid Transit Project (BRT Project). These conditions are not meant to be a comprehensive or detailed list, but represent both general and specific aspects of the project identified to date and are the types of major issues the City needs to see resolved prior to continued stages of work on the project. For this reason, many of these Conditions of Approval are written as principles of agreement.

Should the DOSL BRT Project be approved, the proposed COAs include provisions that AC Transit will work with City staff to develop agreements that will serve to not only reimburse the City for costs, but ensure the City's proper role in continued public outreach with the residents and merchants, preliminary engineering and final design, and construction oversight. Each of the funding agreements will be prepared and presented to City Council for adoption.

Compliance with these and other conditions or agreements that are developed during DOSL BRT Project stages must be reviewed and approved by the Director of Public Works or designee prior to completion of the indicated phase of the DOSL BRT Project. All approvals for design, acquisition of permits, monitoring, inspection, and compliance authority will rest with the Director of the Public Works Agency or designee. All work will be completed to City requirements and standards.

AC Transit understands that a legal agreement with the City of Oakland will be required to formalize these COAs before the 35% design stage documents are complete.

I. Directly Addressing Business and Residential Impacts

The City has supported economic development along the DOSL BRT Project line through many methods, one of which is the establishment of parking spaces to support automobile access to business. The DOSL BRT Project will need to remove some parking spaces where fixed stations will be built and the roadway width is too narrow to accommodate both parking and travel lanes. At this stage of the conceptual design process, it is not possible to tell with certainty how some existing businesses' parking needs will be impacted by this Project.

Requirement: AC Transit will hold additional meetings with those businesses impacted by the removal of parking for the DOSL BRT Project. A process will be established by AC Transit to discuss and record the affected owner's issues and to commit to specific mutually agreeable solutions with the business owner and the City within the financial constraints of the project. All solutions will be incorporated into the DOSL BRT Project before finalizing the 35% stage of preliminary design.

When Required: Prior to finalizing the 35% stage of preliminary design

DOSL BRT PROJECT CONDITIONS OF APPROVAL

II. Parking Mitigation

Three commercial areas were identified where the DOSL BRT Project displaces significant parking, demand exceeds 85 percent, existing off-street parking is limited, opportunities to park on nearby cross-streets is limited, and opportunities to provide parking by improving the use of nearby existing parking is limited. For these reasons, provision of parking lots that fully offset parking loss will be required, and the City will collect any revenue from meters or parking lot control systems in the following areas:

A. San Antonio District

Requirement: AC Transit shall coordinate acquisition, design, construction, operations and maintenance efforts necessary to provide off-street parking in the vicinity of International Boulevard and 20th Avenue to mitigate the removal of on-street parking in the San Antonio District. This may occur by locating or creating new parking spaces, or acquiring a parking lot, whichever best meets the business owner's needs. AC Transit shall also assure that pedestrian safety lighting, according to City standards, is provided at any parking lot and along the path of travel to E. 12th Street and to International Boulevard.

When Required: Parking solutions shall be acquired/resolved prior to construction award and available for parking prior to construction on International Boulevard in the vicinity of the 20th Avenue.

B. Fruitvale District

Requirement: AC Transit shall coordinate acquisition, design, construction, operations and maintenance efforts necessary to provide off-street parking in the Fruitvale District to mitigate the removal of on-street parking along International Boulevard due to construction of the DOSL BRT project. AC Transit shall also assure that pedestrian safety lighting is provided at the subject parking lot and along the path of travel to International Boulevard according to City requirements.

When Required: Lot shall be acquired prior to construction award and available for parking prior to construction in the Fruitvale district

C. Elmhurst District

Requirement: AC Transit shall coordinate acquisition, design, construction, operations and maintenance efforts necessary to provide off-street parking in the vicinity of International Boulevard and 87th Avenue to mitigate the removal of on-street parking in the Elmhurst District due to construction of the BRT project. AC Transit shall also assure that pedestrian safety lighting is provided at the subject parking lot and along the path of travel to

DOSL BRT PROJECT CONDITIONS OF APPROVAL

International Boulevard according to Oakland's published lighting standards and City requirements.

When Required: Lot shall be acquired prior to construction award and available for parking prior to construction in the Elmhurst district.

III. Relocated and Additional BRT Project Station Locations

In response to concerns raised by the community, several stations shall be moved and two additional stations shall be added to the DOSL BRT Project. In total, these small adjustments are intended to better serve senior centers, schools, and residential areas, and will result in shorter walking distances to reach the stations for these populations. If these station relocations have a negative affect on other constituents, AC Transit will hold additional meetings with those businesses or residents impacted by the DOSL BRT Project and work with the City to resolve these issues to the City's satisfaction.

A. International at 63rd Avenue

Requirement: AC Transit shall coordinate design and construction of a new BRT Project station in the vicinity of 63rd Avenue, in order to achieve better station spacing.

B. International at 67th Avenue

Requirement: AC Transit shall coordinate design and construction of a relocated BRT Project station at 67th Avenue, replacing the planned BRT Project station at 65th Avenue, in order to better serve nearby schools.

C. International at 86th Avenue

Requirement: AC Transit shall coordinate design and construction of a relocated BRT Project station at 86th Avenue, replacing the planned BRT Project station at 87th Avenue, in order to achieve better station spacing.

D. International at 90th Avenue

Requirement: AC Transit shall coordinate design and construction of a new BRT Project station in the vicinity of 90th Avenue, in order to achieve better station spacing.

E. International at 103rd Avenue

Requirement: AC Transit shall coordinate design and construction of a relocated BRT Project station at 103rd Avenue, replacing the planned BRT Project station at 104th Avenue, in order to better serve nearby senior facilities

DOSL BRT PROJECT CONDITIONS OF APPROVAL

When Required: All feasible solutions will be incorporated into the DOSL BRT Project before finalizing the 35% stage of preliminary design.

IV. Pedestrian Safety

Pedestrian and patron safety needs to be specifically addressed as a part of this project. (See also Section X, Maintenance and Operations.)

A. Pedestrian Lighting at Stations

Requirement: AC Transit shall provide pedestrian-scale safety lighting in the vicinity of all DOSL BRT Project stations, including the stations themselves and adjacent sidewalks. This lighting will be replaced by AC Transit as needed and will also be the responsibility of AC Transit for energy supply and maintenance.

When Required: During Preliminary Engineering and Final Design

B. Pedestrian Lighting at All New and Upgraded Signalized Intersections

Requirement: AC Transit shall provide safety lighting at all signalized intersections being upgraded or implemented by the DOSL BRT Project. This lighting will be replaced or repaired by AC Transit as needed. The lighting will be the responsibility of the City for energy supply and maintenance.

When Required: During Preliminary Engineering and Final Design

C. Pedestrian Lighting at All New and Upgraded Pedestrian Crossings

Requirement: AC Transit shall provide safety lighting at all pedestrian crossings with pedestrian detection being upgraded or implemented by the DOSL BRT Project. This lighting will be replaced or repaired by AC Transit as needed. The lighting will be the responsibility of the City for energy supply and maintenance.

When Required: During Preliminary Engineering and Final Design

D. Security Provisions at All Stations

Requirement: AC Transit shall provide security, to include cameras and safety personnel as necessary to ensure the security of the patrons at the stations and in nearby areas. The security systems will be replaced or repaired by AC Transit as needed. The security system will be the responsibility of AC Transit for energy supply and maintenance.

When Required: During Preliminary Engineering and Final Design

DOSL BRT PROJECT CONDITIONS OF APPROVAL

V. Functional Needs Access

A. Staff Review

Requirement: Sign-off by the City Americans with Disabilities Act (ADA) Title II Coordinator is required for all improvements to the public right-of-way under city's control, at regular intervals as part of the established Oakland Public Works (PW) review process.

When Required: During Preliminary Engineering and Final Design

B. Community Review

Requirement: A joint AC Transit / City of Oakland Access Advisory Committee will review and provide comment on all aspects of the project design and delivery.

1. The existing AC Transit Access Advisory Committee and City of Oakland Mayor's Commission on Persons with Disabilities/Commission on Aging Access Compliance Advisory Committee shall jointly review the BRT in Oakland prior to the finalization of the 35% preliminary design, prior to the 65% design, prior to the 100% design, and prior to finalization of service and operating plans.
2. This joint body shall function as the official ADA / Rehabilitation Act of 1973 [Section 504] review committee for the BRT Project in Oakland. This joint body shall ensure that the BRT Project is meeting the local priorities of persons with disabilities in Oakland and shall be afforded the opportunity to provide comment on all aspects of the design and delivery of BRT Project, such as:
 - a. Infrastructure (street improvements)
 - b. Stations
 - c. Vehicles
 - d. Fare Collection
 - e. Intelligent Transportation Systems
 - f. Service and Operating Plans

When Required: During Preliminary Engineering and Final Design

C. ADA Compliance Standards

Requirement: The BRT Project in Oakland shall comply with Federal ADA Guidelines and Standards, as well as all applicable State and Local accessibility requirements, such as:

U.S. DOJ 2010 ADA Standards [link];
http://www.ada.gov/2010ADASTandards_index.htm

DOSL BRT PROJECT CONDITIONS OF APPROVAL

U.S. Access Board ADA Guidelines for Transportation Vehicles [link];
<http://www.access-board.gov/transit/>

U.S. Access Board ADA Standards for Transportation Facilities [link];
<http://www.access-board.gov/ada-aba/ada-standards-dot.cfm>;

When Required: During Preliminary Engineering and Final Design

D. International Best Practices

Requirement: AC Transit shall apply international best practices and universal design principles in the design and delivery of bus rapid transit in Oakland. This applies to infrastructure, vehicle, and service delivery system design, construction, and operation. International best practices include, but are not limited to “Technical and operational challenges to inclusive Bus Rapid Transit” (2010), “Transit Access Training Toolkit” (2009), and, “Bus Rapid Transit Accessibility Guidelines” (2006); all compiled by T. Rickert for the World Bank.

When Required: During Preliminary Engineering and Final Design

VI. Paving

The BRT Project will remove parking lanes and restrict autos and trucks to one lane in each direction, increasing total wear and tear of these roadways. In order to accommodate this increased level of use, and to minimize future repairs that would force temporary suspension of dedicated bus lanes or detours to adjacent facilities, these lanes must be reconstructed and paved as part of the seamless whole of the paving project.

A. Paving for the Downtown Oakland to San Leandro component of the BRT Project

Requirement: AC Transit shall rehabilitate (not spot pave) all lanes, including the BRT-dedicated travel lanes, general purpose lanes, and any remaining parking lanes on International Boulevard, 11th Street, 12th Street, and E. 12th Street from curb to curb, wherever needed, to provide a 12-year useful life for these facilities. Rehabilitation method will be determined based on the existing condition and anticipated traffic index.

When Required: Pavement design is required as part the design of the project, and delivered during construction of the BRT Project.

DOSL BRT PROJECT CONDITIONS OF APPROVAL

VII. Bicyclist Safety

Where compatible bike lanes exist along the corridor, the DOSL BRT Project shall fill gaps in the system and provide bike parking.

A. Class II bike lanes

Requirement: AC Transit shall design and construct Class II bike lanes on East 12th Street from 2nd Avenue to 3rd Avenue to close the bike lane gap between the current 12th Street Measure DD Project and the East Bay BRT Project as proposed.

When Required: Design completed prior to advertisement of the construction contract.

B. Bicyclist Safety Provisions Near Each BRT Station

Requirement: AC Transit will install bike racks in the near vicinity of stations, to meet demand, based on availability of space. These will allow bicyclists to have safe, lighted, and easy access to the BRT system. These racks shall be designed and located in conjunction with the City's Bicycle and Pedestrian Program, and maintained by AC Transit.

When Required: Design completed prior to advertisement of the construction contract.

VIII. Oakland Streetscape Project Coordination

A. 14th Avenue Streetscape Project

Requirement: AC Transit shall coordinate design and construction efforts on East 12th Street/International Boulevard and 14th Avenue with the 14th Avenue Streetscape Project, which is currently in design development under a design/build contract by the City of Oakland. If the City's 14th Avenue project does not go through, AC Transit will work with the City to ensure that 14th Avenue design components related to the BRT Project are incorporated into the design and construction of the BRT Project.

When Required: During Preliminary Engineering phase

IX. Coordination with International Blvd Transit-Oriented Development (TOD) Plan

The BRT project should coordinate with and help meet the public access goals of the International Boulevard Transit Oriented Development Plan completed in 2011 by the City of Oakland.

DOSL BRT PROJECT CONDITIONS OF APPROVAL

A. Implement Category 1 pedestrian improvements

Requirement: AC Transit shall install pedestrian signals or other pedestrian improvements at named locations along International, or, if infeasible, at alternate locations that provide a minimum of 800-foot spacing between adjacent signalized crossings.

When Required: During Preliminary and Final Engineering phases

X. Maintenance and Operations

AC Transit agrees that the City of Oakland should not incur additional maintenance costs due to implementation of the DOSL BRT Project, and that AC Transit will assume responsibility for any City maintenance cost resulting from the project.

A. BRT Stations:

Requirement: AC Transit is responsible for all operation and maintenance of stations, including all capital replacement.

B. BRT Transit-way, pavement and bus pads

Requirement: AC Transit is responsible for all operation and maintenance of the transit way, pavement, and bus pads, including all capital replacement.

C. BRT Transit-way and medians

Requirement: AC Transit is responsible for operation and maintenance of any new or upgraded facilities constructed for or needed as a result of the BRT Project.

D. BRT Transit-way - Other (Signs, Markings, etc)

Requirement: AC Transit is responsible for all operation and maintenance of all BRT Project facilities.

E. Traffic Signal Systems

Requirement: The City will continue to operate and maintain signal timing and Transit Signal Priority (TSP) through the city's Traffic Management Center after AC Transit pays for installation of new equipment. AC Transit will reimburse the City for any AC Transit-requested signal timing changes or TSP-related costs.

F. Corridor Communication Systems

Requirement: Each agency pays to operate and maintain their respective systems such as power and utility for cameras, payments, security, etc.

DOSL BRT PROJECT CONDITIONS OF APPROVAL

G. Parking Meters

Requirements: City assumes ownership, operations and maintenance of on-street meters, after capital investment by AC to remove, replace, or install new meters as required for the DOSL BRT Project.

H. Litter and Graffiti, etc.

Requirements: AC Transit is responsible for picking up litter; erasing graffiti and performing other clean up as needed for the maintenance of the station areas, transit way, signs, poles, and other DOSL BRT Project-related facilities.

I. During Construction

Requirement: AC Transit will be responsible for clean up of the site during construction, including litter and graffiti. All necessary measures shall be taken to ensure that materials from the job site identified in the project Waste Reduction and Recycling Plan (WRRP) are recycled.

When Required: A signed MOU inclusive of details regarding the principles outlined above is required prior to advertisement of the construction contract.

XI. Reimbursement of City Costs

Resolution of community concerns, and the design, construction, and operation of the DOSL BRT Project in City-owned right of way creates an on-going requirement for City review and approval at all levels of project development. Prior to the start of each phase of development, as follows, AC Transit and the City will complete an agreement specifying compensation for City staff in the development of the project.

A. Ongoing Community Engagement

Requirement: AC Transit shall compensate City staff for participation in and support of ongoing or additional community meetings or meetings with those businesses or residents impacted by the DOSL BRT Project.

When Required: From City Council approval of the project through completion of construction.

B. Design and Engineering

Requirement: AC Transit shall compensate City staff for their review of the design of the DOSL BRT Project through completion of the final design and preparation of a bid package for construction. In lieu of standard fees, a funding agreement may be developed specifying the scope and costs of this review.

When Required: Prior to commencement of Preliminary Engineering Phase

DOSL BRT PROJECT CONDITIONS OF APPROVAL

C. Construction Management

Requirement: AC Transit shall compensate City staff for their costs during the DOSL BRT Project construction phase, which includes but is not limited to permitting, review and inspection of construction. In lieu of standard fees, a funding agreement may be developed specifying the scope and costs of this review.

When Required: Prior to advertisement of construction contract

XII. Abandonment of Project

Required: If, for any reason, the DOSL BRT Project is abandoned during the construction period, or fails to remain in operation by AC Transit or another transit agency, the constructed improvements will be removed by AC Transit at the request of the City. Traffic lanes, signals and other roadway infrastructure will be reconstructed to an acceptable condition and configuration as directed by the City.

EXHIBIT B:

**FINDINGS OF FACT AND STATEMENT OF OVERRIDING
CONSIDERATIONS DATED MARCH 24, 2012 AND ADOPTED BY AC
TRANSIT ON APRIL 25, 2012**

FINDINGS OF FACT AND STATEMENT OF OVERRIDING CONSIDERATIONS

*DRAFT FOR INTERNAL REVIEW AND DISCUSSION/NOT FOR PUBLIC DISTRIBUTION –
03.24.2012*

Prepared By:

**Kimley-Horn and Associates, Inc.
401 B Street, Suite 600
San Diego, California 92101**

097958003

TABLE OF CONTENTS

1	Introduction.....	ii
2	Acronyms and Abbreviations	iii
3	Project Description	3-1
3.1	Project Location.....	3-3
3.2	Project History.....	3-3
3.3	Project Objectives.....	3-5
3.4	Project Summary	3-5
4	Findings Required Under CEQA.....	4-1
5	Legal Effects of Findings	5-1
6	Mitigation Monitoring and Reporting Program.....	6-1
7	Findings.....	7-1
7.1	Significant Effects and Mitigation Measures.....	7-1
7.2	Significant or Potentially Significant Impacts for Which Mitigation is Outside the Agency's Responsibility or Jurisdiction.....	7-23
7.3	Significant Unavoidable Impacts	7-25
8	Findings Related to Cumulative Impacts	8-1
9	Findings Related to the Relationship Between Short- and Long-term Uses of the Environment and Maintenance and Enhancement of Long-term Productivity.....	9-1
10	CEQA Alternatives	10-1
10.1	Alternatives Considered and Dismissed from Further Consideration.....	10-1
10.2	Summary of Alternatives Considered.....	10-2
11	Statement of Overriding Considerations.....	11-1

1 INTRODUCTION

This Findings of Fact and Statement of Overriding Considerations was prepared consistent with the California Environmental Quality Act (CEQA) (Public Resource Code 21000-21177) and the CEQA Guidelines (California Code of Regulations (CCR), Title 14, Division 6, Chapter 3, Sections 15000-15387). This Findings of Fact (Findings) and Statement of Overriding Considerations (SOC) document was prepared per Sections 15091 and 15093 of the CEQA Guidelines as required by Section 15092 as part of the Final Environmental Impact Report (FEIR) approval and certification process for the East Bay Bus Rapid Transit Project. The East Bay Bus Rapid Transit Project was evaluated in a joint National Environmental Policy Act (NEPA) and CEQA document prepared per Section 15222 of the CEQA Guidelines. The proposed project as defined under Section 15378 of the CEQA Guidelines is defined within the Final Environmental Impact Statement (EIS)/EIR as the Locally Preferred Alternative (LPA) which is the terminology used by the Federal Transit Administration. Within this document, the East Bay Bus Rapid Transit (BRT) Project is referred to as the proposed project to ensure consistency with CEQA terminology.

The proposed project evaluated as the LPA within the Final EIS/EIR would include BRT improvements between downtown Berkeley (at the northern terminus) and the San Leandro Bay Area Rapid Transit (BART) station (at the southern terminus). The corridor is approximately 14.4 miles in length. General corridor-wide elements proposed for Oakland and San Leandro are as follows:

- Dedicated median bus lanes for exclusive use by buses and emergency vehicles in most of the corridor;
- Dedicated right-hand bus lanes on some segments that give preference to transit operations;
- Proof of payment ticket validation;
- Transit signal priority (TSP), new traffic signals, pedestrian signals, and transit-only signals;
- Real-time traveler information; and
- Pedestrian access and safety improvements at stations.

BRT stations in Oakland and San Leandro will include substantial shelters with extended canopies and amenities for the comfort and convenience of passengers, including lighting, security features (e.g., closed circuit television and emergency phones), ticket vending machines for off-board fare payment and collection. In Berkeley, BRT stations will retain features currently associated with Rapid Bus service stops but include off-board fare vending for BRT users.

DOWNTOWN OAKLAND-SAN LEANDRO ALTERNATIVE

The AC Transit Board of Directors at its June 23, 2010, meeting provided direction on an additional alternative for study in the Final EIS/EIR. The downtown Oakland to San Leandro (DOSL) Alternative was recommended for study as a lower cost alternative that could have fewer environmental effects and lower capital costs to implement compared to the proposed project. The DOSL follows the same alignment as the proposed project from downtown Oakland to the San Leandro BART station, and has the same features as the proposed project in this portion of the alignment. Findings regarding both the proposed project and DOSL are referenced herein.

2 ACRONYMS AND ABBREVIATIONS

ABAG	Association of Bay Area Governments
AC Transit	Alameda-Contra Transit District
APS	Be Accessible Pedestrian Signals
BAAQMD	Bay Area Air Quality Management District
BART	Bay Area Rapid Transit
BMPs	Best Management Practices
BRT	Bus Rapid Transit
BSA	Biological Study Area
CAA	Clean Air Act
CCR	California Code of Regulations
CDF&G	California Department of Fish And Game
CEQA	California Environmental Quality Act
CNNDB	California Natural Diversity Database
CNPSEI	California Native Plant Society Electronic Inventory
CO	Carbon Monoxide
DOSL	Downtown Oakland to San Leandro
ESCP	Erosion And Sediment Control Plan
EIR	Environmental Impact Report
EIS	Environmental Impact Statement
FEIR	Final Environmental Impact Report
FHWA	The Federal Highway Administration
FTA	Federal Transit Administration
LOS	Level of Service
LPA	Locally Preferred Alternative
LRT	Light-Rail Transit
MIS	Major Investment Study
MMRP	The Mitigation Monitoring And Reporting Program
mph	Miles Per Hour
MTC	Metropolitan Transportation Commission
NAAQS	National Ambient Air Quality Standards
NAHC	California Native American Heritage Commission
NB	Northbound
NEPA	National Environmental Policy Act

NHPA	National Historic Preservation Act
NOP	Notice of Preparation
NO_x	Nitrogen Oxides
O₃	Ozone
PM	Particulate Matter
SB	Southbound
SIPs	State Implementation Plans
SOC	Statement of Overriding Considerations
SO_x	Sulfur Oxide
SPCC	Spill Prevention, Contaminant and Clean-Up Plan
SWMP	Storm Water Management Plan
SWPPP	Stormwater Pollution Prevention Plan
TAC	Toxic Air Contaminant
TIP	Transportation Improvement Program
TMP	Transportation Management Plan
TSP	Transit Signal Priority
USFWS	U.S. Fish and Wildlife Service
VMT	Vehicle Miles Traveled
VOC	Volatile Organic Compound
WH&SP	Worker Health and Safety Plan

3 PROJECT DESCRIPTION

The Alameda-Contra Transit District (AC Transit) East Bay Bus Rapid Transit Project would provide high quality, fast and frequent express bus service along a 14-mile-long corridor between downtown Berkeley and the University of California at Berkeley at the northern end, through downtown Oakland, to San Leandro at the southern end. This corridor has characteristics that are highly conducive to transit use and particularly well-suited to bus rapid transit (BRT). Approximately 260,000 residents live within or in proximity to the corridor and the area contains some of the highest employment and residential densities in the East Bay communities of the San Francisco Bay Area.

The project corridor is centered on downtown Oakland, the East Bay's largest city, within which more than 65,000 people are employed. The northern end of the corridor is anchored by the University of California, Berkeley, which has a student population of approximately 36,000 students in 2010 and employs approximately 15,360 people. An additional 20,460 employees work in Downtown Berkeley (estimated Fall 2009). South of downtown Oakland, the corridor passes through some of the San Francisco Bay Area's densest residential neighborhoods, averaging 13,440 persons per square mile (25 persons per acre). The southern end of the corridor is anchored by the San Leandro BART station, a transfer point for four local bus routes and the BART regional rail system.

The Oakland and San Leandro portions of the corridor include substantial concentrations of low-income, ethnic minority, and transit-dependent populations. AC Transit buses in this corridor currently carry approximately 25,000 riders (bus boardings) per day. This is over 10 percent of AC Transit's total ridership and rivals the numbers of passengers carried along some light rail lines in California.

Recognizing the importance of the Berkeley-Oakland-San Leandro transit corridor, the proposed project from downtown Berkeley to San Leandro would involve the following improvements:

In general from north to south, the proposed project begins in downtown Berkeley, proceeds along the south side of the University of California, Berkeley campus to Telegraph Avenue, then along Telegraph Avenue to downtown Oakland, then along International Boulevard to San Leandro. In San Leandro, the alignment runs along East 14th Street to Davis Street, then San Leandro Boulevard to San Leandro BART.

Weekday BRT service will be provided at five-minute frequencies throughout the day, 10-minute frequencies in the evening, and hourly service from midnight to 5:00 a.m. On weekends, daytime service will be at 15-minute intervals in the northern part of the corridor and 7.5-minute intervals in the southern portion. Weekend evening service will be at 15-minute intervals. Over time, service could become more frequent as demand warrants.

For the DOSL Alternative, the alignment would remain the same as the proposed project, but the BRT lane features would be different. The DOSL Alternative begins at 20th Street (Uptown station) in Oakland. Under this alternative, there will not be dedicated BRT lanes north of this point. South of this point, with the exception of downtown Oakland along 20th Street and Broadway where BRT buses operate in mixed flow traffic lanes, the BRT runs in center-running or side-running BRT lanes as described in the proposed project. To preserve the reliability of buses operating in the dedicated bus lanes in south Oakland, the bus route will be split at 20th Street. One bus route will operate between downtown Berkeley and downtown Oakland. The other will operate as the DOSL Alternative between downtown Oakland and the San Leandro BART station. Hours of operation and service frequencies for the DOSL Alternative will be the same as the proposed project in the downtown Oakland to San Leandro BART segment of the corridor. This Final EIS/EIR describes the characteristics and potential environmental effects of the proposed project and DOSL Alternative.

TRANSITWAY

The BRT transitway will typically consist of dedicated lanes for transit only. Other traffic with the exception of emergency vehicles will be prohibited from using the transit way; however, vehicles turning right and parking would be allowed to pass through the side-running transit ways. Median transitways will be 22 to 24 feet in width for two-directional travel and side-running transitways will be 11 to 12 feet in width for single direction travel. Transitways will be separated from mixed-flow traffic lanes by only striping, a rumble strip, or a low mountable curb. Along several roadways, transit lanes will be established by converting mixed-flow traffic lanes to transit-only lanes.

STATIONS

There are 47 stations proposed as part of the proposed project, including six stations in Berkeley, 36 stations in Oakland, and five stations in San Leandro. Other than crossing Lake Merritt Dam and I-580, all stations are less than 0.45 miles apart, with 90 percent of stations less than 0.4 miles apart. Average station spacing is 0.31 mile. The DOSL Alternative includes 32 of these stations, from 20th Street south to San Leandro BART. For passengers, BRT stations in Oakland and San Leandro will be the most recognizable feature of the East Bay BRT Project. Stations in the roadway median will be designed to provide passenger platforms typically 12-foot wide and 60-foot long, raised 13 to 15 inches above the top of the roadway pavement. Stations along the curb will extend approximately six to eight feet from the curb and be raised 13 to 15 inches above pavement at the boarding edge, be integrated into the adjacent sidewalk, and also be 60-foot long. Platforms will be at or slightly lower than the floor level of BRT buses, allowing fast and convenient passenger loading and unloading.

Curbside stations in Berkeley will include ticket vending machines, passenger information, and passenger shelters. BRT stations in Oakland and San Leandro will provide a high level of amenities and provide convenient, safe, and secure areas for system users. BRT stations in Oakland and San Leandro will be constructed either in the street median or along the outside curb—the latter designated as "curbside" stations. Median stations will serve transitways constructed in the middle of the street and will not be affected by curb and sidewalk activities (e.g., parking maneuvers and pedestrian traffic). It should be noted that all stations in Berkeley will be curbside stations and will include a ticket vending machine and real-time passenger information signs. Berkeley stations will not have raised platforms or any other features discussed in this section.

PEDESTRIAN AMENITIES AND LANDSCAPE TREATMENTS

The proposed project will alter pedestrian environments along the alignment of the BRT transitway. The East Bay BRT Project has the potential to improve the overall pedestrian environment. Recommended pedestrian treatments include crosswalks, curb ramps, pedestrian push buttons, curb extensions, and pedestrian refuge islands. For signalized intersections, also included will be accessible pedestrian signals (APS), countdown timers, and signal tuning and re-timing. Unsignalized intersections will include in-roadway warning lights and pedestrian crossing signals.

FARE COLLECTION

The proposed East Bay BRT fare system will be barrier-free self-service, proof of payment fare collection. All BRT stations will have ticket vending machines so that passengers can pay their fares in advance of the bus arriving, thereby speeding up passenger boarding. Single ride fares will require a receipt validated at the boarding stations showing date and time of initial use. Ticket validating machines will be provided alongside ticket vending machines for this purpose. Under self-service fare collection, passengers can use any door to board buses, which will greatly reduce bus idling time at bus stops during fare collection.

ITS COMPONENTS

The East Bay BRT Project will include technologically advanced passenger information and traffic control features, referred to as ITS. These systems are included with Rapid Bus Route IR under the No-Build Alternative and will be enhanced under the proposed project or DOSL, where practicable. The two primary ITS elements will include real-time bus arrival information, displayed (and announced) at stations and available on the Internet; and transit signal priority for buses at traffic signals along the alignment with real-time adjustments to maintain even spacing between buses.

LOW-FLOOR, DUAL-SIDED DOOR BUSES

To implement the proposed project, AC Transit would purchase new dual-sided door buses, where boarding and alighting can occur on either the left-side or the right-side of the bus. These buses allow for the construction of platforms between the opposing median-running transitway lanes, as opposed to split platforms for each station, located between each transitway lane and the general purpose lanes. A single platform can serve both directions of travel, allowing for a more efficient use of station space. This reduces both project cost as well as parking space displacement.

Except in Berkeley, all BRT stations will include substantial shelters with extended canopies and amenities for the comfort and convenience of passengers, including lighting and security features (e.g., closed circuit television and emergency phones).

3.1 PROJECT LOCATION

The proposed project alignment would primarily follow Telegraph Avenue in the northern portion of the corridor and International Boulevard/East 14th Street in the southern portion. The alignment would begin near the downtown Berkeley BART Station, continue along the south side of the UC Berkeley campus to Telegraph Avenue, and then follow Telegraph Avenue to Broadway and downtown Oakland. The alignment would continue south of downtown Oakland along International Boulevard/East 14th Street through downtown San Leandro and terminate at the San Leandro BART Station.

3.2 PROJECT HISTORY

AC Transit performed a systematic study of its busiest bus routes in the early 1990s. That study, the *Alternative Modes Analysis*, was completed in April, 1993, and identified priority corridors and candidate technologies for major transit investments that would provide cost effective methods to serve AC Transit's ridership. The study also evaluated ways to reduce noise and air pollution from AC Transit's operations and identified the Berkeley/Oakland/San Leandro corridor as the best single corridor for further evaluation.

Over a three-year period from 1999 to 2002, AC Transit conducted a Major Investment Study (MIS) of the Berkeley/Oakland/San Leandro corridor to examine alternatives for improved transit service. The MIS established nine key service objectives to guide the identification and evaluation of improvement options. The objectives continued to influence the study process as it progressed through the environmental review phase. The MIS was conducted with input and guidance from key stakeholder agencies, elected officials, community leaders, and the general public. The service objectives established during the MIS were converted to various, specific performance measures by which to evaluate the environmental, operational, and financial attributes of the Build Alternatives carried forward into the environmental review process...

On August 2, 2001, the AC Transit Board of Directors adopted BRT as the LPA (herein referred to as the proposed project), with the understanding that light-rail transit (LRT) should be considered as a long-term goal. BRT, featuring high-capacity express operations along dedicated lanes on existing roadways, was selected because it could provide many of the same features as LRT and would attract a large number of new riders at a much lower cost and with fewer traffic, parking, and construction impacts than LRT. The

mode and alignment, consisting of BRT running along Telegraph Avenue, International Boulevard and East 14th Street, were adopted for more detailed environmental studies.

In 2003, AC Transit released a Notice of Preparation (NOP) to initiate the CEQA process. In May 2007, AC Transit released for public review a Draft EIS/ EIR for the proposed project. The Draft EIS/EIR is a joint CEQA/ NEPA document prepared as described in CEQA Guidelines Section 15222.

Following a 45-day review period, the public review and comment period for the Draft EIS/EIR closed on July 3, 2007. A total of 234 agencies, individuals, and organizations provided review comments. After considering each alternative evaluated in the Draft EIS/EIR, AC Transit determined that improvements would be needed in the corridor to meet the study purpose and need (project objectives as defined in Section 15124(b) of the CEQA Guidelines). Of the Build Alternatives studied in the Draft EIS, BRT service from Berkeley to the San Leandro BART station in a combination of mixed-flow and dedicated BRT lanes, was selected as the proposed project. Subsequent actions to refine the proposed project are summarized in the *process to develop the preferred alternative* discussion below.

More than three years passed between circulation of the Draft EIS/EIR and preparation of the Final EIS/EIR; thus, AC Transit evaluated whether recirculation was necessary per Section 15088.5 of the CEQA Guidelines. This evaluation occurred concurrently with preparation of a revaluation document required by the FTA under NEPA. Regarding recirculation of the Draft EIR, CEQA Guidelines Section 15088.5, requires lead agencies to recirculate an EIR only when significant new information is added to the EIR after public notice is given of the availability of the Draft EIR for public review. New information added to an EIR is not significant unless the EIR has changed in a way that deprives the public of a meaningful opportunity to comment upon a substantial adverse, environmental effect of the project or a feasible way to mitigate or avoid such an effect that project proponents have declined to implement (CEQA Guidelines, Section 15088.5). In summary, significant new information consists of:

- 1) Disclosure of a new significant impact;
- 2) Disclosure of a substantial increase in the severity of an environmental impact requiring new mitigation;
- 3) Disclosure of a feasible project alternative or mitigation measure considerably different from the others previously analyzed that would clearly lessen the significant environmental impacts of the project but the project proponent declines to adopt it; and
- 4) The Draft EIR was so fundamentally and basically inadequate and conclusory in nature that meaningful public review and comment were precluded (CEQA Guidelines, Section 15088.5).

Recirculation is not required where, as stated above, the new information added to the EIR merely clarifies, amplifies or makes insignificant modifications in an adequate EIR (CEQA Guidelines, Section 15088.5). The analysis in the Final EIR provides additional details related to the analysis provided in the Draft EIR. Accordingly, this information is intended to clarify or amplify the analysis, and recirculation is not required. Thus, clarifications to the Draft EIR provided through the responses to comments do not result in any changes to the Draft EIR "that deprives the public of a meaningful opportunity to comment upon a substantial adverse environmental effect of the project or a feasible way to mitigate or avoid such an effect (including a feasible project alternative) that the project's proponents have declined to implement" [CEQA Guidelines, Section 15088.5(a)]. Based on CEQA Guidelines and the limited nature of project changes, AC Transit has determined that there is substantial evidence that recirculation of the Draft EIR is not required under CEQA (CEQA Guidelines, Section 15088.5).

As defined by CEQA Guidelines Section 15132, the Draft EIR, together with the Revisions to the Draft EIR and Response to Comments, constitute the Final EIR for the proposed project. The Final EIR is an informational document prepared by the lead agency that must be considered by decision makers before approving or denying the proposed project. Section 15004 of the CEQA Guidelines states that before the

approval of any project subject to CEQA, the lead agency must consider the final environmental document, which in this case is the Final EIS/EIR. The Final EIS/EIR has been prepared pursuant to the requirements of CEQA, and incorporates comments from public agencies and the general public, and contains appropriate responses by the lead agency to those comments.

3.3 PROJECT OBJECTIVES

The project objectives are identical to the project purpose as defined within Section 1.3.1 of the FEIS/EIR and are summarized as follows:

Improve transit service and better accommodate high-existing bus ridership. The proposed project would provide improved service to current riders, including low-income and transit-dependent populations, by offering higher frequency, faster, and more reliable service, along with improved security, cleanliness, and comfort.

Increase transit ridership by providing a viable and competitive transit alternative to the private automobile. The proposed project would attract new riders by offering improved transit service and facilities, transit travel times competitive with auto travel, and a rail-like experience proven to attract riders from autos.

Improve and maintain efficiency of transit service delivery and lower AC Transit's operating costs per rider. The proposed project would improve fleet speeds and service efficiencies by reducing delays from running in mixed-flow traffic and during slow boarding and alighting of passengers. The investment in bus-only lanes, stations, and multi-door boarding means that the improvement in travel time and reliability will continue into the future without continual service degradation due to increased traffic congestion and delays with increased boardings.

Support local and regional planning goals to organize development along transit corridors and around transit stations. Providing BRT infrastructure of dedicated transit lanes and highly visible transit stations offers a sense of permanence that can help cities attract investment in transit-oriented development.

3.4 PROJECT SUMMARY

3.4.1 PURPOSE AND NEED

To meet the objectives listed above, the purpose and need for the proposed project is intended to address the following:

CONDITIONS THAT DISCOURAGE TRANSIT USE

Although high transit ridership supports the need for transit service in the proposed project corridor, existing service and facility deficiencies compromise service delivery and limit increases in new ridership. Heavy passenger counts and steadily worsening traffic conditions degrade schedule reliability and transit travel times. Average bus fleet speeds slowed one mile per hour annually from 1993 to 2003; however, travel times have slightly improved in recent years. Buses currently average 11.65 miles per hour in revenue service. Express buses take 70 minutes in the a.m. peak and 74 minutes in the p.m. peak to travel the 14.4 miles from downtown Berkeley to San Leandro. Local buses are considerably slower, taking 80 minutes in the a.m. and 90 minutes in the p.m. to cover this distance. While the average speed of express buses is near the system average of 11.7 miles per hour (mph), the average speed of local buses is less than 10 mph. Variable travel times make transit schedules unreliable and the transit option unattractive.

Poor reliability within the proposed East Bay BRT alignment is evident in overall schedule performance. AC Transit considers a bus arriving within five minutes of the scheduled time as on-time. If it arrives

more than five minutes after it is scheduled to arrive it is considered late. Based on winter 2008/2009 survey data, AC Transit determined that from morning to early evening during the weekday, only about three of every 10 Route 1R buses running in the peak direction were able to complete their runs (i.e., reach the end of line destination) within five minutes of the scheduled run time.

SERVICE INEFFICIENCIES THAT INCREASE OPERATING COSTS

Low transit vehicle speeds and unreliable travel times contribute to inefficiencies in transit service even when high ridership exists. When buses cannot run according to schedule, reliability suffers and passenger loads are distributed unevenly. Some buses run fully loaded and leave passengers waiting while other buses run with empty seats. Adding more buses to address the problem only adds to congestion and results in higher operating and maintenance cost.

The proposed BRT service would address schedule reliability, bus loading, and congestion problems directly by using dedicated bus lanes to remove buses from mixed-flow traffic. Improved schedule reliability and ease of bus access would speed up boarding and increase corridor transit capacity. Ridership and overall operating costs would increase; however, costs per rider costs would decrease. This would improve operating efficiency.

CAPACITY AND RELIABILITY CONSTRAINTS COMPROMISE ACCESSIBILITY

Corridor buses frequently operate with full loads and standing passengers; however, the need to operate in mixed-flow traffic limits the ability to expand transit capacity within the corridor. Adding more buses to the line would exacerbate the problem. Transit riders left standing at bus stops translates to lost work and family time and reduced productivity. Potential transit riders who can commute by private automobile may abandon transit while others may forego employment opportunities if transit is undependable.

The proposed project would address existing service deficiencies by providing dedicated transit lanes and transit signal priority to remove transit from mixed-flow traffic expedite movement through signalized intersections. The result would be more reliable schedules and shorter transit travel times; thus, transit would be much more competitive with the automobile.

DELAYS IN BOARDING

In addition to traffic delays incurred when busses pull to the curb, boarding delays can be caused by passengers stepping up into the bus doorway and stopping to put coins and bills into the farebox while managing packages, strollers, or other carry-ons. Passengers with disabilities also need the assistance of lifts or ramps to enter and exit buses which further contributes to delays.

Bus-only lanes provided by the proposed project would work in conjunction with BRT stations and level boarding platforms to facilitate passenger access. Low floor vehicles and raised boarding platforms would allow near-level boarding, enabling passengers, including those with disabilities or strollers, to simply walk or roll onto the bus. Boarding and alighting would be possible through multiple doors. This would shorten bus dwell times - the time spent waiting at a bus stop. Proof-of-payment with prepaid fare collection would eliminate delays associated with using a farebox. Boarding more passengers in less time would provide more transit seats without the added costs of additional buses. This would improve the overall efficiency of the system.

FUTURE TRAVEL DEMAND MEANS INCREASED CONGESTION

By 2015, traffic on Telegraph Avenue, International Boulevard and parallel arterials will have reached or will slightly exceed the levels experienced prior to the recession of 2008 and 2009. Travel demand forecasts suggest that by the year 2035, without any capacity increases, corridor traffic will operate under heavily congested conditions. Vehicle trips along the proposed East Bay BRT Project alignment and immediately parallel (or alternate) arterials are projected to increase substantially. Two locations illustrate the increased vehicle travel along the BRT corridor: at Telegraph Avenue and 27th Street in

North Oakland and at International Boulevard and High Street in East Oakland. In 2015 in the vicinity of 27th Street, 22,700 auto trips are forecasted along Telegraph and parallel arterials during the p.m. peak hour. By 2035, the number of auto trips on the same roadways is projected to reach 28,400, a 25 percent increase. In the vicinity of High Street, approximately 39,800 auto trips are forecasted to be using International Boulevard and parallel arterials in year 2015. By 2035 the volumes are projected to increase to 46,100, a 16 percent increase. No substantial improvements are planned in either corridor to increase the carrying capacity of either arterial network.

One outcome will be deteriorating roadway network performance, expressed in terms of intersection level of service (LOS). Of the 129 intersections analyzed for the preparation of this environmental document, the number operating at LOS E or F, the worst levels of service, is expected to steadily grow from 11 locations currently, to 17 locations in 2015, and to 42 locations in 2035 without implementation of BRT improvements. This increase means that by 2035, 33 percent of analyzed corridor intersections are expected to operate at extremely congested levels. Increasing travel demand also tends to expand peak congestion periods over several hours in the morning and evening. There is little opportunity to increase auto traffic capacity along corridor arterials without acquiring substantial amounts of right-of-way and relocating numerous residences and businesses. Increased congestion highlights the need to provide high capacity transit in a dedicated lane to allow buses to bypass congestion.

Improving transit service will provide travelers an alternative to driving in increasingly congested conditions. Investing in transit facilities and equipment would help transit to capture a larger share of the travel market, thus reducing the reliance on single-occupancy vehicles, improving the efficiency of the local roadway network, reducing the need for roadway expansion, and improving air quality. There is little opportunity to increase auto traffic capacity along corridor arterials without acquiring substantial amounts of right-of-way. This would require the relocation of numerous residences and businesses. Improving transit service will provide travelers an alternative to driving in increasingly congested conditions. Investing in transit facilities and equipment would help transit capture a larger share of the travel market, improve the efficiency of the local roadway network, reduce the need for roadway expansion and improve air quality.

CORRIDOR CHARACTERISTICS INDICATE ADDITIONAL DEMAND FOR TRANSIT

The proposed BRT corridor is home to important East Bay employment, educational, and activity centers where trip-making by workers, shoppers, students, visitors, and others is concentrated. The corridor connects the downtown central business districts of all three cities. These centers include a mix of activities and land uses in pedestrian-oriented, higher-density patterns of development. Several hospital complexes and numerous shopping districts, churches, civic centers, and entertainment/recreation facilities also are located within the corridor. The overall employment density was 14 jobs per acre in 2000, and ranged as high as 74 jobs per acre in downtown Oakland. The major areas of growth include downtown Oakland, North Oakland, the industrial areas of West and East Oakland, and the areas surrounding downtown San Leandro and the San Leandro BART station. These areas represent either locations zoned for higher density office and retail development (downtowns) or locations with a number of vacant or underused parcels (industrial areas that are transitioning to more specialized uses).

The corridor also includes several institutions of higher learning. Three of these—the University of California, Berkeley; Laney College; and Berkeley City College (formerly Vista College)—have a combined average weekday enrollment of approximately 49,000 students. In addition, the corridor is home to numerous middle and secondary schools. The combined average weekday enrollment at 10 public high schools and 10 public junior high schools/middle schools in the corridor is about 18,000 students.

Several key activity centers along the project corridor face growing constraints on auto access. These include the University of California, Berkeley; downtown Berkeley; expanding neighborhood retail and

commercial districts such as Temescal and Fmitvale in Oakland; and downtown San Leandro. The vitality of these centers will increasingly depend on accessibility by non-auto modes. The University of California, Berkeley, in a long-range development plan recently adopted, proposes growth in student population, and research and office space that would be acceptable to the City of Berkeley only if the concomitant increase in travel would not overtax the surrounding roadway network.

Of AC Transit's five highest-volume bus routes, two operate in the Berkeley-Oakland-San Leandro corridor—Routes 1 and 1R. These two routes carry approximately 25,000 riders per day in the corridor, or about one tenth of AC Transit's total daily ridership. There is a large existing overall travel market of 236,000 daily trips on all modes trying to reach major employment centers and educational institutions in the East Bay BRT corridor including downtown Oakland; the University of California, Berkeley; downtown Berkeley; and downtown San Leandro.

Transit ridership forecasts for 2035 show an increase in the number of average corridor boardings from approximately 25,000 (under existing conditions) to 34,000 per weekday for 2035 no-build conditions. Market analysis and customer preference research indicates that transit riders consider travel time and reliability as very important to their travel experience. To succeed in attracting people who currently drive to transit, service in the project corridor must be reliable and time-competitive. While corridor characteristics suggest that there is substantial corridor travel demand that could be served by transit, the existing service also lacks amenities that would make it more attractive to new riders. Bus stops lack shelters and benches, lighting, and security features. There are long queues to board, and limited capacity results in standing loads. As previously mentioned, bus speeds are slow and schedule adherence can be unreliable. These service characteristics can compromise the transit-riding experience, sending a new prospective rider back to the automobile. The proposed BRT project would result in an upgraded and streamlined service operating in dedicated lanes with modern station amenities including shelters, a place to sit, communications systems, ticket vending machines, real-time service information, lighting, and security features. BRT vehicles would be modern and rail-like, offering ease of boarding and reflecting a modern, high-tech transit riding experience.

Improved transit reliability and speed provided by BRT combined with increased passenger comfort and security while waiting for and riding on transit, and amenities such as real-time information would help to make transit a viable and competitive alternative to automobile travel in the corridor. This is indicated in modeling forecasts, which predict a nearly doubling of transit ridership in the corridor to approximately 62,000 per weekday in 2035 under the proposed project.

SUPPORT TRANSIT-ORIENTED RESIDENTIAL AND COMMERCIAL DEVELOPMENT OF THE CORRIDOR

The proposed project corridor is primarily an inner city route serving densely-populated neighborhoods. About half of the total population and employment of the Cities of Berkeley, Oakland, and San Leandro lies within the corridor. Half of the population lives north of the San Antonio area of the International Boulevard corridor and half live south of the San Antonio area. About 25 percent of the corridor population resides in the northern corridor—in north Oakland and Berkeley—and about 17 percent in the central corridor area in downtown Oakland.

Population densities, ranging from approximately 10 persons per acre on the low end to more than 60 persons per acre in the highest-density areas, are substantially higher than in the surrounding East Bay region. The highest density concentrations of population are located in and around Downtown Oakland, in Berkeley just south of the University of California, Berkeley, and the San Antonio and Fmitvale districts in Oakland.

During the next few decades, corridor population is projected to grow steadily, from 261,100 (2000 U.S. Census) to approximately 310,303 by 2035 (18.8 percent growth). Population growth will be highest in and around downtown Oakland, including Jack London Square, and along the project corridor through

East Oakland and San Leandro where infill and redevelopment opportunities exist. Cities are attempting to focus this growth and improve the efficiency of the transportation network. Building upon strong existing transit-supportive land use patterns, the Cities of Berkeley, Oakland, and San Leandro are carrying but extensive development and redevelopment efforts along Telegraph Avenue, International Boulevard/East 14th Street, and other areas in the corridor. Land use and zoning policies encourage and promote higher-density, transit-oriented development in the downtown areas and along major arterial streets and transit corridors.

Much of the Oakland portion of the corridor lies within redevelopment project areas and a large part of the south corridor area is within Oakland's Enterprise and Empowerment Zone. A major focus of Oakland's updated General Plan policies is to invest in transit-oriented development at transit nodes and stations such as the Fmitvale Transit Village Phase I, in the Fmitvale BART Station area. To revitalize Fmitvale's central business area, this 10-acre mixed-use project replaces an at-grade parking lot with commercial, retail, entertainment and other community-related uses. Fmitvale's redevelopment plan includes more than 30,000 square feet of retail/restaurant space, 60,000 square feet of offices, a 40,000-square-foot health clinic, a 12,000-square-foot community resource center, a 5,000-square-foot library, and 47 residential live/work units. The two buildings house retail stores on the first level, community facilities on the second level, and innovative loft housing on the third level. The project was completed in June of 2004.

The corridor is already a strong market for transit, both for AC Transit's local bus service and regional rail service provided by BART. By providing high quality, reliable, comfortable, and secure BRT service, the proposed project would support transit-oriented development by increasing access to jobs, education, and service markets. The placement of BRT infrastructure demonstrates an investment in the corridor and provides a greater sense of permanence than typical bus facilities. BRT facilities can help stimulate further transit-oriented development.

BETTER SERVE LOW-INCOME AND TRANSIT-DEPENDENT POPULATIONS IN THE PROJECT CORRIDOR

The population in the project corridor includes a large number of low income residents, seniors age 65 and older, youth and children age 18 and younger, and persons with disabilities. These population groups are less likely to have automobiles available; and therefore, are more likely to use transit. In fact, twenty percent of the households in the corridor are without private transportation. By improving access to important employment and educational centers in the East Bay, the BRT project would contribute to improved mobility and greater access to jobs and services for these corridor residents.

From the standpoint of environmental justice, which pertains to the effects of federal actions on minority and low income populations, the proposed project would be viewed favorably. Eight of nine communities, or sub areas, along the alignment are potential environmental justice communities because they contain 50 percent or more minority or low-income populations or the percentage of minority or low-income populations is more than 10 percentage points greater than the Alameda County average (data based on 2000 U.S. Census). In the long-term, these communities would receive greater benefits from the project than drawbacks. The major adverse effects of the project are temporary and would occur during construction, when traffic and, to some extent, bus service are disrupted by the transitway, BRT station, and roadway construction. Further, local access to businesses along the project alignment would be temporarily disrupted although detours and reroutes would be designated. In the long-term, the mobility benefits—from higher bus frequencies, shorter transit travel times, and increased transit capacity, among other benefits—are considerable. During the 2010 project meetings in Oakland, a concern was voiced that the BRT project could increase walking distances for the disabled, senior, and mobility impaired populations when local 1/1R bus stops along the corridor were removed and replaced by BRT stations. There are 47 BRT stations proposed along the 14.38-mile proposed project corridor. Average spacing is 0.31 miles or 1,650 feet.

Existing Route IR has 31 stops from downtown Berkeley to downtown San Leandro near the San Leandro BART station (it does not stop at the station). Average spacing is 0.48 miles or 2,530 feet. Route 1 local service has numerous stops, 89 to 90 depending upon direction including the stop at San Leandro BART. Average spacing is 0.16 miles or approximately 865 feet. Thus, BRT stop spacing falls midway between existing Route IR and Route 1 spacing. AC Transit intends to locate BRT stations where they are most convenient to users. Analysis of AC Transit survey data on Route IR and Route 1 boardings and alightings shows that most BRT stations have been located where they will conveniently serve the most riders. Analysis of the stops used by Route IR and Route 1 riders today and the proposed locations of BRT stations found that approximately 80 percent of riders would not need to change the location where they board and alight the bus when BRT is operational. About 20 percent of current riders would need to go to a new location. Some will experience no increase in walk distance; however, others may need to walk further than they do today. Depending on the stop location, the extra distance is estimated to be approximately one block.

3.4.2 PROCESS TO DEVELOP PREFERRED ALTERNATIVE

As part of the alternative development process, each of the respective cities in the corridor conducted public outreach to develop support for and refine the LPA that would become the proposed project approved in the Final EIS/EIR. In the fall of 2009, a series of public meetings were held in Berkeley and San Leandro to determine public support for the BRT project in those communities and to seek city council support for the proposed project. A similar series of meetings was held in Oakland in early 2010. Subsequently, in spring 2010, each city took action to recommend to AC Transit its configuration for the LPA/proposed project. On April 20, 2010, the City of Oakland endorsed the full BRT project as proposed by AC Transit for the corridor between Berkeley and San Leandro with refinements to BRT station locations, bike lanes, BRT, and traffic lane striping within the city limits. These refinements were developed during the city's public outreach process. The project characteristics in Oakland include dedicated travel lanes, level boarding platforms, off-board fare collection, and real-time arrival signs, among other amenities. The city reserved the right to make further changes to the proposed project when the Final EIS/EIR was completed and issued for review. The city also requested that in conjunction with the Final EIS/EIR process, AC Transit study a modified rapid bus option within the city's limits that would not provide dedicated BRT lanes. Under what is now known as the Oakland Bus Bulbs Alternative, buses would operate in mixed-flow lanes, as under existing conditions, and stop at level boarding, curb extension stations with expanded amenities such as ticket vending machines for self-service, off-board ticket vending, and fare collection. The findings of this study are available for AC Transit in a report entitled *AC Transit Oakland Bus Bulbs Analysis: Telegraph-International Corridor* (Cambridge Systematics, 2010).

At the Berkeley City Council meeting on April 29, 2010, the council voted unanimously to support a new alternative with a mix of transit and mostly non-transit elements, called "Alternative B." The full-build option in Berkeley, which would have included dedicated lanes for BRT from downtown Berkeley to the city limit with Oakland at Woolsey Street, including new transit stations, was not passed for study. Alternative B would have no dedicated bus lanes on Telegraph Avenue and Shattuck Avenue, with extension of the proposed project beyond University Avenue or Shattuck Avenue. It also called for the conversion of Bancroft Way, Durant Avenue, and southbound Shattuck Avenue, between University Avenue and Center Street, from one-way to two-way operations, requiring installation of up to 10 new traffic signals. As further refinements to Alternative B, the city recommended that AC Transit evaluate, if "technically or financially feasible" curb extension stations with platforms level with the bus floor and bus queue/jump lanes to bypass auto traffic at congested intersections.

On May 17, 2010, the City of San Leandro defined its proposed project as BRT terminating at the downtown San Leandro BART station with dedicated bus lanes from the north city limit to approximately Georgia Way. South of the San Leandro BART station local service would be provided by local bus

service to the Bayfair BART station. The city requested that AC Transit evaluate extending BRT to the Bayfair BART station in the Final EIS/EIR. Extended service would operate in dedicated bus lanes from the north city limit to Georgia Way and from Blossom Way to Bancroft Avenue. The city supported the addition of new traffic signals and queue jump lanes that would reduce the delays to BRT caused by traffic at intersections. The city reserved the right to make changes to the preferred alternative at the conclusion of the Final EIS/EIR based on the studied impacts and the adequacy of proposed mitigations of these impacts.

Based on the actions of the three cities in the corridor, the preferred alternative would have dedicated bus travel lanes throughout most of Oakland and in north San Leandro, but not in Berkeley. The project in Oakland and San Leandro would have level boarding. In Berkeley, level boarding was subject to evaluation. In all three cities, passenger station amenities were to include off-board fare collection and real-time passenger information signs indicating bus arrival as well as other amenities.

The AC Transit Board of Directors gave consideration to the recommendations of each city and made their proposed project decision for the project on June 23, 2010. The proposed project adopted by the AC Transit Board is consistent with the recommended alternatives of each city, with the exception of the City of Berkeley. AC Transit staff recommended against Berkeley's adopted alternative because the conversion of one-way streets to two-way operations, as included in Berkeley's approved Alternative B would not be eligible for Federal Transit Administration (FTA) Small Starts funding, for which AC Transit is seeking funds for BRT implementation. In addition, the Berkeley recommendations would not benefit BRT operation but rather would be detrimental to transit riders and the efficiency of transit operations. Conversion to two-way operations with an accompanying reduction in travel lanes could slow down bus operation and expose transit vehicles to more conflicts with other motor vehicles. The transit elements proposed by Berkeley for Telegraph Avenue would not improve performance sufficiently to offset the slower speeds in the southside and downtown areas. Thus, Berkeley's proposal would likely lower the project's cost-effectiveness rating and reduce funding available to the project overall, while delivering no significant improvement for transit riders. Instead of Alternative B, staff recommended and AC Transit adopted as part of the proposed project, a limited improvement alternative, which included the minimum features required to allow consistent, although less optimal, service with the rest of the corridor.

The proposed project under consideration in the Final EIS/EIR, as adopted by AC Transit, includes limited BRT improvements from downtown Berkeley to the Berkeley-Oakland border. Consistent with Berkeley City Council direction, no dedicated lanes for BRT vehicles are part of the project improvements. Station investments will include some enhancement of four existing and two new sidewalk bus stops. Ticket vending machines would be provided to support off-board, self-service fare collection. Real-time passenger information and passenger shelters will be included at each stop, as currently provided at many existing IR rapid bus stops. The June 2010 resolution (No. 10-033) called for curb extension stations with level boarding platforms where feasible. The Board later reconsidered this feature, and at the September 29, 2010, meeting amended the action to have sidewalk stops with curb level boarding only (No. 10-049). The stops are to still include ticket vending, passenger information, and conventional bus stop shelters.

The project from downtown Berkeley to San Leandro is approximately 14.4 miles in length. General corridor wide elements proposed for Oakland and San Leandro are as follows:

- Dedicated median bus lanes for exclusive use by buses and emergency vehicles in most of the corridor (segments of the alignment with median bus lanes are referred to as median running transitways);
- Dedicated right-hand bus lanes on some segments that give preference to transit operations but permit right-turns and access to parking (segments of the alignment with shared right-hand bus lanes are referred to as side running transitways);

- Proof of payment ticket validation;
- Transit signal priority (TSP), new traffic signals, pedestrian signals, and transit-only signals;
- Real-time traveler information; and
- Pedestrian access and safety improvements at stations.

BRT stations in Oakland and San Leandro would include substantial shelters with extended canopies and amenities including lighting and security features (e.g., closed circuit television and emergency phones) for the comfort and convenience of passengers.

DOWNTOWN OAKLAND-SAN LEANDRO ALTERNATIVE (DOSL)

The AC Transit Board of Directors at its June 23, 2010 meeting provided direction on an additional alternative for study. This decision was made upon consideration of funding, community acceptance, and BRT operational issues associated with a major capital improvements project in the corridor from downtown Berkeley to San Leandro BART. The DOSL Alternative was recommended for study in the Final EIS/EIR as a lower cost alternative that could have fewer environmental effects and lower capital costs to implement compared to the proposed project. The DOSL follows the same alignment as the proposed project from downtown Oakland to San Leandro BART, and has the same features as the proposed project in this portion of the alignment. The DOSL Alternative is approximately 9.52 miles in length and includes 32 stations. No environmental impacts in addition to those evaluated as part of the proposed project would occur as a result of DOSL implementation. Thus, the environmental impact evaluation contained within the Final EIS/EIR represents the worst case scenario. No additional environmental review would be necessary if the DOSL were ultimately selected for implementation.

3.4.3 RECORD OF PROCEEDINGS

For purposes of CEQA and these Findings, the Record of Proceedings for the Proposed Action consists of the following documents, at a minimum:

- The NOP and all other public notices issued by AC Transit in conjunction with the project;
- The Draft EIR/EIS and Final EIR/EIS, including appendices and technical studies included or referenced in the Draft EIR/EIS and Final EIR/EIS;
- All comments submitted by agencies or members of the public during the 45-day public comment period on the Draft EIR/EIS;
- All comments and correspondence submitted to AC Transit with respect to the project, in addition to timely comments on the Draft EIR/EIS;
- The design measures incorporated into the project to avoid significant environmental impacts;
- All findings and resolutions adopted by the AC Transit decision makers in connection with the project, and all documents cited or referred therein;
- All final reports, studies, memoranda, maps, staff reports, or other planning documents relating to the project prepared by the AC Transit consulting team;
- All documents and information submitted to the AC Transit by responsible, trustee, or other public agencies, or by individuals or organizations, in connection with the project, up through the date AC Transit certified the FEIR/EIS;
- Minutes and/or verbatim transcripts of all information sessions, public meetings, and public hearings held by AC Transit, in connection with the Proposed Action;
- Any documentary or other evidence submitted to AC Transit at such information sessions, public meetings, and public hearings;

- Matters of common knowledge to AC Transit including, but not limited to, federal, state, and local laws and regulations;
- Any documents expressly cited in these Findings, in addition to those cited above; and
- Any other materials required for the Record of Proceedings by Public Resources Code Section 21167.6, subdivision (e).

The custodian of the documents comprising the Record of Proceedings is AC Transit, whose office is located at 1060 Franklin Street, 10th Floor, Oakland, CA, 94612. AC Transit has relied on all of the documents listed above in reaching its decision on the project, even if every document was not formally presented to AC Transit decision makers as part of AC Transit's files generated in connection with the project. Without exception, any document set forth above that is not found in the project files falls into one of two categories. Many of the documents reflect prior planning or legislative decisions with which AC Transit was aware in certifying the FEIR/EIR (see *City of Santa Cruz v. Local Agency Formation Commission* (1978) 76 Cal.App.3d 381, 391-392; *Dominey v. Department of Personnel Administration* (1988) 205 Cal.App.3d 729, 738, fn. 6). Other documents influenced the expert advice provided to AC Transit staff or consultants, who then provided advice to AC Transit decision makers. For that reason, such documents form part of the underlying factual basis for AC Transit decision relating to the certification of the FEIS/EIR (see Public Resources Code, § 21167.6, subd.(e)(10); *Browning-Ferris Industries v. City Council of City of San Jose* (1986) 181 Cal.App.3d 852, 866; *Stanislaus Audubon Society, Inc. v. County of Stanislaus* (1995) 33 Cal.App.4th 144, 153, 155).

4 FINDINGS REQUIRED UNDER CEQA

Public Resources Code Section 21002 provides that "public agencies should not approve projects as proposed if there are feasible alternatives or feasible mitigation measures available that would substantially lessen the significant environmental effects of such projects[...]" The same statute states that the procedures required by CEQA "are intended to assist public agencies in systematically identifying both the significant effects of proposed projects and the feasible alternatives or feasible mitigation measures that will avoid or substantially lessen such significant effects." Section 21002 goes on to state that "in the event [that] specific economic, social, or other conditions make infeasible such project alternatives or such mitigation measures, individual projects may be approved in spite of one or more significant effects."

The mandate and principles in Public Resources Code Section 21002 are implemented, in part, through the requirement that agencies must adopt findings before approving projects for which EIRs are required (see Public Resources Code, § 21081, subd. (a); State CEQA Guidelines, § 15091, subd. (a)). For each significant environmental effect identified in an EIR for a proposed project, the approving agency must issue a written finding reaching one or more of three permissible conclusions. The first such finding is that "[c]hanges or alterations have been required in, or incorporated into, the project which avoid or substantially lessen the significant environmental effect as identified in the Final EIR" (State CEQA Guidelines, § 15091, subd. (a)(1)). The second permissible finding is that "[s]uch changes or alterations are within the responsibility and jurisdiction of another public agency and not the agency making the finding. Such changes have been adopted by such other agency or can and should be adopted by such other agency" (State CEQA Guidelines, § 15091, subd. (a)(2)). The third potential conclusion is that "[s]pecific economic, legal, social, technological, or other considerations, including provision of employment opportunities for highly trained workers, make infeasible the mitigation measures or project alternatives identified in the Final EIR" (State CEQA Guidelines, § 15091, subd. (a)(3)). Public Resources Code Section 21061.1 defines "feasible" to mean "capable of being accomplished in a successful manner within a reasonable period of time, taking into account economic, environmental, social and technological factors." State CEQA Guidelines Section 15364 adds another factor: "legal" considerations (see also *Citizens of Goleta Valley v. Board of Supervisors* (1990) 52 Cal.3d 553, 565).

The concept of "feasibility" also encompasses the question of whether a particular alternative or mitigation measure promotes the underlying goals and objectives of a project (*City of Del Mar v. City of San Diego* (1982) 133 Cal.App.3d 410, 417). "[F]easibility" under CEQA encompasses "desirability" to the extent that desirability is based on a reasonable balancing of the relevant economic, environmental, social, and technological factors" (*Ibid.*; see also *Sequoyah Hills Homeowners Assn. v. City of Oakland* (1993) 23 Cal.App.4th 704, 715).

The State CEQA Guidelines do not define the difference between "avoiding" a significant environmental effect and merely "substantially lessening" such an effect. AC Transit must, therefore, glean the meaning of these terms from the other contexts in which the terms are used. Public Resources Code Section 21081, on which State CEQA Guidelines Section 15091 is based, uses the term "mitigate" rather than "substantially lessen." Therefore, State CEQA Guidelines equate "mitigating" with "substantially lessening." Such an understanding of the statutory term is consistent with the policies underlying CEQA, which include the policy that "public agencies should not approve projects as proposed if there are feasible alternatives or feasible mitigation measures available that would substantially lessen the significant environmental effects of such projects" (Public Resources Code, § 21002).

For purposes of these Findings, the term "avoid" refers to the effectiveness of one or more mitigation measures to reduce an otherwise significant effect to a less than significant level. In contrast, the term "substantially lessen" refers to the effectiveness of such measure or measures to substantially reduce the

severity of a significant effect, but not to reduce that effect to a less than significant level. These interpretations appear to be mandated by the holding in *Laurel Hills Homeowners Association v. City Council* (1978) 83 Cal.App.3d 515, 519-527, in which the Court of Appeal held that an agency had satisfied its obligation to substantially lessen or avoid significant effects by adopting numerous mitigation measures, not all of which rendered the significant impacts in question less than significant.

Although State CEQA Guidelines Section 15091 requires only that approving agencies specify that a particular significant effect is "avoid[ed] or substantially lessen[ed]," these Findings, for purposes of clarity, in each case will specify whether the effect in question has been reduced to a less than significant level or has simply been substantially lessened but remains significant. Moreover, although Section 15091, read literally, does not require findings to address environmental effects that an EIR identifies as merely "potentially significant," these Findings will nevertheless fully account for all such effects identified in the Final EIR/EIS. In short, CEQA requires that the lead agency adopt mitigation measures or alternatives, where feasible, to substantially lessen or avoid significant environmental impacts that would otherwise occur. Certain project modifications or the adoption of certain mitigation measures or alternatives are not required, however, where such actions are infeasible or where the responsibility for implementation lies with some other agency (State CEQA Guidelines, § 15091, subd. (a), (b)).

With respect to a project for which significant impacts are not avoided or substantially lessened, either through the adoption of feasible mitigation measures or a feasible environmentally superior alternative, a public agency, after adopting proper findings, may nevertheless approve the project if the agency first adopts a statement of overriding considerations setting forth the specific reasons why the agency found that the project's "benefits" rendered "acceptable" its "unavoidable adverse environmental effects" (State CEQA Guidelines, §§ 15093, 15043, subd. (b); see also Public Resources Code, § 21081, subd. (b)). The California Supreme Court has stated that, "[t]he wisdom of approving . . . any development project, a delicate task which requires a balancing of interests, is necessarily left to the sound discretion of the local officials and their constituents who are responsible for such decisions. The law as we interpret and apply it simply requires that those decisions be informed; and therefore, balanced" (*Goleta, supra*, 52 Cal.3d 553, 576).

5 LEGAL EFFECTS OF FINDINGS

To the extent these Findings conclude that various project design features and mitigation measures outlined in the Final EIR/EIS are feasible and have not been modified, superseded, or withdrawn, AC Transit hereby binds itself to implement these measures. These Findings, in other words, are not merely informational, but rather constitute a binding set of obligations that will come into effect when AC Transit certifies the Final EIR/EIS.

Project design features and mitigation measures are included in the Mitigation Monitoring and Reporting Program (MMRP) adopted concurrently with these Findings, and will be effectuated through the process of constructing and implementing the project. In addition to the design features and mitigation measures, AC Transit's Standard Specifications applicable to the project will be included in the project construction documents to reduce environmental impacts associated with the project.

6 MITIGATION MONITORING AND REPORTING PROGRAM

A Mitigation Monitoring and Reporting Program (MMRP) has been prepared for the proposed project as defined within the Final EIS/EIR and adopted concurrently with these Findings (see Public Resources Code, § 21081.6, subd. (a)(1)). The MMRP includes project design features and mitigation measures incorporated into the project to avoid or substantially lessen significant environmental effects, as outlined in the Final EIR/EIS. AC Transit will use the MMRP, which is a separate, stand-alone document, to track compliance with the adopted design features and mitigation measures. The MMRP will remain available for public review during the compliance period.

7 FINDINGS

This section provides an overview of potentially significant environmental impacts and design features that would be implemented to reduce impacts to less than significant. For impacts that would not be significant, a brief justification of the finding is provided. The Findings discussion addresses only those environmental resources for which potentially significant impacts could occur during either construction or implementation. Thresholds of significance as defined in Appendix G of the CEQA Guidelines are used to structure the Findings discussion.

7.1 SIGNIFICANT EFFECTS AND MITIGATION MEASURES

7.1.1 AESTHETICS/VISUAL

THRESHOLDS OF SIGNIFICANCE

Thresholds used to evaluate potential aesthetic/visual quality impacts are based on applicable criteria in the State CEQA Guidelines (CCR §§15000-15387), Appendix G. A significant aesthetic/visual quality impact would occur if the proposed project or DOSL Alternative would:

- 1) Have a substantial adverse effect on a scenic vista?
- 2) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?
- 3) Substantially degrade the existing visual character or quality of the site and its surroundings?
- 4) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?

IMPACT

Threshold 1: The proposed project or DOSL Alternative would not have a substantial adverse effect on scenic vistas; therefore, this issue is not addressed in these Findings.

Threshold 2: The project or DOSL Alternative would not impact scenic resources, including trees, rock outcroppings and historic buildings; therefore, this issue is not addressed in these Findings.

Threshold 3: The proposed project or DOSL Alternative would not result in a substantial change to the visual character of the corridor as a whole. However, some streetscape elements that contribute to the visual character would be removed. This could adversely affect the visual environment of these specific locations. Implementation of design features identified below would reduce potential aesthetic impacts to less than significant.

Threshold 4: The proposed project or DOSL Alternative would not have an adverse effect on light and glare; therefore, this issue is not addressed in these Findings.

FINDINGS

The analysis concluded that impacts would be less than significant for Thresholds 1, 2 and 4; therefore, no mitigation measures are required.

EXPLANATION

Threshold 1: Have a substantial adverse effect on a scenic vista?

Viewpoint 1: 48th Street at Telegraph Avenue

Viewpoint 1 represents a proposed station located on Telegraph Avenue at the 48th Street intersection within the North Telegraph, Oakland (Woolsey Street to Hwy 24/55th Street) landscape unit. There are fewer trees lining the street at this location than shown in the draft EIS/EIR simulation for this viewpoint. A few more historic buildings are present; however, these buildings are scattered among more modern buildings detracting from the overall unity of views within this area. The commercial and residential properties and the roadway travel lanes are the dominant visual elements within this view. The visual change with implementation of the proposed project would be negligible at this viewpoint.

Viewpoint 2: Telegraph Avenue and Hawthorne Street

Viewpoint 2 represents a proposed station located on Telegraph Avenue at the Hawthorne Street intersection within the Telegraph/MacArthur (44th Street to I-580/34th Street) landscape unit. Unlike the previous station location depicted in the draft EIS/EIR, there are few trees lining Telegraph Avenue. Historic buildings are present on the west side of Telegraph Avenue; however, the intactness of any historic character is highly compromised by an obstructing modern commercial structure and billboard. The roadway travel lanes dominate this view. The visual change with implementation of the proposed project would be negligible at this viewpoint.

Viewpoint 3: 11th Street at Harrison Street

Viewpoint 3 is located on 11th Street at Harrison Street within the Chinatown/Jack London Square (11th & 12th Streets to 2nd Avenue) landscape unit. In this viewpoint, tall buildings further west on Harrison Street are the dominant visual features, resulting in a medium level of vividness for this view. Portions of the Oakland Tribune tower also are visible from this intersection. The overall visual character is a busy urban commuting corridor with unique Chinatown markets and signage. The visual change with implementation of the proposed project would be negligible at this viewpoint.

Viewpoint 4: International Boulevard at 34th Avenue

Viewpoint 4 represents a proposed station located on International Boulevard at the 34th Avenue intersection within the Fruitvale (30th Avenue to 42nd Avenue) landscape unit. The visual character and quality at this proposed station location remains consistent with the description in the 2005 Visual Impact Assessment and draft EIS/EIR. Overall, the character of the visual environment somewhat resembles a small town commercial corridor due to various aesthetic streetscape elements including a landscaped median, decorative street lights, and benches. The street trees are a dominant visual feature as well as the four-lane roadway and parked vehicles.

The proposed project would extend the length of median landscaping to the north of the BRT station towards Fruitvale Avenue. It will also extend the landscaped median south of the station, beginning at 36th Avenue. These improvements would offset the visual impacts of the proposed station facilities within this landscape unit.

Viewpoint 5: International Boulevard at 82nd Avenue

Viewpoint 5 is located on International Boulevard at 82nd Avenue within the International - Elmhurst (73rd Avenue to city limit) landscape unit. A colorful mural at the East Oakland Youth Development Center, a brightly painted commercial building and "Walgreens" retail store are dominant features within this viewpoint. These colorful elements as well as the mature trees and shrubs in the raised median and along the sidewalks result in a medium to high vividness rating. The four-lane roadway, parked cars, and billboard contribute to the urban character of this view. A small view of the Oakland Hills to the east also is present. Overall, the proposed project will result in a slightly adverse effect on visual quality of this view.

Viewpoint 6: International Boulevard at 99th Avenue

Viewpoint 6 is located on International Boulevard at the 99th Avenue intersection within the International – Elmhurst (73rd Avenue to city limit) landscape unit. Under the proposed project, the proposed station location remains the same as that identified in the draft EIR/EIS. This area is characterized by an urban commercial-industrial corridor; however, the rows of large trees that run the length of International Boulevard dominate the view as they provide screening to the uses along the corridor. The overall change to visual character and quality at this location will be adverse.

Viewpoint 7: International Boulevard at Durant Avenue

This viewpoint is located on International Boulevard at Durant Avenue within the San Leandro North (Oakland-San Leandro city limit to Davis Street and San Leandro BART) landscape unit. The grassy median, roadway, frontage road, and street trees are dominant features within this viewpoint. The City of San Leandro Monument can be seen in the background. Adjacent businesses and residences are largely limited to a single story and comprise less dominant features within this viewpoint. Overall, the proposed project will result in a slightly adverse effect on the visual quality of this view.

Viewpoint 8: East 14th Street at Haas Avenue

Viewpoint 8 is located near city hall on East 14th Street at Haas Avenue within the San Leandro North (East 14th Street, city limit to Davis Street) landscape unit. The visual character of this viewpoint is that of a historic, well maintained downtown area resulting in high intactness and unity. Mature trees line each side of the roadway, which is comprised of one travel lane in each direction, a left-turn lane, and on-street parking. The proposed project will have a slightly beneficial effect on visual quality.

Threshold 2: Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

As discussed herein, the only trees that would be adversely affected by the proposed project or DOSL Alternative are landscaped street trees. All trees removed would be replaced as part of the overall scope of improvements. The study area is a highly urbanized transportation corridor. No rock outcroppings occur within or in proximity to the study area. While historic buildings occur adjacent to the northern portion of the corridor, they do not occur along a scenic highway nor would they be adversely affected by the proposed project or DOSL.

Threshold 4: Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?

All corridor improvements would occur within an urban setting. Existing light sources include street lighting, vehicle headlights and building lights. The proposed project and DOSL would add lighting where needed for security at new station locations; however, it be consistent with the existing urban setting. No new sources of substantial light and glare would occur with the proposed project or DOSL.

CUMULATIVE IMPACTS

Cumulative impacts identified in Section 5.3 of the Draft EIS/EIR were evaluated for the potential to add to impacts of the proposed East Bay BRT Project as described in Chapters 3 and 4 of the Final EIS/EIR. Most of the projects were determined not to contribute substantially to cumulative impacts in any environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland. Revisions to the proposed project and DOSL Alternative that occurred after circulation of the Draft EIS/EIR have eliminated the potential for cumulative impacts. No cumulative aesthetic/visual resource impacts would occur as a result of the proposed project or DOSL.

PROJECT DESIGN FEATURES

CONSTRUCTION

Station amenities will be designed in coordination with the cities of Berkeley, Oakland, and San Leandro.

Materials will not be stockpiled on site, and demolition materials will be hauled away. Debris will be cleared daily. Best Management Practices will be implemented to protect mature trees, other vegetation, and the existing streetscape timing construction.

The proposed project will remove or relocate landscaping and other urban design treatments in several locations within the areas listed below:

- Telegraph Avenue, Oakland;
- International Boulevard, Oakland; and
- East 14th Street, San Leandro.

Minor median treatments for channeling traffic, such as along Telegraph Avenue in North Oakland, will not be replaced. The proposed project will include substantial landscape improvements that will replace the landscaped features removed in all but one location. The location where landscaping will not be replaced is:

- East 14th Street median landscaping between Bristol Boulevard and Durant Avenue at the Oakland/San Leandro city limit. The median will not be replaced under the proposed project. It will, however, be retained south of the BRT station at Durant Avenue and continue to the City of San Leandro monument at Broadmoor Boulevard. The project proposes to avoid moving the monument by designing the BRT transitway to go around the monument.

Between Bristol and Durant, there is insufficient roadway width to provide, in the same section, traffic lanes, the BRT transitway, and landscape improvements. Limited landscaping is proposed in this section. Roadway widening and right-of-way acquisition would be necessary but is not considered practicable; therefore, landscaping cannot be replaced. Landscaping to be provided as part of the proposed project will be larger than the total area removed. One of the design objectives of the East Bay BRT project is to enhance the attractiveness of the street section, making it more appealing to users and local businesses and residents.

OPERATION

Operation of the proposed project and DOSL would have no adverse impact to visual or aesthetic resources.

MITIGATION MEASURES

Implementation of the design standards referenced above would reduce potential aesthetics and visual quality impacts to less than significant levels; therefore, no mitigation measures are required.

RESIDUAL IMPACTS AFTER MITIGATION

No residual impacts would occur.

7.1.2 AIR QUALITY

THRESHOLDS OF SIGNIFICANCE

Thresholds used to evaluate potential air quality impacts are based on applicable criteria in the State CEQA Guidelines (CCR §§15000-15387), Appendix G. A significant air quality impact would occur if the proposed project or DOSL Alternative would:

- 1) Conflict with or obstruct implementation of the applicable air quality plan;
- 2) Violate any air quality standard or contribute substantially to an existing or projected air quality violation;
- 3) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions, which exceed quantitative thresholds for ozone precursors);
- 4) Expose sensitive receptors to substantial pollutant concentrations; and
- 5) Create objectionable odors affecting a substantial number of people?

IMPACT

Threshold 1: The proposed project or DOSL Alternative would not conflict with or obstruct implementation of an air quality plan. Thus, this issue is not addressed in these Findings.

Threshold 2: The proposed project or DOSL Alternative would not result in a violation of an air quality standard or contribute significantly to an existing or projected air quality violation. However, construction of the proposed project or DOSL Alternative has the potential to create air quality impacts through the use of heavy-duty construction equipment and through vehicle trips generated by construction workers traveling to and from the proposed project or DOSL Alternative site. Construction activity would generate regional emissions, toxic air contaminant (TAC) emissions, and odors. It also would increase localized pollutant concentrations near construction. Construction emissions would be temporary, and not result in any long-term impacts. The implementation of Best Management Practices defined below under Project Design features would reduce potential short-term construction impacts to less than significant.

Threshold 3: The proposed project or DOSL Alternative would decrease regional emissions because regional Vehicle Miles Traveled (VMT) would be reduced with project implementation. Thus, this issue is not addressed in these Findings.

Threshold 4: Modeled carbon monoxide concentrations would be well below state and federal standards. This issue is not addressed in these Findings.

Threshold 5: The proposed project or DOSL Alternative would provide enhanced transit services within the study corridor. The project would not generate odors; thus, this issue is not addressed in these Findings.

FINDINGS

The analysis concluded that impacts would be less than significant for Thresholds 1, 3, 4 and 5; therefore, no mitigation measures are required.

EXPLANATION

Threshold 1: Conflict with or obstruct implementation of the applicable air quality plan;

The Bay Area Air Quality Management District (BAAQMD), in coordination with the Metropolitan Transportation Commission (MTC) and the Association of Bay Area Governments (ABAG), is responsible for preparing air quality plans pursuant to the federal Clean Air Act (CAA) and California CAA. Under the CAA, state implementation plans (SIPs) are required for areas that are designated as nonattainment for ozone (O₃), carbon monoxide (CO), nitrogen oxides (NO_x), sulfur oxide (SO_x), Particulate (PM) Matter₁₀, or PM_{2.5}. For the Bay Area Air Basin, a SIP is required for O₃ and PM_{2.5} since the region is currently designated as a federal nonattainment area for both criteria pollutants.

The proposed project was included in the regional emissions analysis completed by the MTC for the conforming Transportation 2035 Plan. The design concept and scope have not changed significantly from what was analyzed in the Transportation 2035 Plan. This analysis found that the plan; and, therefore, the

individual projects contained in the plan, are conforming projects and will have air quality impacts consistent with those identified in the SIP for achieving the National Ambient Air Quality Standards (NAAQS). The Federal Highway Administration (FHWA) determined the Transportation 2035 Plan to conform to the SIP in May, 2009.

The proposed project also is included in the federal 2009 Transportation Improvement Program (TIP). The "open-to-the-public-year" is consistent with (within the same regional emission analysis period as) the construction completion date identified in the federal TIP and Transportation 2035 Plan. The federal TIP gives priority to eligible transportation control measures identified in the SIP and provides sufficient funds to provide for their implementation. FHWA and FTA determined the TIP to conform to the SIP on November 17, 2008. The proposed project or DOSL Alternative is consistent with regional conformity guidelines; and thus, would not conflict with or obstruct SIP implementation.

The proposed project or DOSL Alternative would not cause an exceedance of the California or NAAQS for criteria pollutants or the BAAQMD thresholds for O₃ precursor emissions and PM_{2.5}.

Threshold 3: Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions, which exceed quantitative thresholds for ozone precursors);

The Final EIS/EIR analysis considered emissions from all vehicles in the corridor (not only buses). Implementation of the proposed project or DOSL Alternative would reduce regional VMT and associated regional emissions. Thus, the proposed project or DOSL Alternative would result in a less-than-significant impact related to operational emissions.

Threshold 4: Expose sensitive receptors to substantial pollutant concentrations?

As shown in Tables 4.12-10-4.12-12 of the Final EIS/EIR, the proposed project or DOSL Alternative would not cause an exceedance of applicable air quality standards or significance thresholds.

Threshold 5: Create objectionable odors affecting a substantial number of people?

Land uses and industrial operations that are associated with odor complaints include wastewater treatment plants, landfills, confined animal facilities, composting stations, food manufacturing plants, refineries, and chemical plants. The proposed project or DOSL Alternative does not include any land use or activity that typically generates adverse odors; therefore, the project would result in a less-than-significant impact related to odor emissions.

CUMULATIVE IMPACTS

Cumulative impacts identified in Section 5.3 of the Final EIS/EIR were evaluated for the potential to add to impacts of the proposed East Bay BRT Project as described in Chapters 3 and 4 of the Final EIS/EIR. Most of the projects were determined not to contribute substantially to cumulative impacts in any environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland. Revisions to the proposed project and DOSL Alternative that occurred after circulation of the Draft EIS/EIR have eliminated the potential for cumulative impacts. No cumulative air quality impacts would occur as a result of the proposed project or DOSL.

DESIGN FEATURES

CONSTRUCTION

Construction contractors shall implement the BAAQMD Basic Construction Mitigation Measures listed in Table 4.17-2 of the Final EIS/EIR, and the applicable Additional Construction Mitigation Measures. The following controls should be implemented at all construction sites:

- All exposed surfaces (e.g., parking areas, staging areas, soil piles, graded areas, and unpaved access roads) shall be watered two times per day.
- All haul trucks transporting soil, sand, or other loose material off-site shall be covered.
- All visible mud or dirt track-out onto adjacent public roads shall be removed using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
- All vehicle speeds on unpaved roads shall be limited to 15 mph.
- All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
- Idling times shall be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]).
- Clear signage shall be provided for construction workers at all access points.
- All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified mechanic and determined to be running in proper condition prior to operation.
- Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. This person shall respond and take corrective action within 48 hours. The Air District's phone number also shall be visible to ensure compliance with applicable regulations.

The following measures are recommended for projects with construction emissions above the threshold:

- All exposed surfaces shall be watered at a frequency adequate to maintain minimum soil moisture of 12 percent. Moisture content can be verified by lab samples or moisture probe.
- All excavation, grading, and/or demolition activities shall be suspended when average wind speeds exceed 20 mph.
- Wind breaks (e.g., trees and fences) shall be installed on the windward side(s) of actively disturbed areas of construction. Wind breaks should have at maximum 50 percent air porosity.
- Vegetative ground cover (e.g., fast-germinating native grass seed) shall be planted in disturbed areas as soon as possible and watered appropriately until vegetation is established.
- The simultaneous occurrence of excavation, grading, and ground-disturbing construction activities on the same area at any one time shall be limited. Activities shall be phased to reduce the amount of disturbed surfaces at any one time.
- All trucks and equipment, including their tires, shall be washed off prior to leaving the site.
- Site accesses to a distance of 100 feet from the paved road shall be treated with a 6 inch to 12 inch compacted layer of wood chips, mulch, or gravel.
- Sandbags or other erosion control measures shall be installed to prevent silt runoff to public roadways from sites with a slope greater than 1 percent.
- Minimize the idling time of diesel powered construction equipment to two minutes.
- The project shall develop a plan demonstrating that the off-road equipment (more than 50 horsepower) to be used in the construction project (e.g., owned, leased, and subcontractor vehicles) would achieve a project wide fleet-average 20 percent NOX reduction and 45 percent PM reduction compared to the most recent ARB fleet average. Acceptable options for reducing emissions include the use of late model engines, low-emission diesel products, alternative fuels,

engine retrofit technology, after-treatment products, add-on devices such as particulate filters, and/or other options as such become available.

- Use low volatile organic compound (VOC) (i.e., reactive organic gases) coatings beyond the local requirements (i.e., Regulation 8, Rule 3: Architectural Coatings).
- All construction equipment, diesel trucks, and generators shall be equipped with best available control technology for emission reductions of NO_x and PM.
- All contractors shall use equipment that meets California Air Resources Board's most recent certification standard for off-road heavy duty diesel engines.

Construction contractors shall comply with BAAQMD Regulation 11 (Hazardous Pollutants) Rule 2 (Asbestos Demolition, Renovation, and Manufacturing). The requirements for demolition activities include removal standards, reporting requirements, and mandatory monitoring and record keeping.

The Final EIR/EIS also includes the following avoidance, minimization and control measures to reduce air emissions associated with project construction:

- All active construction areas shall be watered at least twice daily;
- All trucks hauling soil, sand, and other loose materials shall be covered and shall maintain at least two feet of freeboard.
- All unpaved access roads, parking areas, and staging areas in the construction area shall be watered at least three times daily or shall be applied with non-toxic soil stabilizers.
- All paved access roads, parking areas, and staging areas in the construction area shall be swept daily with water sweepers.
- Streets shall be swept daily with water sweepers if visible soil material is carried onto adjacent public streets.
- Non-toxic soil stabilizers shall be applied to inactive construction areas (previously graded areas that are inactive for 10 days or more).
- Exposed stockpiles of dirt, sand, or debris shall be enclosed, covered, watered at least twice daily, or applied with non-toxic soil binders.
- Traffic speeds on unpaved roads shall be limited to 15 mph.
- Wheel washers shall be installed on all trucks or tires/tracks of all trucks, and equipment leaving the construction area shall be washed.
- Excavation and grading activities shall be suspended when winds exceed 25 mph.
- Construction equipment shall use cool exhaust gas recirculation.
- Construction equipment shall use aqueous diesel fuel.
- Construction contracts shall explicitly stipulate that all construction equipment shall be properly tuned and maintained.

OPERATION

No measures are required to reduce air emissions during operation.

MITIGATION MEASURES

Implementation of the design standards referenced above would reduce potential air quality impacts during construction to less than significant levels; therefore, no mitigation measures are required.

RESIDUAL IMPACTS AFTER MITIGATION

No residual impacts would occur.

7.1.3 BIOLOGICAL RESOURCES

THRESHOLDS OF SIGNIFICANCE

Thresholds used to evaluate potential impacts on biological resources are based on applicable criteria in the State CEQA Guidelines (CCR §§15000-15387), Appendix G. A significant impact on biological resources would occur if the proposed project or DOSL Alternative would:

- 1) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game (CDF&G) or U.S. Fish and Wildlife Service (USFWS);
- 2) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service;
- 3) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means;
- 4) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of wildlife nursery sites;
- 5) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance; or
- 6) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan.

IMPACT:

Threshold 1: No wetland resources, plants or wildlife species are known to occur within the area affected by the proposed project or DOSL Alternative. However, landscape trees would be removed during construction. These trees could contain nesting birds subject to protection per the Migratory Bird Treaty Act. Implementation of design features described below would reduce potential migratory bird impacts to less than significant.

Threshold 2: No riparian areas or other sensitive communities occur where project improvements are proposed. Thus, this issue is not addressed in these Findings.

Threshold 3: No federally protected wetland resources are located in areas where proposed project or DOSL Alternative improvements would occur. Thus, this issue is not addressed in these Findings.

Threshold 4: There are no known wildlife migration corridors and/or nursery sites located within the area affected by proposed project or DOSL Alternative improvements. Thus, this issue is not addressed in these Findings.

Threshold 5: No Habitat Conservation Plans, Natural Community Conservation Plans or related plans and policies apply to resources within the study area. Thus, this issue is not addressed in these Findings.

FINDINGS

The analysis concluded that impacts would be less than significant for Thresholds 2, 3, 4 and 5; therefore, no mitigation measures are required.

EXPLANATION

Threshold 2: Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service.

The Biological Study Area (BSA) consists primarily of developed land, landscaped areas, and channelized creek crossings. Review of California Natural Diversity Database (CNNDDB), USFWS species list for Alameda County, and California Native Plant Society Electronic Inventory (CNPSEI) 2010 identified two sensitive plant species (i.e., western leatherwood [*Dirca occidentalis*] and Loma Prieta hoita [*Hoita strobilina*]) that have the potential to occur within proximity to the BSA. The habitat types described above are not riparian or located within the BSA.

Threshold 3: Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means.

The proposed project and DOSL Alternative is located within an urbanized area containing roads, curb, gutter, sidewalk, light poles, buildings, parking lots, and other urban features. The primary land cover within the BSA is developed (i.e., hardscaped and compacted areas) and landscaped. The BSA is within the San Francisco Bay watershed. The natural drainage historically consisted of small- to medium-sized creeks that flowed westerly from the hills in the east to San Francisco Bay. Implementation of the proposed project or DOSL Alternative would not result in the deposition of dredge or fill material to any potentially jurisdictional wetland or water features, nor would it modify any existing culvert, outlet, or water channel.

If the proposed project or DOSL Alternative cumulatively disturbs more than one acre, it would require coverage under the California State Water Board Construction General Permit (2009-0009-DWQ) to minimize potential impacts to surface water resources adjacent to improvement areas. Pollution control Best Management Practices (BMP's) would be documented in a Stormwater Pollution Prevention Plan (SWPPP) that would be prepared for the proposed project or DOSL Alternative. Multiple SWPPP's may be required depending on whether simultaneous construction occurs within different segments of the corridor. Additional BMPs addressing waste management and pollution control, non-storm water control, wind erosion and tracking will also be included in the SWPPP. Implementation of BMPs would minimize the potential for the violation of water quality standards during construction.

Threshold 4: Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of wildlife nursery sites.

For the purpose of this discussion, a sensitive animal species was considered to potentially occur in the vicinity of the BSA if its known geographical distribution encompassed part of the area where proposed project or DOSL Alternative improvements would occur or if its distribution was near the project area and general habitat requirements of the species were present (e.g., the presence of roosting, nesting, or foraging habitat or a permanent water source). Focused surveys for rare, threatened, or endangered species were not conducted because there were no sensitive species identified that potentially occur within the BSA. No migratory wildlife corridors occur within the BSA.

Threshold 5: Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance.

Construction would require the removal of 35 landscape trees from the International Boulevard median in Oakland. Depending on the method of construction, additional trees may be removed including 20 in Oakland and four in San Leandro. Generally, these trees range from five to 27 inches in diameter and are

surrounded by road, sidewalks and buildings. They are not sensitive species or otherwise protected by local ordinance.

Threshold 6: Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan.

There are no adopted Habitat Conservation Plans, Natural Community Conservation Plans, or other local approved plan that address biological resources occurring within the BSA.

CUMULATIVE IMPACTS

Cumulative impacts identified in Section 5.3 of the Final EIS/EIR were evaluated for the potential to add to impacts of the proposed East Bay BRT Project as described in Chapters 3 and 4 of the Final EIS/EIR. Most of the projects were determined not to contribute substantially to cumulative impacts in any environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland. Revisions to the proposed project and DOSL Alternative that occurred after circulation of the Draft EIS/EIR have eliminated the potential for cumulative impacts. No cumulative biological resource impacts would occur as a result of the proposed project or DOSL.

DESIGN FEATURES

CONSTRUCTION

- Best Management Practices will be followed to avoid effects to surface water. In compliance with the Executive Order on Invasive Species, E.O. 13112, landscaping included in the proposed project or DOSL Alternative will not use species listed as noxious weeds.
- All potential nest tree removal activities shall be conducted during the nonbreeding season under the supervision of a qualified biologist, if feasible. The size of the nest buffer shall be determined by the biologist in consultation with CDF&G and will be based on the nesting species and its sensitivity to disturbance at the nest.
- Mature trees will not be removed.
- Best Management Practices will be followed to avoid effects to surface water. In compliance with the Executive Order on Invasive Species, E.O. 13112, landscaping included in the proposed project or DOSL Alternative will not use species listed as noxious weeds.
- All potential nest tree removal activities shall be conducted during the nonbreeding season under the supervision of a qualified biologist, if feasible. The size of the nest buffer shall be determined by the biologist in consultation with CDFG and will be based on the nesting species and its sensitivity to disturbance at the nest.

OPERATION

No measures would be required to reduce biological resource impacts during operation.

MITIGATION MEASURES

Implementation of the design standards referenced above would reduce potential biological resource impacts to less than significant levels; therefore, no mitigation measures are required.

RESIDUAL IMPACTS AFTER MITIGATION

No residual impacts would occur.

7.1.4 CULTURAL RESOURCES

THRESHOLDS OF SIGNIFICANCE

Thresholds used to evaluate potential impacts on cultural resources are based on applicable criteria in the State CEQA Guidelines (CCR §§15000-15387), Appendix G. A significant impact on cultural (historical and/or archaeological) resources would occur if the proposed project or DOSL Alternative would:

- 1) Cause a substantial adverse change in the significance of an archaeological resource as defined in §15064.5 of the State CEQA Guidelines and §106 of the National Historic Preservation Act (NHPA).
- 2) Cause a substantial adverse change in the significance of a historical resource as defined in §15064.5 of the State CEQA Guidelines and §106 of the National Historic Preservation Act (NHPA).
- 3) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature.
- 4) Disturb any human remains, including those intended outside of formal cemeteries.

IMPACT

Threshold 1: Little disturbance of existing pavement or undisturbed area would occur; therefore, the potential for impacts to archaeological resources would be low. However, implementation of the design features identified below would reduce potential impacts to cultural resources to less than significant.

Threshold 2: There are no direct effects on any of the historic properties within the proposed project or DOSL Alternative. Therefore, this issue is not addressed in these Findings.

Threshold 3: The corridor is not believed to contain paleontological resources nor would excavation disturb resources that may occur in the project area. Therefore, this issue is not addressed in these Findings.

Threshold 4: No cemetery or known burials would be affected by the proposed project or DOSL Alternative. Therefore, this issue is not addressed in these Findings.

FINDINGS

The analysis concluded that impacts would be less than significant for Thresholds 2, 3 and 4; therefore, no mitigation measures are required. The final State Historic Preservation Office letter of concurrence was received by AC Transit and is part of the Final EIS/EIR administrative record.

EXPLANATION

Threshold 2: Cause a substantial adverse change in the significance of a historical resource as defined in §15064.5 of the State CEQA Guidelines and §106 of the National Historic Preservation Act (NHPA).

Eight historic resources within the project APE were found to be listed in, determined eligible for, or appear to be eligible for the National Register of Historic Places, and are also considered to be historical resources for the purposes of CEQA. Neither the proposed project or DOSL Alternative proposes the physical destruction or alteration of any historic property; thus, there are no direct effects on any of the historic properties within the proposed project or DOSL Alternative.

Threshold 3: Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature.

Paleontological resources are not specifically addressed in the FEIR/FEIS. The project corridor is within a highly developed urban environment with little open space in or adjacent to the proposed BRT alignment. The corridor is not believed to contain paleontological resources nor would excavation needed to

construct the proposed project or DOSL Alternative improvements be deep enough to disturb any resources that may occur in the project area.

Threshold 4: Disturb any human remains, including those interred outside of formal cemeteries.

Six archaeological sites have been recorded in or immediately adjacent to the project alignment in the Downtown Oakland area. These include a human burial and a large animal tooth; a sandy midden with some shell, a skull, and a mortar; a well, a sewer line, a privy, a pit feature, and two mortared brick foundations associated with a building erected in 1900 (evaluated and judged not eligible for the National Register); elements of the old urban railroad system; and an abandoned concrete masonry manhole. One additional site has been recorded since the 2005 study was completed, and is also located in the Downtown Oakland area. This site includes a human burial and a large mortar. All seven of the identified sites are included in the proposed project and DOSL Alternative study area. In the early 1880s two early Oakland cemeteries were reported to be located not far from the project area. None appear to be close enough to be affected by the proposed project or DOSL Alternative.

CUMULATIVE IMPACTS

Cumulative impacts identified in Section 5.3 of the Final EIS/EIR were evaluated for the potential to add to impacts of the proposed East Bay BRT Project as described in Chapters 3 and 4 of the Final EIS/EIR. Most of the projects were determined not to contribute substantially to cumulative impacts in any environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland. Revisions to the proposed project and DOSL Alternative that occurred after circulation of the Draft EIS/EIR have eliminated the potential for cumulative impacts. No cumulative cultural resource impacts would occur as a result of the proposed project or DOSL.

DESIGN FEATURES

CONSTRUCTION

An archeologist will monitor construction work in sensitive locations identified in the Site Treatment Plan for the Alameda-Contra Costa Transit District's East Bay Rapid Transit Project in Berkeley, Oakland, and San Leandro. If buried cultural materials are encountered during construction, work will stop and measures will be taken as specified in the plan. If applicable, AC Transit and FTA will comply with 36 CFR 800.13 with regard to late discoveries.

OPERATION

No measures would be required to reduce biological resource impacts during operation.

MITIGATION MEASURES

Implementation of the design features referenced above would reduce potential cultural resource impacts to less than significant levels; therefore, no mitigation measures in advance of construction are required. Because archaeological resources could be discovered when existing pavement and other surface areas are reconstructed to install BRT features, the following measures would be implemented as defined in Section 4.17.6 of the Final EIS/EIR:

- An archaeologist will monitor any construction work within the project alignment in sensitive locations (identified in the Site Treatment Plan and second addendum archaeological survey report).
- If buried cultural materials (either prehistoric or historic) are encountered during construction, work would stop in that area until a qualified archaeologist can evaluate the nature and

significance of the find. Depending on the type of feature, the archaeologist may recommend archaeological excavation to either evaluate, record, or remove the feature.

- If human remains are encountered, construction work in the area would be halted and the Alameda County Coroner contacted. In addition, if the remains are Native American, the California Native American Heritage Commission (NAHC) would be immediately contacted. The NAHC would identify the most likely descendants who would be consulted on the disposition of Native American human remains and associated artifacts.
- Arrangements will be made with an authorized facility for permanent curation of any recovered artifactual materials.
- The archaeological monitor will inform construction crews, prior to construction work, of material types that might be encountered under the street. Prior to construction, contractors and workers will be informed of reporting requirements in the event that buried cultural materials or human remains were found, whether in monitored areas or not.
- If within State right-of-way there is a cultural resource or burial discovery during the course of either identification efforts or construction activities, the Caltrans Office of Cultural Resource Studies, District 4, shall be immediately contacted and all construction/activities within 50 feet of the find shall cease until it has been assessed by Caltrans Office of Cultural Resources Studies.
- A cultural resources monitoring report will be prepared that summarizes findings, if any, of monitoring activities. The report will be made available to the public, resources agencies, and other interested parties, including Caltrans District 4.

RESIDUAL IMPACTS AFTER MITIGATION

No residual impacts would occur.

7.1.5 HAZARDS AND HAZARDOUS MATERIALS

Thresholds used to evaluate potential hazards and hazardous materials are based on applicable criteria in the State CEQA Guidelines (CCR §§15000-15387), Appendix G. A significant hazardous materials impact would occur if the proposed project or DOSL Alternative would:

- 1) Create a significant hazard to the public or the environment through the routine transport, use or disposal of hazardous materials;
- 2) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment;
- 3) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances or waste within one-quarter mile of an existing or proposed school;
- 4) Be located on a site that is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, created significant hazard to the public or the environment;
- 5) Result in a safety hazard for people residing or working in the project vicinity;
- 6) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan; and
- 7) Expose people or structures to a significant risk of loss, injury or death involving wildland fires.

IMPACT

Threshold 1: The proposed project or DOSL Alternative would not involve the transport of hazardous materials; thus, this issue is not addressed in these Findings.

Threshold 2: The proposed project or DOSL Alternative would not involve the use of hazardous materials that could be accidentally released in to the environment; thus, this issue is not addressed in these Findings.

Threshold 3: The proposed project or DOSL Alternative would not involve the use or transport of hazardous materials that could be emitted within one-quarter mile of a school. Thus, this issue is not addressed in these Findings.

Threshold 4: Implementation of design features discussion below would reduce potentially significant impacts associated with the presence of hazardous materials sites to less than significant.

Threshold 5: The transit vehicles would operate within existing roadway corridors; thus, it would not increase safety hazards for people living or working within proximity to the corridor. This issue is not addressed in these Findings.

Threshold 6: Transit vehicles would operate within existing roadway corridors; thus, the proposed project or DOSL Alternative would not impair or interfere with an adopted response plan or emergency evacuation plan. This issue is not addressed in these Findings.

Threshold 7: The transit vehicles would operate within existing roadway corridors in a heavily urbanized area. The proposed project or DOSL Alternative would not increase exposure to wildfires. This issue is not addressed in these Findings.

FINDINGS

The analysis concluded that impacts would be less than significant for Thresholds 1, 2, 3, 5, 6 and 7; therefore, no mitigation measures are required.

EXPLANATION

Threshold 1: Create a significant hazard to the public or the environment through the routine transport, use or disposal of hazardous materials.

The proposed project or DOSL Alternative is intended to facilitate transit service within the study corridor. It would not involve the transport of hazardous materials; thus, this issue is not addressed in these Findings.

Threshold 2: Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment.

The proposed project or DOSL Alternative is intended to facilitate transit service within the study corridor. It would not involve the use of hazardous materials that could be accidentally released in to the environment; thus, this issue is not addressed in these Findings.

Threshold 3: Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances or waste within one-quarter mile of an existing or proposed school.

The proposed project or DOSL Alternative is intended to facilitate transit service within the study corridor. It would not involve the use or transport of hazardous materials that could be emitted within one-quarter mile of a school. Thus, this issue is not addressed in these Findings.

Threshold 5: Result in a safety hazard for people residing or working in the project vicinity. The proposed project and DOSL Alternative is intended to facilitate transit service within the study corridor.

The transit vehicles would operate within existing roadway corridors; thus, it would not increase safety hazards for people living or working within proximity to the corridor. This issue is not addressed in these Findings.

Threshold 6: Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan.

The proposed project or DOSL Alternative is intended to facilitate transit service within the study corridor. The transit vehicles would operate within existing roadway corridors; thus, the project would not impair or interfere with an adopted response plan or emergency evacuation plan. This issue is not addressed in these Findings.

Threshold 7: Expose people or structures to a significant risk of loss, injury or death involving wildland fires.

The proposed project or DOSL Alternative is intended to facilitate transit service within the study corridor. The transit vehicles would operate within existing roadway corridors in a heavily urbanized area. The proposed project or DOSL Alternative would not increase exposure to wildfires.

CUMULATIVE IMPACTS

Cumulative impacts identified in Section 5.3 of the Final EIS/EIR were evaluated for the potential to add to impacts of the proposed East Bay BRT Project as described in Chapters 3 and 4 of the Final EIS/EIR. Most of the projects were determined not to contribute substantially to cumulative impacts in any environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland. Revisions to the proposed project and DOSL Alternative that occurred after circulation of the Draft EIS/EIR have eliminated the potential for cumulative impacts. No cumulative hazardous material impacts would occur as a result of the proposed project or DOSL.

DESIGN FEATURES

CONSTRUCTION

AC Transit will require the contractor to develop and implement a Worker Health and Safety Plan (WH&SP) to address the handling and storage of hazardous construction materials. A plan that effectively protects those in closest proximity to the source of contaminants would protect corridor residents and others. In addition, prior to construction, the following would be implemented:

- Preconstruction field surveys of identified environmental risk sites to observe current conditions.
- Regulatory file review of environmental risk sites to determine current status of sites and extent of contamination.
- Subsurface exploration of segments of the proposed project or DOSL Alternative alignment next to or down gradient from any environmental risk site. (If construction of the project warrants.)

OPERATION

No design features addressing hazardous conditions or materials would be required during operation.

MITIGATION MEASURES

Implementation of the design features referenced above would reduce potential hazardous materials impacts to less than significant levels; therefore, no mitigation measures are required.

RESIDUAL IMPACTS AFTER MITIGATION

No residual impacts would occur.

7.1.6 HYDROLOGY AND WATER QUALITY

Thresholds used to evaluate potential hydrology and water quality impacts are based on applicable criteria in the State CEQA Guidelines (CCR §§15000-15387), Appendix G. A significant hydrology or water quality impact would occur if the proposed project or DOSL Alternative would:

- 1) Violate any water quality standards or waste discharge requirements;
- 2) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted);
- 3) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site;
- 4) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;
- 5) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff;
- 6) Otherwise substantially degrade water quality;
- 7) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map;
- 8) Place within a 100-year flood hazard area structures, which would impede or redirect flood flows;
- 9) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam; or
- 10) Inundation by seiche, tsunami, or mudflow.

IMPACTS

Threshold 1: The Build Alternatives would remove roadway pavement and excavate and grade along the transitway and in station areas. Exposure and loosening of soils and subsurface materials have potential to affect stormwater runoff into storm drains along the BRT alignment. Implementation of the design features would reduce potential impacts to less than significant.

Threshold 2: No groundwater would be withdrawn nor would recharge be affected. Thus, this issue is not addressed in these Findings.

Threshold 3: Drainage patterns may be temporarily altered during construction as surfaces would be disturbed to construct the improvements. Implementation of the design features would reduce potential impacts to less than significant.

Threshold 4: Drainage patterns may be temporarily altered during construction as surfaces would be disturbed to construct the improvements. Implementation of the design features would reduce potential impacts to less than significant.

Threshold 5: The overall amount of impervious surface would not change as a result of the proposed project or DOSL Alternative. Thus, this issue isn't addressed in these Findings.

Threshold 6: Construction would disturb ground surface to install project improvements. This could increase the potential for erosion and related water quality impacts. Implementation of the design features would reduce potential impacts to less than significant.

Threshold 7: No housing would be added into a 100-year floodplain as a result of the project. Thus, this issue isn't addressed in these Findings.

Threshold 8: No new structures would be placed within a 100-year floodplain as a result of the proposed project or DOSL Alternative. Thus, this issue isn't addressed in these Findings.

Threshold 9: The proposed project or DOSL Alternative would not expose people or structures to a significant risk of loss, injury or death involving flooding. Thus, this issue isn't addressed in these Findings.

Threshold 10: Proposed project or DOSL Alternative features would not be exposed to inundation by seiche, tsunami, or mudflow. Thus, this issue isn't addressed in these Findings.

FINDINGS

The analysis concluded that impacts would be less than significant for Thresholds 2, 5, 7, 8, 9, 10; therefore, no mitigation measures are required.

EXPLANATION

Thresholds 2: Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted).

The maximum depth of excavation would be two to three feet; thus, no de-watering is anticipated. No water wells are proposed as part of the Project. Thus, groundwater recharge occurring within the study area would not be affected.

Threshold 5: Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff.

The proposed project or DOSL Alternative would not change the amount of impervious surfaces; thus, stormwater runoff would be less than under existing conditions. The proposed project or DOSL Alternative would not impact stormwater drainage infrastructure.

Threshold 7: Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map.

No housing is associated with the proposed project or DOSL Alternative; thus, no housing would be placed within a flood hazard area.

Threshold 8: Place within a 100-year flood hazard area structures, which would impede or redirect flood flows;

Implementation of the proposed project or DOSL Alternative would not involve the construction of housing or other structures in a 100-year flood hazard area.

Threshold 9: Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam; or

No levees or dams are located in proximity to the project corridor.

Threshold 10: Inundation by seiche, tsunami, or mudflow.

A tsunami is a rapidly moving wave or series of waves caused by earthquakes or undersea landslides. The proposed project or DOSL Alternative would not increase traffic, construct new structures or induce growth within an area subject to inundation by a tsunami. Given these considerations, the proposed project or DOSL Alternative would have no impact with respect to this threshold. Seiches are oscillating waves in enclosed or partially enclosed bodies of water (e.g., lakes, bays, or gulfs) for varying lengths of

time as a result of seismic or atmospheric disturbances. Lake Merritt is located in proximity to the proposed corridor; however, given the urbanized nature of the corridor and intervening land uses, the it would not pose a sieche risk to the project. Further, proposed project area is not located on or immediately adjacent to hillside areas that may present mudflow hazards. Implementation of the proposed project or DOSL Alternative would not expose users or the public to the risk of significant loss, injury, or death involving flooding, as a result of seiche or mudflow.

CUMULATIVE IMPACTS

Cumulative impacts identified in Section 5.3 of the Final EIS/EIR were evaluated for the potential to add to impacts of the proposed project as described in Chapters 3 and 4 of the Final EIS/EIR. Most of the projects were determined not to contribute substantially to cumulative impacts in any environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland. Revisions to the proposed project and DOSL Alternative that occurred after circulation of the Draft EIS/EIR have eliminated the potential for cumulative impacts. No cumulative hydrology/water quality impacts would occur as a result of the proposed project or DOSL.

DESIGN FEATURES

CONSTRUCTION

AC Transit will require the contractor to develop and implement SWPPP. The plan will be prepared prior to beginning construction activities and detail the contractor's plan for controlling runoff. The SWPPP will specify the major storage locations for excavated materials and for any delivered materials not immediately set in place. Water quality control measures for these sites will be described.

The SWPPP will outline control measures to be taken as well as BMPs implemented to control and prevent to the maximum extent practicable the discharge of pollutants to surface water and groundwater. Treatment BMPs that will be implemented for the project will mainly consist of mechanical devices such as catch basin inserts or other in-line filtering devices during construction. In addition, the SWPPP will include a plan for responding to and managing accidental spills during construction and a plan for the management and disposal of pumped ponded water or groundwater. The SWPPP will address overall management of the construction project, such as designating areas for equipment fueling, concrete washout, and stockpiles.

In support of or in addition to the above, AC Transit will implement the following measures to address related impacts of drainage and runoff associated with construction:

- AC Transit will require the contractor to submit and implement an approved Erosion and Sediment Control Plan (ESCP). The plan will emphasize standard temporary erosion control measures to reduce sedimentation and turbidity of surface runoff from disturbed areas during each rainy season (October 1 to May 1).
- AC Transit will require the contractor to submit a Spill Prevention, Contaminant and Clean-up (SPCC) plan for fuels, oils, lubricants, and other hazardous materials that may be used during construction.

Further, if the construction disturbance area would be more than one acre, compliance with National Pollution Discharge Elimination System requirements would be required. A SWPPP would be prepared in accordance with the Construction General Permit (2009-0009-DWQ), which will include construction BMPs for stormwater/erosion control, and a Storm Water Management Plan (SWMP), which will include post-construction BMPs.

OPERATION

No measures would be required to reduce hydrology/water quality impacts during operation.

MITIGATION MEASURES

Implementation of the design features referenced above would reduce potential hydrology/water quality impacts to less than significant levels; therefore, no mitigation measures are required.

RESIDUAL IMPACTS AFTER MITIGATION

No residual impacts would occur.

7.1.7 NOISE AND VIBRATION

Thresholds used to evaluate potential hazards and hazardous materials are based on applicable criteria in the State CEQA Guidelines (CCR §§15000-15387), Appendix G. A significant noise impact would occur if the proposed project or DOSL Alternative would result in:

- 1) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?
- 2) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?
- 3) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?
- 4) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?
- 5) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels.
- 6) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?

IMPACT

Threshold 1: Operation of the proposed project or DOSL Alternative would not generate noise levels in excess of applicable standards. This issue is not addressed in these Findings.

Threshold 2: The proposed project or DOSL Alternative would not require pile driving or related construction techniques that could cause ground borne noise and/or vibration. This issue is not addressed in these Findings.

Threshold 3: The proposed project or DOSL Alternative would reduce noise levels within the corridor based on no build conditions. This issue is not addressed in these Findings.

Threshold 4: Operation of the proposed project or DOSL Alternative would not generate noise levels in excess of applicable standards. However, construction may temporarily increase noise levels at receptors located in proximity to construction areas. Implementation of the design features would reduce potential temporary impacts to less than significant.

Threshold 5: The proposed project or DOSL Alternative would not affect or be affected by operation of neighboring airports. This issue is not addressed in these Findings.

Threshold 6: There are no private airstrips in proximity to the proposed project or DOSL Alternative corridor. This issue is not addressed in these Findings.

FINDINGS

The analysis concluded that impacts would be less than significant for Thresholds 1,2,3,5 and 6; therefore, no mitigation measures are required.

EXPLANATION

Threshold 1: Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies.

Generally, the proposed project or DOSL Alternative would reduce noise levels along the alignment because future traffic volumes with the project are lower than future traffic volumes without the project. There are no Category 1, 2, or 3 impacts; thus, no significant impact would occur as a result of the proposed project or DOSL Alternative.

Threshold 2: Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels.

The proposed project or DOSL Alternative would not require pile driving or related construction techniques that could cause ground borne noise and/or vibration.

Threshold 3: A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project.

As discussed above, the proposed project or DOSL Alternative would reduce noise levels along the alignment because future traffic volumes with the project are lower than future traffic volumes without the project. There are no Category 1, 2, or 3 impacts; therefore, no significant impact would occur.

The DOSL Alternative consists of the southern portion of the proposed project, truncated at the 20th Street station in Oakland. In other respects, the DOSL Alternative is identical to the proposed project. Because no impacts would occur as a result of the proposed project and because the DOSL Alternative does not include any features or improvements that would result in higher noise emissions than the proposed project, it is concluded that no impacts would occur as a result of the DOSL Alternative.

Threshold 5: For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels.

The proposed project or DOSL Alternative is not located with an airport land use plan or in proximity to an airport. The proposed project would not be affected by operation of airports located in proximity to the corridor.

Threshold 6: For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels.

There are no private airstrips in proximity to the proposed project or DOSL Alternative corridor.

CUMULATIVE IMPACTS

Cumulative impacts identified in Section 5.3 of the Final EIS/EIR were evaluated for the potential to add to impacts of the proposed East Bay BRT Project as described in Chapters 3 and 4 of the Final EIS/EIR. Most of the projects were determined not to contribute substantially to cumulative impacts in any environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland. Revisions to the proposed project or DOSL Alternative that occurred after

circulation of the Draft EIS/EIR have eliminated the potential for cumulative impacts. No cumulative noise impacts would occur as a result of the proposed project or DOSL Alternative.

DESIGN FEATURES

CONSTRUCTION

Noise impacts are anticipated at any residential location within 25 to 90 feet of construction activities, depending on the construction phase. Night time construction may be necessary. Vibration impacts will need to be mitigated if construction equipment operates in proximity to wood-framed buildings along the project alignment (proximity is defined by the vibration impact distances for construction equipment discussed in Section 4.13 of the FEIS/EIR). The following noise and vibration minimization measures are defined in Section 4.17.10 of the Final EIS/EIR.

Control measures, such as the following, would minimize noise and vibration disturbances at sensitive areas during construction:

- 1) Use newer equipment with improved noise muffling and ensure that all equipment items have the manufacturers' recommended noise abatement measures, such as mufflers, engine covers, and engine vibration isolators intact and operational. Newer equipment would generally be quieter in operation than older equipment. All construction equipment should be inspected at periodic intervals to ensure proper maintenance and presence of noise control devices (e.g., mufflers, shrouding, etc.).
- 2) Perform all construction in a manner to minimize noise and vibration. Use construction methods or equipment that will provide the lowest level of noise and ground vibration impact.
- 3) During asphalt cutting, a temporary noise barrier should be placed between the cutting area and noise sensitive sites.
- 4) Conduct truck loading, unloading and hauling operations so that noise is kept to a minimum by carefully selecting routes to avoid going through residential neighborhoods to the greatest possible extent.
- 5) Construction lay-down or staging areas should be selected in industrially zoned districts. If industrially zoned areas are not available, commercially zoned areas may be used, or locations that are at least 90 feet from any noise sensitive land use such as residences, hotels, and motels. Ingress and egress to and from the staging areas should be on collector streets or greater (higher street designations are preferred).
- 6) Turn off idling equipment.
- 7) Minimize construction activities during evening, nighttime, weekend, and holiday periods. Permits may be required in some cities before construction can be performed in noise sensitive areas between 7:00 p.m. and 7:00 a.m.
- 8) The construction contractor should be required by contract specification to comply with all local noise ordinances and obtain all necessary permits and variances. It is expected that ground-borne vibration from construction activities would cause only intermittent localized intrusion along the East Bay BRT route.

Processes such as earth moving with bulldozers, and the use of vibratory compaction rollers can create annoying vibration. There are cases where it may be necessary to use this type of equipment in proximity to residential buildings. Procedures, such as the following, would be used to minimize the potential for annoyance or damage from construction vibration:

- 1) When possible, limit the use of construction equipment that creates high vibration levels, such as vibratory rollers and hammers, operating within 130 feet of residential structures. Require
- 2) Require vibration monitoring during vibration-intensive activities.

- 3) Restrict the hours of vibration-intensive equipment or activities such as vibratory rollers so that impacts to residents are minimal (e.g., weekdays during daytime hours only when as many residents as possible are away from home). A combination of techniques for equipment noise and vibration control as well as administrative measures would be selected to provide the most effective means for reducing construction noise and vibration effects. Although, these measures would reduce construction impacts, temporary increases in noise would likely occur at some locations.

OPERATION

No measures would be required to reduce noise and vibration impacts during operation.

MITIGATION MEASURES

Implementation of the design features referenced above would reduce potential noise impacts to less than significant levels; therefore, no mitigation measures are required.

RESIDUAL IMPACTS AFTER MITIGATION

No residual impacts would occur.

7.2 SIGNIFICANT OR POTENTIALLY SIGNIFICANT IMPACTS FOR WHICH MITIGATION IS OUTSIDE THE AGENCY'S RESPONSIBILITY OR JURISDICTION

7.2.1 UTILITIES

Thresholds used to evaluate impacts to public services are based on applicable criteria in the State CEQA Guidelines (CCR §§15000-15387), Appendix G. A significant utility impact would occur if the project would:

- 1) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board;
- 2) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects;
- 3) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects;
- 4) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed;
- 5) Result in a determination by the wastewater treatment provider, which serves or may serve the project, that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments;
- 6) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs; or
- 7) Comply with federal, state, and local statutes and regulations related to solid waste.

IMPACT

Threshold 1: The proposed project or DOSL Alternative would not generate wastewater; thus, this issue is not addressed in these Findings.

Threshold 2: The proposed project or DOSL Alternative would not generate wastewater; thus, no new treatment facilities would be needed. However, construction may require relocation of wastewater lines.

Implementation of the design features identified below would reduce potential impacts to below a level of significance.

Threshold 3: The proposed project or DOSL Alternative would not create stormwater runoff; thus, no new treatment facilities would be needed. However, construction may require relocation of stormwater infrastructure. Implementation of the design features identified below would reduce potential impacts to below a level of significance.

Threshold 4: The proposed project or DOSL Alternative would not create demand for potable water; thus, no new supplies would be needed. However, construction may require relocation of water supply infrastructure. Implementation of the design features identified below would reduce potential impacts to below a level of significance.

Threshold 5: The proposed project or DOSL Alternative would not generate wastewater; thus, this issue is not addressed in these Findings.

Threshold 6: With the exception of some construction debris, the proposed project or DOSL Alternative would not generate solid waste; thus, this issue is not addressed in these Findings.

Threshold 7: With the exception of some construction debris, the proposed project or DOSL Alternative would not generate solid waste; thus, this issue is not addressed in these Findings.

FINDINGS

The analysis concluded that impacts would be less than significant for Thresholds 1, 5, 6 and 7; therefore, no mitigation measures are required.

EXPLANATION

Threshold 1: Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board.

The proposed project or DOSL Alternative would not generate wastewater; thus, Regional Water Quality Control Board treatment requirements would not be exceeded.

Threshold 5: Result in a determination by the wastewater treatment provider, which serves or may serve the project, that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments.

The proposed project or DOSL Alternative would not generate wastewater; thus, no additional treatment capacity would be necessary.

Threshold 6: Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs.

With the exception of some construction debris, the proposed project or DOSL Alternative would not generate solid waste. The debris would be recycled and/or disposed of in an approved landfill. Quantities are not expected to be significant enough to exceed landfill capacity.

Threshold 7: Comply with federal, state, and local statutes and regulations related to solid waste.

With the exception of some construction debris, the proposed project or DOSL Alternative would not generate solid waste. The debris would be recycled and/or disposed of in an approved landfill. Thus, the project would comply with federal, state, and local statutes and regulations related to solid waste.

CUMULATIVE IMPACTS

Cumulative impacts identified in Section 5.3 of the Final EIS/EIR were evaluated for the potential to add to impacts of the proposed East Bay BRT Project as described in Chapters 3 and 4 of the Final EIS/EIR. Most of the projects were determined not to contribute substantially to cumulative impacts in any

environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland. Revisions to the proposed project and DOSL Alternative that occurred after circulation of the Draft EIS/EIR have eliminated the potential for cumulative impacts. No cumulative utility impacts would occur as a result of the proposed project or DOSL.

DESIGN FEATURES

CONSTRUCTION

AC Transit and its contractors will coordinate closely with utility providers to give advance notice of any required short-term interruptions of service to customers. Contingency plans will be developed in coordination with utility providers to address unanticipated encounters with buried utilities and/or unscheduled interruptions in service.

OPERATION

No measures would be required to reduce utility impacts during operation.

MITIGATION MEASURES

Implementation of the design features referenced above would reduce potential utility impacts to less than significant levels; therefore, no mitigation measures are required.

RESIDUAL IMPACTS AFTER MITIGATION

No residual impacts would occur.

7.3 SIGNIFICANT UNAVOIDABLE IMPACTS

7.3.1 TRAFFIC AND CIRCULATION

Thresholds used to evaluate impacts to traffic are based on applicable criteria in the State CEQA Guidelines (CCR §§15000-15387), Appendix G. A significant traffic impact would occur if the proposed project or DOSL Alternative would:

- 1) Conflict with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit.
- 2) Conflict with an applicable congestion management program, including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways.
- 3) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks.
- 4) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment).
- 5) Result in inadequate emergency access.
- 6) Conflict with adopted policies, plans, or programs regarding public transit, bicycle or pedestrian facilities, or otherwise decrease the performance or safety of such features.

IMPACT

Threshold 1: The proposed project or DOSL Alternative would not conflict with applicable plans, ordinances or policies establishing measures of effectiveness of all modes of transportation within the corridor. Changes to the physical pedestrian environment in the project corridor will occur with the implementation of the proposed project and DOSL Alternative. In some locations changes could alter circulation patterns and restrict movements compared to existing conditions or conditions anticipated under the No-Build Alternative. The restrictions would be minor and often result from clearer channeling of movements. In a number of locations along the proposed project and DOSL alignment, the project will implement improvements benefitting pedestrians.

In general, the proposed project and DOSL Alternative has the potential to improve the overall environment for bicycling in the corridor in several ways. Because buses and cyclists travel at approximately the same speed in mixed traffic, the two modes "leap frog" back and forth competing for road space. The East Bay BRT project would remove buses, in part or entirely from the mixed-flow lanes used by cyclists, and thereby eliminate or substantially reduce this potential conflict. The addition of dedicated BRT lanes would also slow auto traffic, benefitting bicyclists and pedestrians. The proposed addition or expansion of bicycle lanes to Telegraph Avenue, East 12th Street and International Boulevard is a significant improvement for cyclists, creating dedicated facilities for uninterrupted bicycle travel over long distances.

In addition, BRT stations would be designed to allow level boarding and easy loading of bicycles; all BRT vehicles would include bicycle racks. Street redesign to accommodate the BRT transitway and stations, including removing a lane of traffic in each direction along Telegraph Avenue and International Boulevard, would tend to slow traffic speeds and reduce the ability of motorists to pass, thereby increasing the predictability of motorists and improving the overall bicycle friendliness of the street.

Where Class II bike lanes are proposed to be added in conjunction with this project, striping for the bike lanes in a few select locations ends as the lane approaches signalized intersections with left- or right-turn pockets before picking up on the other side of the intersection. At these locations, bikes share the mixed traffic lane when proceeding through the intersection. The bike lane design through intersections proposed by the East Bay BRT project is a common treatment on many major streets with bike lanes.

Threshold 2: Traffic operations impacts resulting in operations below established local standards would occur at 34 of the 129 study intersections in either Year 2015 or Year 2035 with implementation of the proposed project or DOSL Alternative. All but one location in Year 2015 could be mitigated through physical and operational improvements to not exceed impact thresholds. In 2035, all but six locations could be mitigated.

For the DOSL Alternative, traffic operations impacts resulting in operations below established local standards would occur at 17 of the 129 study intersections in either Year 2015 or Year 2035. All locations in Year 2015 could be mitigated through physical and operational improvements to not exceed impact thresholds. In 2035, all but one location could be mitigated.

Both the proposed project or DOSL Alternative, in various locations, convert two traffic lanes to transit-only lanes, thereby reducing roadway capacity on the BRT alignment and diverting some vehicles to alternate routes, causing the intersection congestion issues discussed above. The inclination of drivers to avoid these congested intersections may cause turning movements at other intersections, diverting traffic onto local streets. Placement of dedicated transitways may also prohibit left-turns or certain through-movements, forcing U-turns or other turning movements into neighborhoods.

Mitigation for traffic impacts has been closely coordinated with the cities of Berkeley, Oakland, and San Leandro. Some intersections could not be fully mitigated. In year 2035, the 6 impacted intersections that will not be fully mitigated with implementation of the proposed project or DOSL Alternative are located in Berkeley (1 intersection) and Oakland (5 intersections).

With implementation of the DOSL Alternative, the impacted intersection that would not be fully mitigated is located in the City of Oakland. The cities, in coordination with AC Transit, have come to the conclusion that the level of improvements needed to fully mitigate these intersections for traffic impacts will result in greater impacts to other areas, such as right-of-way and relocation of business and residential structures.

Parking impacts were removed as a CEQA threshold of significance as a result of the January, 2010, amendments. However, parking impacts were considered in the Draft EIS/EIR which was circulated prior to the 2010 amendments. Parking impacts and methods to avoid, reduce or minimize impact are addressed in Section 3.4.6 and 3.4.7 of the Final EIS/EIR and summarized as follows:

There are approximately 3,430 curbside parking spaces along the proposed project alignment. Of the total, approximately 783, or 23 percent, will be removed to implement BRT and related project improvements, including Class E bike lane extensions and streetscape improvements for pedestrians. About 338 of the spaces displaced are currently metered spaces.

The DOSL Alternative, which begins at the Uptown Transit Center in downtown Oakland and terminates at San Leandro BART in the North San Leandro segment, has the same effect on parking as described for the proposed project in the following segments:

- Downtown Oakland;
- Eastlake/San Antonio;
- Fmitvale;
- Central East.Oakland;
- Elmhurst. and
- North San Leandro.

The DOSL Alternative has no displacement effects on parking north of the Uptown Transit Center. A total of approximately 379 spaces (404 less than the proposed project) will be removed out of 2,194 available, or 17 percent. Approximately 98 metered spaces are included in the displaced total. The displaced metered spaces amount to 20 percent of the metered spaces along the DOSL Alternative alignment. Compared to the LPA, the shorter DOSL Alternative has substantially less displacement for all types of curb parking. Design features that would reduce parking impacts are provided in Section 3.4.7 of Final EIS/EIR and summarized below.

Threshold 3: Air traffic patterns would not be affected by the proposed project or DOSL Alternative. This issue is not addressed in the Findings.

Threshold 4: The proposed project or DOSL Alternative would be designed consistent with FTA and local standards; and thus, would not have an impact per this threshold. This issue is not addressed in these Findings.

Threshold 5: Emergency access would not be adversely affected by the proposed project or DOSL Alternative. This issue is not addressed in these Findings.

Threshold 6: The proposed project or DOSL Alternative would alter pedestrian environments along its alignment. Design features summarized below would reduce potential pedestrian impacts to less than significant.

FINDINGS

The analysis concluded that impacts would be less than significant for Thresholds 3, 4, and 5; therefore, no mitigation measures are required.

EXPLANATION

Threshold 3: Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks.

The proposed project or DOSL Alternative would involve local surface transportation improvements. No changes to air traffic patterns would occur as a result of project implementation.

Threshold 4: Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment).

The proposed project or DOSL Alternative would maintain the existing alignment for each road segment and is intended to improve circulation within the study area. The proposed project or DOSL Alternative would not introduce any design features that would create any hazards to traffic.

Threshold 5: Result in inadequate emergency access.

Construction of the proposed project or DOSL Alternative is not expected to require road closures or otherwise affect emergency access through the affected intersections. As a standard practice; however, if road closures (complete or partial) were necessary, the police and fire departments would be notified of the construction schedule and any required detours would allow emergency vehicles to use alternate routes for emergency response.

Where certain traffic movements will be eliminated by the design and operation of the BRT project, such as at minor cross streets intersecting with the BRT arterial (crossing of the BRT lanes will be prohibited except at signalized intersections), emergency vehicles will be exempt from restrictions posed on regular traffic.

CUMULATIVE IMPACTS

Cumulative impacts identified in Section 5.3 of the Final EIS/EIR were evaluated for the potential to add to impacts of the proposed East Bay BRT Project as described in Chapters 3 and 4 of the Final EIS/EIR. Most of the projects were determined not to contribute substantially to cumulative impacts in any environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland.

Traffic operations impacts resulting in operations below established local standards would occur at 34 of the 129 study intersections in either Year 2015 or Year 2035 with implementation of the proposed project. All but one location in Year 2015 could be mitigated through physical and operational improvements to not exceed impact thresholds. In 2035, all but six locations could be mitigated.

For the DOSL Alternative, traffic operations impacts resulting in operations below established local standards would occur at 17 of the 129 study intersections in either Year 2015 or Year 2035. All locations in Year 2015 could be mitigated through physical and operational improvements to not exceed impact thresholds. In 2035, all but one location could be mitigated.

Mitigation measures referenced below would reduce project-related impacts; however, significant unavoidable adverse impacts would remain under 2015 and 2035 conditions. Because project-specific impacts would remain after mitigation, the proposed project or DOSL Alternative would contribute to cumulative traffic impacts.

DESIGN FEATURES

CONSTRUCTION

One lane of vehicular traffic will be maintained in each direction during business hours. Pedestrian access (including wheelchair accessible ramps and temporary sidewalks) will be maintained during construction. Traffic detours will be designated. Bicycle traffic may have to be rerouted to parallel facilities during construction. AC Transit will establish traffic, pedestrian, and bicycle control plans for the construction period. These plans will be approved by local cities. A transportation management plan (TMP) will be developed to provide advance notice of information on construction activities and durations, detours, and access issues during each state of construction.

OPERATION

Pedestrian Environment

The proposed project and the DOSL Alternative will not adversely impact existing or planned pedestrian facilities and pedestrian movements in the project corridor. In a number of locations the pedestrian environment will improve due to the amenities provided by the East Bay BRT Project at and near stations and the reduction in traffic. Lower traffic volumes along BRT arterials are expected to decrease potential auto-pedestrian conflicts. For example, reducing the number of traffic lanes, from two to one lane, in each direction along such arterials as Telegraph Avenue and International Boulevard benefits pedestrians by reducing the double threat of pedestrians having to cross two mixed-flow traffic lanes in each direction. Drivers' views of the crosswalk will not be obstructed by an adjacent vehicle.

Physical features of the proposed project and DOSL Alternative, such as improved high-visibility pedestrian crossings, signs and median refuge islands along the corridor, will enhance the existing pedestrian environment. AC Transit will design the project, whenever practicable and within the overall funding available, to support the pedestrian-friendly objectives established specifically for this corridor by local cities.

Bicycling Environment

The proposed project and DOSL Alternative will construct a number of improvements that will benefit bicyclists, compared to the No-Build condition. Class II lanes are proposed to be constructed along with the transit improvements for almost the entire length of Telegraph Avenue from the SR 24 crossing to 20th Street/Thomas Berkeley Way in Downtown Oakland. They also will be provided on East 12th Street from 3rd Avenue through 14th Avenue, on 14th Avenue to International Boulevard, and along International Boulevard from 54th Avenue to 81st Avenue.

Additionally, existing bike lanes or sharrows will be preserved on Telegraph Avenue in Berkeley and Oakland and for a portion of East 14th Street in San Leandro. Elsewhere, sharrow class 2.5 or unstriped Class III bike routes are currently designated or are proposed, including along Bancroft Way and portions of Telegraph Avenue in Berkeley and along International Boulevard/East 14th Street from 81st Avenue in Oakland to Euclid Avenue in San Leandro. Outside of minor modifications within station areas, the only elimination or reduction in existing or proposed bike lane facilities associated with the project is the conversion of recently added class II bike lanes to a class III bike route from Broadmoor Boulevard to Euclid Avenue on East 14th Street in San Leandro. This is associated with the provision of a dedicated median-running transitway in this segment.

The reduction in traffic lanes along the BRT alignment where dedicated lanes are proposed will modify the bike-auto environment. Congestion may increase in portions of the corridor; however, traffic volume may decrease with a shift in vehicles to parallel routes or to other modes and many auto turning movements will be eliminated, combining to reduce the number of bike-auto conflicts. In addition, traffic

may move more slowly as a result of congestion which would reduce the disparity between auto and bicycle travel speeds; thus, improving safety. Also, where autos and bikes must share the traffic lanes, where practicable, lanes will be widened to provide additional room for the mixing of these two modes.

Proposed design features are described in detail within Section 3.3.3 of the Final EIS/EIR.

Parking

Parking measures are summarized below and addressed in detail in Section 3.4.7 of the Final EIS/EIR. The following are considered design features as implementation will require coordination between AC Transit and local agencies to identify the scope of any parking issue to be resolved, methods to resolve the issue, funding sources and schedule.

Replace all Metered Spaces Lost by Metering with Meters at an Equivalent Number of Other Non-restricted or Time-restricted Spaces. All metered parking displaced by BRT and other proposed project or DOSL Alternative improvements will be replaced on a one-for-one basis. In an area where metered spaces are removed, other non-metered spaces, preferably as nearby as practicable, will be metered. The practical aspects of this approach are that the spaces targeted for metering must meet city requirements for parking spaces to be considered suitable for metering and that proposed metering is efficient and enforceable, among other factors. With respect to efficiency, cities such as Oakland are moving more and more to "pay-and-display meters in busy areas, with one metering station covering eight or more parking spaces. Therefore, spaces to be metered must meet minimum locational and operational requirements.

In some locations, replacement metered spaces can be found elsewhere along the BRT alignment itself; alternatively, substitute spaces have been identified on cross-streets. The "replace all metered" element of the parking mitigation strategy accommodates city desires to not lose parking revenue from the reduction in the number of metered spaces along the BRT alignment. By replacing displaced metered parking one-for-one, AC Transit would not reduce parking revenue capacity.

Ensure Parking Supply is Not Reduced Such That Occupancies Will Consistently Exceed 85 Percent of Supply Due to Implementation of Build Alternatives. This second element of the parking mitigation strategy was developed considering the level of supply needed to accommodate the existing need efficiently. As noted above, parking usage achieves optimal efficiency when occupancy is between 85 and 95 percent. AC Transit has chosen to be conservative and mitigate so as not to exceed the lower end of the occupancy range, which attempts to ensure, on average, 15 percent of parking spaces will be unoccupied during regular business hours. This level of unoccupied spaces provides an optimal balance: supply enough vacant spaces so drivers do not have to circle around looking for parking yet avoid an excess supply that will not be used efficiently.

This can be accomplished by converting unmetered or unrestricted commercial spaces parking supply along the corridor or on the cross-streets into time-restricted or metered spaces. Under the current conditions, vehicles can be parked at these unmetered or unrestricted spaces for a long time thus reducing the availability for other drivers to utilize these spaces. With the conversion to metered or time restricted parking, the turnover at these spaces will increase thus increasing the availability of the supply.

Occupancy surveys of parking spaces adjacent to commercial properties were conducted on the cross-streets to determine the number of spaces that were available for conversion. Parking spaces adjacent to residential buildings on the cross-streets are not proposed to be converted to mitigate parking impacts. In a given area, therefore, mitigation would first include replacing all metered spaces and, second, expand supply of time restricted parking to avoid exceeding the 85 percent occupancy threshold. The maximum spaces mitigated would not exceed the total number of spaces displaced by BRT and related improvements, such as the extension of Class II bike lanes and construction of pedestrian bulbs and safety islands.

Ensure Parking Changes Due to Mitigations Do Not Adversely Affect Residential Neighborhoods, in Particular Residential Parking. By changing the types of parking in an area, through additional metering and/or time restrictions, there is the possibility for secondary impacts or spillover effects on nearby neighborhoods. The mitigation strategies attempt to avoid this by not proposing any changes in parking types or supply in residential neighborhoods. Parking spaces in residential neighborhoods will not be metered or time restricted to better serve nearby businesses or activity centers. Only spaces currently available for other uses—based on their location in front of non-residential uses—are considered for mitigation.

Coordinate with Cities to Monitor and Address Spillover Parking Issues. To further reduce, minimize or avoid adverse impacts to parking, AC Transit will coordinate with the Cities of Berkeley, Oakland and San Leandro to monitor locations where spillover parking into neighborhoods might occur as a result of proposed project implementation. Parking conditions under the proposed project and/or the DOSL Alternatives will be monitored and, as appropriate, AC Transit will assist cities in implementing neighborhood parking plans, such as permit parking, to control undesirable parking impacts in residential areas. Specific methods to design and implement a parking monitoring program would be defined by AC Transit and affected cities after operation of the proposed project begins.

Traffic

To address potential traffic increases on local streets resulting from proposed project implementation, AC Transit commits to fund a neighborhood traffic management program. This program may include monitoring and the development of criteria for valuating neighborhood management actions such as installation of traffic calming devices. AC Transit commits to fund the planning (including addressing secondary impacts), design, and installation of devices to either reduce traffic volumes or reduce traffic speeds on local streets should they be adversely affected by the BRT project. The affected cities and AC Transit will establish criteria for determining when a local street is considered to be affected and when action is warranted.

The neighborhood traffic management program will include data collection prior to construction, followed by post construction data collection and planning and be completed within one year after opening the BRT system. Design and implementation of the selected measures will then occur over the next six months. In addition, AC Transit will contribute to a second fund to address miscellaneous neighborhood traffic management issues that may arise over the next 10 years. This second fund will be used for design and installation only and is intended for use only if the cities, through their neighborhood programs, identify additional traffic management needs that can be attributed to the BRT system.

MITIGATION MEASURES

YEAR 2015 INTERSECTION IMPACTS WITH PROPOSED PROJECT: CITY OF BERKELEY

The following mitigation measures partially or fully mitigate the significant vehicular traffic impacts at the identified intersections in one or more peak hour. The intersection numbers are referenced in Section 3.2 of the Final EIS/EIR:

Alcatraz Avenue & College Avenue (afternoon peak hour impact only) Proposed Mitigation:
Restripe eastbound approach to add an exclusive right-turn lane. Add a new northbound left-turn lane. Coordinate signal with Claremont Avenue & College Avenue and optimize cycle length, timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation improves operations from LOS F to LOS C and the project impact is reduced to less than significant.

Secondary Impacts: Loss of approximately three parking spaces along College Avenue and loss of approximately two parking spaces along Alcatraz Avenue.

Alcatraz Avenue & Adeline Street (both peak hours impacted)

Proposed Mitigation: Coordinate signal with Ashby Avenue & Adeline Street and Ashby Avenue & Shattuck Avenue and optimize signal cycle length, tuning splits and timing offset. This requires modifying phasing at Ashby Avenue & Adeline Street and upgrading signal controller at Ashby Avenue & Shattuck Avenue. Optimize signal timing splits and offset. Restripe westbound approach to add an exclusive left-turn lane. Prohibit eastbound left-turns. Prohibit pedestrian crossing of Adeline Street on the south side of the intersection. Extend the northbound and southbound left-turn pockets.

Resulting LOS: Implementation of the proposed mitigation improves operations from LOS E to LOS D in morning peak hour and from LOS F to LOS E in the afternoon peak hour. This reflects a lower level of delay in both peak hours than with the No-Build Alternative and the project impact is *reduced to less than significant*.

Secondary Impacts: Loss of approximately three parking spaces along Alcatraz Avenue and 440 linear feet of landscape median. Existing eastbound left-turns will be forced to shift to other intersections. No secondary intersection impact is forecast to result. Potential for increase in pedestrian walk distances due to elimination of pedestrian crossing, affecting 20 pedestrians in morning peak-hour and 24 pedestrians in afternoon peak-hour.

YEAR 2015 INTERSECTION IMPACTS: CITY OF OAKLAND

The following mitigations will partially or fully mitigate the significant vehicular traffic impact at the identified intersections in one or more peak hour:

Telegraph Avenue & Alcatraz Avenue (both peak hours impacted)

Proposed Mitigation: Restripe northbound approach to convert existing exclusive left-turn lane to a shared left-turn/through lane. Provide a second northbound receiving lane that extends approximately 150 feet north of the intersection. Optimize signal cycle length, timing splits and timing offset and modify intersection phasing. Remove southbound u-turn. Restripe eastbound and westbound approaches to add exclusive right-turn lanes.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D in morning peak hour and from LOS F to LOS E in the afternoon peak hour. While the proposed improvement would reduce the project impact to less than significant for the morning peak hour, in the afternoon peak hour the increase in delay from the No-Build Alternative exceeds significance thresholds. To fully mitigate the project impact, several additional improvements would be required. These improvements include a new exclusive southbound right-turn lane, a second exclusive southbound left-turn lane, a new exclusive northbound right-turn lane, and an eastbound right-turn overlap phase. These improvements require the acquisition of right-of-way and the elimination of some bike facilities. Therefore, these mitigations are considered infeasible. **A significant impact would remain at the intersection;** no feasible mitigation strategies are available to reduce the impact to less than significant for the afternoon peak hour.

Secondary Impacts: Loss of approximately two parking spaces along Telegraph Avenue and loss of approximately five parking spaces on Alcatraz Avenue. Existing southbound u-turns will be forced to shift to other intersections. No secondary intersection impact is forecast to result. Northbound bike lane converted to shanow (i.e., shared lane between motor vehicles and bicyclists) on Telegraph Avenue between Alcatraz Avenue and 66th Street. Southbound bike lane converted to shanow on Telegraph Avenue between 65th Street and 66th Street near the BRT station.

Telegraph Avenue & 56th Street (afternoon peak hour impact only)

Proposed Mitigation: Add an exclusive northbound right-turn lane. Optimize signal cycle length, timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS C and the *project impact is reduced to less than significant.*

Secondary Impacts: Loss of approximately five parking spaces along Telegraph Avenue.

Telegraph Avenue & 55th Street (both peak hours impacted)

Proposed Mitigation: Re-stripe eastbound approach to add an exclusive left-turn lane. Optimize signal cycle length, timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS D in the morning peak hour and from LOS E to LOS D in the afternoon peak hour. Thus, with mitigation, the *project impact is reduced to less than significant.*

Secondary Impacts: Loss of approximately four parking spaces along 55th Street.

Martin Luther King Jr. Way & 55th Street (afternoon peak hour impact only)

Proposed Mitigation: Add new exclusive right-turn lanes on both eastbound and westbound approaches.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS C and the *project impact is reduced to less than significant.*

Secondary Impacts: None.

Martin Luther King Jr. Way & 52nd Street (afternoon peak hour impact only)

Proposed Mitigation: Optimize signal timing splits.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D and the *project impact is reduced to less than significant.*

Secondary Impacts: None.

Shattuck Avenue & 52nd Street (morning peak hour impact only)

Proposed Mitigation: Optimize signal cycle length, timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D and the *project impact is reduced to less than significant.*

Secondary Impacts: None.

Telegraph Avenue & 51st Street (both peak hours impacted)

Proposed Mitigation: Add Telegraph Avenue & 55th Street and Shattuck Avenue & 52nd Street to the coordination zone. Optimize signal cycle length, timing splits and timing offset. Construct an additional southbound left-turn lane. Eliminate the left-turn lane on the northbound approach and redirect this movement via Shattuck Avenue & 52nd Street. Restripe northbound approach to replace the left turn lane with a through lane and provide a second northbound receiving lane that extends approximately 80 feet north of Telegraph Avenue & Claremont Avenue.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D in the morning peak hour and from LOS F to LOS D in the afternoon peak hour. Thus, with mitigation, the *project impact is reduced to less than significant.*

Secondary Impacts: Loss of approximately 11 parking spaces on Telegraph Avenue. Sidewalk on west side of Telegraph Avenue between 51st Street and 52nd Street reduced from 11 feet to 10 feet. Traffic island at southeast corner of Telegraph Avenue & Claremont Avenue reduced in width by six feet. Bike lanes on Telegraph Avenue converted to sharrows. Northbound left-turn movements will be diverted to Shattuck Avenue & 52nd Street, but will not cause a secondary interaction impact.

Telegraph Avenue & West MacArthur Boulevard (afternoon peak hour impact only)

Proposed Mitigation: Restripe westbound approach to convert existing shared through/right-turn lane to an exclusive right-turn lane. Optimize signal cycle length, timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D and the *project impact is reduced to less than significant*.

Secondary Impacts: None.

East 12th Street (southbound) & 14th Avenue (afternoon peak hour impact only)

Proposed Mitigation: Coordinate signals at East 12th Street southbound (SB) & 14th Avenue, East 12th Street northbound (NB) & 14th Avenue, and International Boulevard & 14th Avenue with East 12th Street and International Boulevard through Eastlake. Optimize signal cycle length, timing splits, and timing offsets.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS C and the *project impact is reduced to less than significant*.

Secondary Impacts: None.

International Boulevard & 29th Avenue (morning peak hour impact only)

Proposed Mitigation: Coordinate signals on International Boulevard between 15th Street and 29th Street and optimize signal cycle length, timing splits, and timing offsets.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS D and the *project impact is reduced to less than significant*.

Secondary Impacts: None.

International Boulevard between Fruitvale Avenue and 58th Avenue

Impacts to intersections in the Fruitvale area and along International Boulevard between Fruitvale and 38th Avenue will be mitigated in part with the provision of additional capacity on parallel arterials. These improvements serve to enhance San Leandro Street as an alternative to International Boulevard and to improve traffic flow in the Fruitvale area.

Proposed Mitigation: Additional turn pockets will be provided at a number of intersections along the portion of San Leandro Street between Fruitvale Avenue and 50th Avenue. In addition, turn pockets will be added at the intersection of East 12th Street and 29th Avenue. The intersections of East 10th Street/San Leandro Street with Fruitvale Avenue and Derby Avenue with East 12th Street will be reconstructed to provide additional capacity. East 10th Street and San Leandro Street will be realigned at Fruitvale Avenue to provide a through connection at the intersection. Signals will be installed at the closely spaced intersections of Derby Avenue and northbound and southbound East 12th Street. East 10th Street and Derby Avenue (west of East 12th Street) will be re-stripped to improve vehicular flow. Signals on San Leandro Street from 37th Street to 50th Street will be coordinated.

Resulting LOS: See the subsequent intersection-by-intersection discussion.

Secondary Impacts: This set of improvements modifies roadway geometries at a number of locations and results in changes to local travel patterns. Accordingly, it results in a number of secondary impacts, listed below:

- Right-of-way acquisition, totaling 6,090 square feet, along Derby Avenue, west of East 12th Street; 10th Street, north of Fruitvale Avenue; and San Leandro Street, between Fruitvale Avenue and 33rd Avenue.
- Modification of the pedestrian facility along the east side of San Leandro Street approaching High Street from a ten foot wide unpaved pathway to a five foot wide paved sidewalk with curb.
- Reduction in the sidewalk on the west side of San Leandro Street between Fruitvale Avenue and 33rd Avenue from twelve feet to eight feet.
- Planned East 12th Street Bikeway converted from a bike lane to shoulder for approximately 245 feet on southbound East 12th Street approaching Derby Avenue.
- The loss of a number of parking spaces throughout the improvement area, listed below:
 - East 12th Street & 29th Avenue: Loss of two spaces along East 12th Street and six spaces along 29th Avenue;
 - 13th Street & Derby Avenue: Loss of one space along Derby Avenue;
 - Northbound East 12th Street & Derby Avenue: Loss of 14 spaces along East 12th Street and three spaces along Derby Avenue;
 - Southbound East 12th Street & Derby Avenue: Loss of seven spaces along East 12th Street and two spaces along Derby Avenue;
 - East 10th Street & Derby Avenue: Loss of seven spaces along East 10th Street
 - East 10th Street & Fruitvale Avenue: Loss of 12 spaces along East 10th Street
 - Northbound East 12th Street & Fruitvale Avenue: Loss of two spaces along East 12th Street;
 - International Boulevard & Fruitvale Avenue: Loss of two spaces along Fruitvale Avenue;
 - San Leandro Street & Fruitvale Avenue: Loss of 13 spaces on San Leandro Street;
 - San Leandro Street & 35th Avenue: Loss of four spaces along San Leandro Street;
 - San Leandro Street & 37th Avenue: Loss of three spaces along San Leandro Street;
 - San Leandro Street & 39th Avenue: Loss of three spaces along San Leandro Street;
 - San Leandro Street & High Street: Loss of five spaces along San Leandro Street;
 - San Leandro Street & 45th Avenue: Loss of four spaces along San Leandro Street;
 - San Leandro Street & 47th Avenue: Loss of six spaces along San Leandro Street; and
 - San Leandro Street & 50th Avenue: Loss of four spaces along San Leandro Street and loss of three spaces along 50th Avenue.

East 12th Street & Fruitvale Avenue (both peak hours impacted)

Proposed Mitigation: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, restripe the eastbound approach to convert an existing through/left-turn lane to a second left-turn only lane. Restripe the northbound approach to convert an existing exclusive right-turn lane to a shared through/right-turn lane. Optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS C in the morning peak hour and from LOS E to LOS D in the afternoon peak hour. Thus, with mitigation, the **project impact is reduced to less than significant.**

Secondary Impacts: None.

International Boulevard & 38th Street (afternoon peak hour impact only)

Proposed Mitigation: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, coordinate signals on International Boulevard between 31st and 46th Street and optimize signal cycle length, timing splits and offsets for all signals in the signal coordination zone.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS C and the *project impact is reduced to less than significant.*

Secondary Impacts: None.

International Boulevard & 42nd Street (both peak hours impacted)

Proposed Mitigation: Maintain two northbound and two southbound through lanes on International Boulevard between 41st Avenue and 44th Avenue. As mitigation on this segment, the southbound BRT would operate in mixed flow. Optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D in the morning peak hour and from LOS E to LOS C in the afternoon peak hour. Thus, with mitigation, the *project impact is reduced to less than significant.*

Secondary Impacts: Loss of approximately six parking spaces along International Boulevard between 41st Avenue and High Street and removal of the unsignalized crosswalk at 41st Avenue.

International Boulevard & Havenscourt Boulevard (afternoon peak hour impact only)

Proposed Mitigation: Maintain two northbound and two southbound through lanes on International Boulevard between 65th Avenue and 67th Avenue. As mitigation, between 65th Avenue and 67th Avenue, the southbound BRT would operate in mixed flow. Between 66th Avenue and 67th Avenue, the northbound BRT would operate in mixed flow. Provide enhanced pedestrian crossings and intersection controls at International Boulevard and 65th Avenue and International Boulevard and 67th Avenue where buses transition to and from dedicated lanes. At the intersection of International Boulevard & Havenscourt Boulevard, provide protected left-turn phasing on all approaches. Remove northbound and southbound u-turns and prohibit right turns on red. Coordinate and optimize International Boulevard cycle lengths between 66th Street and 78th Street.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS C and the *project impact is reduced to less than significant.*

Secondary Impacts: Loss of approximately five parking spaces along International Boulevard. BRT median platform relocated from 66th Avenue to 65th Avenue.

International Boulevard & Hegenberger Expressway (afternoon peak hour impact only)

Proposed Mitigation: Maintain two northbound and southbound through lanes on International Boulevard between 72nd Avenue and 74th Avenue. Restripe the westbound approach to add an exclusive right-turn lane. Optimize signal timing splits and timing offsets for all signals on International Boulevard between 66th Avenue and 78th Avenue.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS D and the *project impact is reduced to less than significant.*

Secondary Impacts: Loss of approximately 12 parking spaces along International Boulevard. Slight reduction in the width of the sidewalk on the far side corner of northbound International Boulevard at

72nd Avenue; BRT median platform shifted north from 72nd Avenue to between 71st Avenue and 72nd Avenue; removal of the unsignalized crosswalk across International Boulevard at 75th Avenue.

International Boulevard & 98th Avenue (both peak hours impacted)

Proposed Mitigation: Maintain two northbound through lanes on International Boulevard from 99th Avenue to 97th Avenue and construct an additional southbound left-turn lane on International Boulevard at 98th Avenue. Optimize signal cycle length, timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D in the morning peak hour and from LOS F to LOS D in the afternoon peak hour. Thus, with mitigation, the *project impact is reduced to less than significant.*

Secondary Impacts: Loss of approximately 12 parking spaces along International Boulevard. BRT median platform relocated from 98th Avenue to 99th Avenue. Crosswalk at 97th Avenue removed and 200 linear feet of landscaped median loss on International Boulevard.

YEAR 2015 INTERSECTION IMPACTS WITH DOSL ALTERNATIVE

The DOSL Alternative does not result in significant vehicular impacts at intersections north of downtown Oakland. Therefore, the mitigation measures identified at those intersections as associated with the proposed project would not be required. The required mitigation measures from downtown Oakland to San Leandro are identical as those identified under the proposed project. To further clarify, the following mitigation measures are proposed with the DOSL Alternative to partially or fully mitigate significant vehicular impacts at 8 locations:

- East 12th Street (SB) & 14th Avenue; Coordinate signals at East 12th Street (SB) & 14th Avenue, East 12th Street (NB) & 14th Avenue, and International Boulevard & 14th Avenue with East 12th Street and International Boulevard through Eastlake. Optimize signal cycle length, timing splits, and timing offsets.
- International Boulevard & 29th Avenue: Coordinate signals on International Boulevard between 15th Street and 29th Street and optimize signal cycle length, timing splits, and timing offsets.
- Impacts to intersections in the Fruitvale area and along International Boulevard between Fruitvale and 38th Avenue will be mitigated in part with the provision of additional capacity on parallel arterials. These improvements serve to enhance San Leandro Street as an alternative to International Boulevard and to improve traffic flow in the Fruitvale area. Additional turn pockets will be provided at a number of intersections along the portion of San Leandro Street between Fruitvale Avenue and 50th Avenue. In addition, turn pockets will be added at the intersection of East 12th Street and 29th Avenue. The intersections of East 10th Street/San Leandro Street with Fruitvale Avenue and Derby Avenue with East 12th Street will be re-constructed to provide additional capacity. East 10th Street and San Leandro Street will be realigned at Fruitvale Avenue to provide a through connection at the intersection. Signals will be installed at the closely spaced intersections of Derby Avenue and northbound and southbound East 12th Street. East 10th Street and Derby Avenue (west of East 12th Street) will be re-stripped to improve vehicular flow. Signals on San Leandro Street from 37th Street to 50th Street will be coordinated.
- East 12th Street & Fruitvale Avenue: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, restripe the eastbound approach to convert an existing through/left-turn lane to a second left-turn only lane. Restripe the northbound approach to convert an existing exclusive left-turn lane to a through lane. Optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.
- International Boulevard & 38th Street: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, coordinate signals on International

Boulevard between 31st and 46th Street and optimize signal cycle length, timing splits and offsets for all signals in the signal coordination zone.

- International Boulevard & 42nd Street: Maintain two northbound and two southbound through lanes on International Boulevard between 41th Avenue and 44th Avenue. As mitigation on this segment, the southbound BRT would be required to operate in mixed flow. Optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.
- International Boulevard & Havenscourt Boulevard: Maintain two northbound and two southbound through lanes on International Boulevard between 65th Avenue and 67th Avenue. As mitigation, between 65th Avenue and 67th Avenue, the southbound BRT would operate in mixed flow. Between 66th Avenue and 67th Avenue, the northbound BRT would operate in mixed flow. Provide enhanced pedestrian crossings and intersection controls at International Boulevard and 65th Avenue and International Boulevard and 67th Avenue where buses transition to and from dedicated lanes. At the intersection of International Boulevard & Havenscourt Boulevard, provide protected left turn phasing on all approaches to the intersection. Remove northbound and southbound u-turns and prohibit right turns on red. Coordinate and optimize International Boulevard cycle lengths between 66th Street and 78th Street.
- International Boulevard & Hegenberger Expressway: Maintain two northbound and southbound through lanes on International Boulevard between 72nd Avenue and 74th Avenue. Restripe the westbound approach to add an exclusive right turn lane. Optimize signal timing splits and timing offsets for all signals on International Boulevard between 66th Avenue and 78th Avenue.
- International Boulevard & 98th Avenue: Maintain two northbound through lanes on International Boulevard from 99th Avenue to 97th Avenue and construct an additional southbound left-turn lane on International Boulevard at 98th Avenue. Optimize signal cycle length, timing splits and timing offset.

YEAR 2035 INTERSECTION IMPACTS WITH PROPOSED PROJECT: CITY OF BERKELEY

The following mitigations will partially or fully mitigate the significant vehicular traffic impacts at the identified intersections in one or more peak hour:

Derby Street & Warring Street (both peak hours impacted)

Proposed Mitigation: Construct new exclusive right-turn lane with yield control on westbound approach

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS B in the morning peak hour and from LOS F to LOS D in the afternoon peak hour. Thus, with mitigation, the ***project impact is reduced to less than significant.***

Secondary Impacts: Loss of approximately five parking spaces along Derby Street.

Ashby Avenue & Shattuck Avenue (morning peak hour impact only)

Proposed Mitigation: Coordinate signal with Ashby Avenue & Adeline Street and Alcatraz Avenue & Adeline Street and optimize signal cycle length, timing and splits. Requires upgrading the signal to actuated-coordinated.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS D and the ***project impact is reduced to less than significant.***

Secondary Impacts: None.

Ashby Avenue & College Avenue (afternoon peak hour Impact only)

Proposed Mitigation: Optimize signal timing splits.

Resulting LOS: With implementation of the proposed mitigation measure, the intersection continues to operate at LOS E, but the increase in delay compared to the No-Build Alternative does not meet significance thresholds, and the *project impact is reduced to less than significant*.

Secondary Impacts: None.

Ashby Avenue & Claremont Avenue (afternoon peak hour Impact only)

Proposed Mitigation: Optimize signal cycle length, timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure reduces delay but does not improve level of service. In order to fully mitigate the project impact, a number of additional improvements would be required. New eastbound and westbound exclusive left-turn and right-turn lanes and modified signal phasing to accommodate protected left-turns and right-turn overlaps would be required. A *significant impact remains at the intersection*; no feasible mitigation strategies are available to reduce the impact to less than significant for the afternoon peak hour.

Secondary Impacts: None.

Alcatraz Avenue & College Avenue (both peak hours Impacted)

Proposed Mitigation: Restripe eastbound approach to add an exclusive right-turn lane. Add a new northbound left-turn lane. Coordinate signal with Claremont Avenue & College Avenue and optimize cycle length, timing splits and timing offset. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS D in both peak hours and the *project impact is reduced to less than significant*.

Secondary Impacts: Loss of approximately three parking spaces along College Avenue and loss of approximately two parking spaces along Alcatraz Avenue.

Alcatraz Avenue & Adeline Street (both peak hours Impacted)

Proposed Mitigation: Coordinate signal with Ashby Avenue & Adeline Street and Ashby Avenue & Shattuck Avenue and optimize signal cycle length, timing splits and timing offset. Requires modifying phasing at Ashby Avenue/Adeline Street and upgrading the signal at Ashby Avenue/Shattuck Avenue. Optimize signal timing splits and offsets. Restripe westbound approach to add an exclusive left-turn lane. Prohibit eastbound left-turns. Prohibit pedestrian crossing of Adeline Street on the south side of the intersection. Extend the northbound and southbound left-turn pockets. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: With implementation of the proposed mitigation measure, the intersection continues to operate at LOS F in both peak hours, but with less delay as in the No-Build Alternative, and the *project impact is reduced to less than significant*.

Secondary Impacts: Loss of approximately three parking spaces along Alcatraz Avenue and 440 linear feet of landscape median. Existing eastbound left-turns will be forced to shift to other intersections. No secondary intersection impact is forecast to result from this shift. Potential for increase in pedestrian walk distances due to elimination of pedestrian crossing, affecting 20 pedestrians in morning peak-hour and 24 pedestrians in afternoon peak-hour.

YEAR 2035 INTERSECTION IMPACTS: CITY OF OAKLAND

The following mitigations will partially or fully mitigate the significant vehicular traffic impact at the identified intersections in one or more peak hour:

Telegraph Avenue & Alcatraz Avenue (both peak hours impacted)

Proposed Mitigation: Restripe northbound approach to convert existing exclusive left-turn lane to a shared left-turn/through lane. Provide a second northbound receiving lane that extends approximately 150 feet north of the intersection. Optimize signal cycle length, timing splits and timing offset and modify intersection phasing. Remove southbound u-turn. Restripe eastbound and westbound approaches to add exclusive right-turn lanes. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS E in the morning peak hour and, while reducing delay, does not improve level of service in the afternoon peak hour. In order to fully mitigate the project impact, several additional improvements would be required. These improvements include a new exclusive southbound right-turn lane, a second exclusive southbound left-turn lane, a new exclusive northbound right-turn lane, and an eastbound right-turn overlap phase. These improvements require the acquisition of right-of-way and the elimination of some bike facilities. Therefore, these mitigations are considered infeasible. A significant impact remains at the intersection; no feasible mitigation strategies are available to reduce the impact to less than significant for either peak hour.

Secondary Impacts: Loss of approximately two parking spaces along Telegraph Avenue and loss of approximately five parking spaces along Alcatraz Avenue. Existing southbound u-turns will be forced to shift to other intersections. No secondary intersection impact is forecast to result. Northbound bike lane converted to sharrows on Telegraph Avenue between Alcatraz Avenue and 66th Street. Southbound bike lane converted to sharrows on Telegraph Avenue between 65th Street and 66th Street near the BRT station.

Claremont Avenue & 62nd Street (afternoon peak hour impact only)

Proposed Mitigation: Construct exclusive eastbound and westbound left-turn lanes on Claremont Avenue. Re-stripe southbound approach on College Avenue to add an exclusive right-turn lane. Coordinate signal with Alcatraz Avenue & College Avenue and optimize signal cycle length, timing splits and timing offset.

Resulting LOS: The proposed mitigation measure improves operations from LOS F to LOS D and the project impact is reduced to less than significant.

Secondary Impacts: Loss of 15 spaces along 62nd Street.

Telegraph Avenue & 56th Street (afternoon peak hour impact only)

Proposed Mitigation: Add an exclusive northbound right-turn lane. Optimize signal cycle length, timing splits and timing offset. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS C and the project impact is reduced to less than significant.

Secondary Impacts: Loss of approximately five parking spaces on Telegraph Avenue.

Telegraph Avenue & 55th Street (both peak hours impacted)

Proposed Mitigation: Re-stripe eastbound approach to add an exclusive left-turn lane. Optimize signal cycle length, timing splits and timing offset. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS E in the morning peak hour and, while reducing delay, does not improve level of service in the afternoon peak hour. In order to fully mitigate the project impact in both peak hours, an exclusive southbound right-turn lane would need to be constructed. This improvement requires the acquisition of right-of-way, and is therefore considered infeasible. **A significant impact remains at the intersection;** no feasible mitigation strategies are available to reduce the impact to less than significant for either peak hour.

Secondary Impacts: Loss of approximately four parking spaces along 55th Street.

Martin Luther King Jr. Way & 55th Street (both peak hours impacted)

Proposed Mitigation: Add new exclusive right-turn lanes on both eastbound and westbound approaches. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D in the morning peak hour and from LOS F to LOS D in the afternoon peak hour. Thus, with mitigation, **the project impact is reduced to less than significant.**

Secondary Impacts: None.

Martin Luther King Jr. Way & 52nd Street (afternoon peak hour impact only)

Proposed Mitigation: Optimize signal timing splits. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: With implementation of the proposed mitigation measure, the intersection continues to operate at LOS E, but with less delay as in the No-Build Alternative, **and the project impact is reduced to less than significant.**

Secondary Impacts: None.

Telegraph Avenue & 51st Street (both peak hours impacted)

Proposed Mitigation: Add Telegraph Avenue & 55th Street and Shattuck Avenue & 52nd Street to the coordination zone. Optimize signal cycle length, timing splits and timing offset. Construct an additional southbound left-turn lane. Eliminate the left-turn lane on the northbound approach and re-direct this movement via Shattuck Avenue & 52nd Street. Restripe northbound approach to replace the left-turn lane with a through lane and provide a second northbound receiving lane that extends approximately 80 feet north of Telegraph Avenue & Claremont Avenue. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS E in the morning peak hour and with less delay than in the No-Build Alternative. In the afternoon peak hour, the proposed mitigation measure improves operations from LOS F to LOS D. Thus, with mitigation, **the project impact is reduced to less than significant.**

Secondary Impacts: Loss of approximately 11 parking spaces on Telegraph Avenue. Sidewalk on west side of Telegraph Avenue between 51st Street and 52nd Street reduced from 11 feet to 10 feet. Traffic island at southeast corner of Telegraph Avenue & Claremont Avenue reduced in width by six feet. Bike lanes on Telegraph Avenue converted to sharrows. Northbound left-turn movements will be diverted to Shattuck Avenue & 52nd Street, but will not cause a secondary intersection impact.

Telegraph Avenue & 40th Street (afternoon peak hour impact only)

Proposed Mitigation: Re-stripe eastbound approach to add an exclusive right-turn lane. Optimize signal timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS E in the afternoon peak hour, but does not mitigate the impact to a less than significant level. In order to fully mitigate the intersection impact, exclusive northbound and southbound right-turn lanes would need to be constructed and northbound and southbound u-turns would need to be prohibited. This requires the acquisition of right-of-way, and is therefore considered infeasible. Therefore, **a significant impact remains at the intersection**; no feasible mitigation strategies are available to reduce the impact to less than significant for the afternoon peak hour.

Secondary Impacts: Loss of approximately five parking spaces along 40th Street. Curb bulbout on eastbound 40th Street would not be constructed. Convert eastbound bike lane on 40th Street approaching Telegraph Avenue to a sharrow.

Telegraph Avenue & West MacArthur Boulevard (afternoon peak hour impact only)

Proposed Mitigation: Restripe westbound approach to convert existing shared through/right-turn lane to an exclusive right-turn lane. Optimize signal cycle length, timing splits and timing offset. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS E in the afternoon peak hour, but does not mitigate the impact to a less than significant level. In order to fully mitigate the intersection impact, a number of improvements would be required. These would include construction of exclusive right-turn lanes on the northbound, southbound and eastbound approaches, construction of exclusive left-turn lanes on the eastbound and westbound approaches, and construction of a second left-turn lane on the southbound approach. These improvements all require the acquisition of right-of-way, and are therefore considered infeasible. A significant impact remains at the intersection; no feasible mitigation strategies are available to reduce the impact to less than significant for the afternoon peak hour.

Secondary Impacts: None.

Telegraph Avenue & 27th Street (both peak hours impacted)

Proposed Mitigation: Add exclusive right-turn lanes on the eastbound, westbound, and southbound approaches. Optimize signal timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D in the morning peak hour and from LOS F to LOS C in the afternoon peak hour. Thus, with mitigation, the **project impact is reduced to less than significant**.

Secondary Impacts: Loss of approximately six parking spaces along 27th Street. The bike lane would be converted to a bike sharrow on the eastbound, westbound and southbound approaches.

East 12th Street & 5th Avenue (morning peak hour impact only)

Proposed Mitigation: Optimize signal cycle length, timing splits, and timing offsets and coordinate signals along East 12th Street.

Resulting LOS: Implementation of the proposed mitigation measure reduces delay but does not improve level of service. In order to fully mitigate the project impact at this intersection a number of additional improvements would be required. These would include the prohibition of all u-turns at the intersection, the restriction of southbound left-turns at 5th Avenue, and the addition of a second northbound through lane on East 12th Street from 14th Avenue to 2nd Avenue. A **significant impact remains at the intersection**; no feasible mitigation strategies are available to reduce the impact to less than significant for the morning peak hour.

Secondary Impacts: None.

East 12th Street (SB) & 14th Avenue (afternoon peak hour Impact only)

Proposed Mitigation: Coordinate signals at East 12th Street (SB) & 14th Avenue, East 12th Street (NB) & 14th Avenue, and International Boulevard & 14th Avenue and International Boulevard & 14th Avenue with East 12th Street and International Boulevard through Eastlake. Optimize signal cycle length, timing splits, and timing offsets. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS C and the *project impact is reduced to less than significant.*

Secondary Impacts: None.

International Boulevard & 14th Avenue (afternoon peak hour Impact only)

Proposed Mitigation: Coordinate signals at East 12th Street (SB) & 14th Avenue, East 12th Street (NB) & 14th Avenue, and International Boulevard & 14th Avenue and International Boulevard & 14th Avenue with East 12th Street and International Boulevard through Eastlake. Optimize signal cycle length, timing splits, and timing offsets.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS C and the *project impact is reduced to less than significant.*

Secondary Impacts: None.

International Boulevard & 29th Avenue (morning peak hour Impact only)

Proposed Mitigation: Coordinate signals on International Boulevard between 15th Street and 29th Street and optimize signal cycle length, timing splits, and timing offsets. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS D and the *project impact is reduced to less than significant.*

Secondary Impacts: None.

International Boulevard between Fruitvale Avenue and 38th Avenue

Impacts to intersections in the Fruitvale area and along International Boulevard between Fruitvale and 38th Avenue will be mitigated in part with the provision of additional capacity on parallel arterials. These improvements serve to enhance San Leandro Street as an alternative to International Boulevard and to improve traffic flow in the Fruitvale area.

Proposed Mitigation: Additional turn pockets will be provided at a number of intersections along the portion of San Leandro Street between Fruitvale Avenue and 50th Avenue. In addition, turn pockets will be added at the intersection of East 12th Street and 29th Avenue. The intersections of East 10th Street/San Leandro Street with Fruitvale Avenue and Derby Avenue with East 12th Street will be reconstructed to provide additional capacity. East 10th Street and San Leandro Street will be realigned at Fruitvale Avenue to provide a through connection at the intersection. Signals will be installed at the closely spaced intersections of Derby Avenue and northbound and southbound East 12th Street. East 10th Street and Derby Avenue (west of East 12th Street) will be re-stripped to improve vehicular flow. Signals on San Leandro Street from 37th Street to 50th Street will be coordinated. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: See the subsequent intersection-by-intersection discussion.

Secondary Impacts: This set of improvements is associated with a number of different intersections and results in a shift in traffic from International Boulevard to parallel routes. Therefore, there are a number of secondary impacts, listed below:

- A significant impact to level of service at the International Boulevard and Fruitvale Avenue intersection (morning peak hour impact only). This *secondary impact* is *reduced to less than significant* with the construction of an exclusive eastbound right turn pocket on Fruitvale Boulevard, coordination of signals on International Boulevard between 31st Street and 46th Street and optimization of signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.
- Right-of-way acquisition, totaling 6,090 square feet, along Derby Avenue, west of East 12th Street; 10th Street, north of Fruitvale Avenue; and San Leandro Street; between Fruitvale Avenue and 33rd Avenue.
- Modification of the pedestrian facility along the east side of San Leandro Street approaching High Street from a ten foot wide unpaved pathway to a five foot wide paved sidewalk with curb.
- Reduction in the sidewalk on the west side of San Leandro Street between Fruitvale Avenue and 33rd Avenue from twelve feet to eight feet.
- Planned East 12th Street Bikeway converted from a bike lane to sharrow for approximately 245 feet on southbound East 12th Street approaching Derby Avenue.
- The loss of a number of parking spaces throughout the improvement area, listed below:
 - East 12th Street & 29th Avenue: Loss of two spaces along East 12th Street and six spaces along 29th Avenue;
 - 13th Street & Derby Avenue: Loss of one space along Derby Avenue;
 - Northbound East 12th Street & Derby Avenue: Loss of 14 spaces along East 12th Street and three spaces along Derby Avenue;
 - Southbound East 12th Street & Derby Avenue: Loss of seven spaces along East 12th Street and two spaces along Derby Avenue;
 - East 10th Street & Derby Avenue: Loss of seven spaces along East 10th Street
 - East 10th Street & Fruitvale Avenue: Loss of 12 spaces along East 10th Street
 - Northbound East 12th Street & Fruitvale Avenue: Loss of two spaces along East 12th Street;
 - International Boulevard & Fruitvale Avenue: Loss of two spaces along Fruitvale Avenue;
 - San Leandro Street & Fruitvale Avenue: Loss of 13 spaces on San Leandro Street;
 - San Leandro Street & 35th Avenue: Loss of four spaces along San Leandro Street;
 - San Leandro Street & 37th Avenue: Loss of three spaces along San Leandro Street;
 - San Leandro Street & 39th Avenue: Loss of three spaces along San Leandro Street;
 - San Leandro Street & High Street: Loss of five spaces along San Leandro Street;
 - San Leandro Street & 45th Avenue: Loss of four spaces along San Leandro Street;
 - San Leandro Street & 47th Avenue: Loss of six spaces along San Leandro Street; and
 - San Leandro Street & 50th Avenue: Loss of four spaces along San Leandro Street and loss of three spaces along 50th Avenue.

East 12th Street & Fruitvale Avenue (both peak hours impacted)

Proposed Mitigation: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, restripe the eastbound approach to convert an existing through/left-turn lane to a second left-turn only lane. Restripe the northbound approach to convert an existing exclusive right-turn lane to a shared through/right-turn lane. Optimize signal cycle length, timing

splits and timing offsets for all signals in the signal coordination zone. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: With implementation of the proposed mitigation measure operations improve from LOS F to LOS C in the morning peak hour. Operations improve from LOS F to LOS E in the afternoon peak hour and the increase in delay from the No-Build Alternative is less than significant. Thus, with mitigation, the **project impact is reduced to less than significant.**

Secondary Impacts: None.

Foothill Boulevard & Fruitvale Avenue (morning peak hour Impact only)

Proposed Mitigation: Optimize signal timing splits and timing offsets for coordination with the intersection of International Boulevard and Fruitvale Avenue.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS E and with less delay than in the No-Build Alternative. Thus, with mitigation, the **project impact is reduced to less than significant.**

Secondary Impacts: None.

International Boulevard & 35th Street (afternoon peak hour Impact only)

Proposed Mitigation: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, coordinate signals on International Boulevard between 31st Street and 46th Street and optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D and the **project impact is reduced to less than significant.**

Secondary Impacts: None.

International Boulevard & 38th Street (afternoon peak hour Impact only)

Proposed Mitigation: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, coordinate signals on International Boulevard between 31st Street and 46th Street and optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS C and the **project impact is reduced to less than significant.**

Secondary Impacts: None.

International Boulevard & 42nd Avenue (morning peak hour Impact only)

Proposed Mitigation: Maintain two northbound and two southbound through lanes on International Boulevard between 41st Avenue and 44th Avenue. Over this segment, the southbound BRT would operate in mixed flow. Optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D and the **project impact is reduced to less than significant.**

Secondary Impacts: Loss of approximately six parking spaces along International Boulevard between 41st Avenue and High Street and removal of the unsignalized crosswalk at 41st Avenue.

International Boulevard & High Street (afternoon peak hour Impact only)

Proposed Mitigation: Maintain two northbound and two southbound through lanes on International Boulevard between 41st Avenue and 44th Avenue. As mitigation on this segment, the southbound BRT would operate in mixed flow. Optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS C and the **project impact is reduced to less than significant.**

Secondary Impacts: Loss of approximately eight parking spaces on International Boulevard between High Street and 45th Avenue and 360 linear foot reduction in landscaped median. Crosswalk at 44th Avenue relocated 85 feet to the south. BRT median platform relocated from High Street to between 44th and 45th Avenues.

International Boulevard & Havenscourt Boulevard (afternoon peak hour impact only)

Proposed Mitigation: Maintain two northbound and two southbound through lanes on International Boulevard between 65th Avenue and 67th Avenue. As mitigation, between 65th Avenue and 67th Avenue, the southbound BRT would operate in mixed flow. Between 66th Avenue and 67th Avenue, the northbound BRT would operate in mixed flow. Provide enhanced pedestrian crossings and intersection controls at International Boulevard and 65th Avenue and International Boulevard and 67th Avenue where buses transition to and from dedicated lanes. At the intersection of International Boulevard & Havenscourt Boulevard, provide protected left-turn phasing on all approaches. Remove northbound and southbound u-turns and prohibit right turns on red. Coordinate and optimize International Boulevard cycle lengths between 66th Street and 78th Street. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS C and the **project impact is reduced to less than significant.**

Secondary Impacts: Loss of approximately five parking spaces along International Boulevard. BRT median platform relocated from 66th Avenue to 65th Avenue. Northwest and northeast curb bulbs at 65th Avenue would not be constructed.

International Boulevard & Hegenberger Expressway (both peak hours impacted)

Proposed Mitigation: Maintain two northbound and southbound through lanes on International Boulevard between 72nd Avenue and 74th Avenue. Reshape the westbound approach to add an exclusive right-turn lane. Optimize signal timing splits and timing offsets for all signals on International Boulevard between 66th Avenue and 78th Avenue. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS D in the morning peak hour and from LOS F to LOS D in the afternoon peak hour. Thus, with mitigation, the **project impact is reduced to less than significant.**

Secondary Impacts: Loss of approximately 12 parking spaces along International Boulevard. Slight reduction in the width of the sidewalk on the far side corner of northbound International Boulevard at 72nd Avenue; BRT median platform shifted north from 72nd Avenue to between 71st Avenue and 72nd Avenue; removal of the unsignalized crosswalk across International Boulevard at 75th Avenue.

San Leandro Boulevard & 98th Avenue (morning peak hour impact only)

Proposed Mitigation: Optimize signal timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS E and with less delay than in the No-Build Alternative. Thus, with mitigation, the **project impact is reduced to less than significant.**

Secondary Impacts: None.

International Boulevard & 98th Avenue (afternoon peak hour impact only)

Proposed Mitigation: Maintain two northbound through lanes on International Boulevard from 99th Avenue to 97th Avenue and construct an additional southbound left-turn lane on International Boulevard at 98th Avenue. Optimize signal cycle length, timing splits and timing offset. This mitigation is also proposed to address 2015 intersection impacts.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS E and with less delay than in the No-Build Alternative. Thus, with mitigation, the **project impact is reduced to less than significant.**

Secondary Impacts: Loss of approximately 12 parking spaces along International Boulevard. BRT median platform relocated from 98th Avenue to 99th Avenue. Crosswalk at 97th Avenue removed and 200 linear feet of landscaped median loss on International Boulevard.

INTERSECTION IMPACTS: CITY OF SAN LEANDRO

The following mitigations would partially or fully mitigate the significant vehicular traffic impact at the identified intersections in one or more peak hour:

San Leandro Boulevard & West Broadmoor Boulevard (morning peak hour impact only)

Proposed Mitigation: Re-construct the westbound right-turn from West Broadmoor Boulevard as a channeled right-turn with an acceleration lane on San Leandro Boulevard.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS D and the **project impact is reduced to less than significant.**

Secondary Impacts: Loss of 15 approximately parking spaces on San Leandro Boulevard.

Bancroft Avenue & Button Avenue (morning peak hour impact only)

Proposed Mitigation: Optimize signal timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS E to LOS C and the **project impact is reduced to less than significant.**

Secondary Impacts: None.

Davis Street & San Leandro Boulevard (morning peak hour impact only)

Proposed Mitigation: Restripe the northbound approach to add an exclusive right turn lane. Optimize signal cycle length, timing splits and timing offset.

Resulting LOS: Implementation of the proposed mitigation measure improves operations from LOS F to LOS D and the **project impact is reduced to less than significant.**

Secondary Impacts: Loss of raised median along San Leandro Boulevard south of Davis Street for the length of the right-turn pocket.

YEAR 2035 INTERSECTION IMPACTS WITH DOSL ALTERNATIVE

The DOSL Alternative does not result in significant vehicular impacts at intersections north of downtown Oakland. Therefore, the mitigation measures identified at those intersections as associated with the proposed project would not be required. The required mitigation measures from downtown Oakland to San Leandro are identical as those identified under the proposed project. To further clarify, the following mitigation measures are proposed with the DOSL Alternative to partially or fully mitigate significant vehicular impacts at 18 locations:

- East 12th Street & 5th Avenue : Optimize signal cycle length, timing splits, and timing offsets and coordinate signals along East 12th Street.
- East 12th Street (SB) & 14th Avenue: Coordinate signals at East 12th Street (SB) & 14th Avenue, East 12th Street (NB) & 14th Avenue, and International Boulevard & 14th Avenue and International Boulevard & 14th Avenue with East 12th Street and International Boulevard through Eastlake. Optimize signal cycle length, timing splits, and timing offsets.
- International Boulevard & 14th Avenue: Coordinate signals at East 12th Street (SB) & 14th Avenue, East 12th Street (NB) & 14th Avenue, and International Boulevard & 14th Avenue and International Boulevard & 14th Avenue with East 12th Street and International Boulevard through Eastlake. Optimize signal cycle length, timing splits, and timing offsets.
- International Boulevard & 29th Avenue: Coordinate signals on International Boulevard between 15th Avenue and 29th Avenue and optimize signal cycle length, timing splits, and timing offsets.
- Impacts to intersections in the Fruitvale area and along International Boulevard between Fruitvale and 38th Avenue will be mitigated in part with the provision of additional capacity on parallel arterials. These improvements serve to enhance San Leandro Street as an alternative to International Boulevard and to improve traffic flow in the Fruitvale area. Additional turn pockets will be provided at a number of intersections along the portion of San Leandro Street between Fruitvale Avenue and 50th Avenue. In addition, turn pockets will be added at the intersection of East 12th Street and 29th Avenue. The intersections of East 10th Street/San Leandro Street with Fruitvale Avenue and Derby Avenue with East 12th Street will be re-constructed to provide additional capacity. East 10th Street and San Leandro Street will be realigned at Fruitvale Avenue to provide a through connection at the intersection. Signals will be installed at the closely spaced intersections of Derby Avenue and northbound and southbound East 12th Street. East 10th Street and Derby Avenue (west of East 12th Street) will be re-stripped to improve vehicular flow. Signals on San Leandro Street from 37th Street to 50th Street will be coordinated.
- East 12th Street & Fruitvale Avenue: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, restripe the eastbound approach to convert an existing through/left-turn lane to a second left-turn only lane. Restripe the northbound approach to convert an existing exclusive left-turn lane to a through lane. Optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.
- Foothill Boulevard & Fruitvale Avenue: Optimize signal timing splits and timing offsets for coordination with the intersection of International Boulevard and Fruitvale Avenue.
- International Boulevard & 35th Avenue: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, coordinate signals on International Boulevard between 31st Avenue and 46th Avenue and optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.
- International Boulevard & 38th Avenue: In addition to the improvements identified above for San Leandro Street, East 12th Street, and East 10th Street, coordinate signals on International Boulevard between 31st Avenue and 46th Avenue and optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.
- International Boulevard & 42nd Avenue: Maintain two northbound and two southbound through lanes on International Boulevard between 41st Avenue and 44th Avenue. Over this segment, the southbound BRT would operate in mixed flow. Optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.
- International Boulevard & High Street: Maintain two northbound and two southbound through lanes on International Boulevard between 41st Avenue and 44th Avenue. As mitigation on this

segment, the southbound BRT would operate in mixed flow. Optimize signal cycle length, timing splits and timing offsets for all signals in the signal coordination zone.

- International Boulevard & Havenscourt Boulevard: Maintain two northbound and two southbound through lanes on International Boulevard between 65th Avenue and 67th Avenue. As mitigation, between 65th Avenue and 67th Avenue, the southbound BRT would operate in mixed flow. Between 66th Avenue and 67th Avenue, the northbound BRT would operate in mixed flow. Provide enhanced pedestrian crossings and intersection controls at International Boulevard and 65th Avenue and International Boulevard and 67th Avenue where buses transition to and from dedicated lanes. At the intersection of International Boulevard & Havenscourt Boulevard, provide protected left-turn phasing on all approaches. Remove northbound and southbound u-turns and prohibit right turns on red. Coordinate and optimize International Boulevard cycle lengths between 66th Avenue and 78th Avenue.
- International Boulevard & Hegenberger Expressway: Maintain two northbound and southbound through lanes on International Boulevard between 72nd Avenue and 74th Avenue. Restripe the westbound approach to add an exclusive right-turn lane. Optimize signal timing splits and timing offsets for all signals on International Boulevard between 66th Avenue and 78th Avenue.
- International Boulevard & 98th Avenue: Maintain two northbound through lanes on International Boulevard from 99th Avenue to 97th Avenue and construct an additional southbound left-turn lane on International Boulevard at 98th Avenue. Optimize signal cycle length, timing splits and timing offset.
- San Leandro Boulevard & West Broadmoor Boulevard: Re-construct the westbound right-turn from West Broadmoor Boulevard as a channelized right turn with an acceleration lane.
- San Leandro Street & 98th Avenue: Optimize signal timing splits and timing offset.
- Bancroft Avenue & Dutton Avenue: Optimize signal timing splits and timing offset.
- Davis Street & San Leandro Boulevard: Restripe the northbound approach to add an exclusive right-turn lane. Optimize signal cycle length, timing splits and timing offset.

RESIDUAL IMPACTS AFTER MITIGATION

As set forth in the preceding sections of these Findings, the proposed project would result in the following significant and unavoidable impacts traffic and circulation impacts after mitigation.

2015 – AFTERNOON PEAK

The Telegraph Avenue/Alcatraz Avenue intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.

2035 – MORNING PEAK

The Telegraph Avenue/Alcatraz Avenue intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.

The Telegraph Avenue/55th Street intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.

The East 12th Street/5th Avenue intersection in the City of Oakland would operate at LOS F with mitigation for both the proposed project and DOSL Alternative. This would be a significant and unavoidable adverse impact.

2035 – AFTERNOON PEAK

The Telegraph Avenue/Alcatraz Avenue intersection in the City of Oakland would operate at LOS with mitigation. This would be a significant and unavoidable adverse impact.

The Telegraph Avenue/55th Street intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.

The Telegraph Avenue/40th Street intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.

The Telegraph Avenue/West MacArthur Boulevard intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.

The Ashby Avenue/Claremont Avenue intersection in the City of Berkeley would operate at LOS F with mitigation. This would be a significant and unavoidable adverse impact.

8 FINDINGS RELATED TO CUMULATIVE IMPACTS

The environmental document has evaluated cumulative effects of the East Bay BRT Project and other past, present, and reasonably foreseeable future projects in the study area. Because the proposed project will use existing paved street right-of-way, there is no potential for it to contribute to cumulative impacts on land use, neighborhood character or cohesion, or biological and wetlands resources in the general project corridor. Its primary impacts will be to travel demand, including mode choices, parking, and traffic circulation.

ASSESSMENT OF CUMULATIVE IMPACTS: REGIONAL CONTEXT

Because this document is based on accepted regional land use forecasts for 2035 and assumes transportation improvements programmed within the same time frame, effects evaluated under the proposed project and DOSL Alternative include the cumulative effects of development within the region. Thus, additional analysis of cumulative effects related to specific development and transportation improvement projects within the region is not necessary for impacts such as land use, transportation (including traffic and transit), air quality, and noise.

ASSESSMENT OF CUMULATIVE IMPACTS: LOCAL CONTEXT

Because the proposed project will use existing paved street right-of-way, there will be no potential for it to contribute to impacts to biological and wetlands resources in the general project corridor. Its primary impacts will be to traffic circulation and parking. Other major projects assumed in the 2035 No-Build Alternative and other related projects described in Section 1.3.1, Related Projects and Planning that might also contribute to these impacts are as follows:

- Telegraph Avenue Streetscape Improvements (proposed project; portion between 20th Street and 16th Street also affects DOSL Alternative)
- Telegraph Avenue Bike Lane project (proposed project; portion between 20th Street and 16th Street also affects DOSL Alternative)
- Oakland Bicycle Facility Improvements projects (proposed project and DOSL Alternative)
- 12th Street Reconstruction Project (proposed project and DOSL Alternative)
- Fmitvale Transit Village phase I, completed in 2004 (proposed project and DOSL Alternative)
- International Boulevard Streetscape Project in the City of Oakland (proposed project and DOSL Alternative)
- East 14th North Area Study (proposed project and DOSL Alternative)
- Caldecott Improvement Project (proposed project and DOSL Alternative)

Each of the projects identified above were evaluated for the potential to add to impacts of the proposed project or DOSL Alternative as described in Chapter 3 and 4. Most of the projects were determined not to contribute substantially to cumulative impacts in any environmental category when combined with the proposed East Bay BRT Project as defined in the Draft EIS/EIR, with the exception of two proposed projects – the East 14th Street North Area Study in San Leandro, and the bicycle lane project along Telegraph Avenue between Aileen Street/State Route 24 and 16th Street in Oakland. Through changes between the Draft EIS/EIR and the proposed project and DOSL Alternatives under consideration in this Final EIS/EIR, the potential for cumulative impacts associated with these two projects has been eliminated. Cumulative impacts have been addressed adequately in the impact chapters of this document, based on accepted regional land use forecasts for 2035. No additional cumulative impacts are anticipated to result from implementation of the proposed project or DOSL Alternative in conjunction with other proposed local projects as outlined in Section 5.3; therefore, no mitigation is required.

9 FINDINGS RELATED TO THE RELATIONSHIP BETWEEN SHORT- AND LONG-TERM USES OF THE ENVIRONMENT AND MAINTENANCE AND ENHANCEMENT OF LONG-TERM PRODUCTIVITY

Irreversible environmental changes will include the following:

- Implementation of the proposed project or DOSL Alternative will result in the consumption of non-renewable energy resources (i.e., fuel and building materials during construction). This consumption is considered an irreversible effect because once the resource is used it cannot be restored; although the effects are not significant based on Section 4.15.3;
- Adaptation of existing transportation infrastructure to accommodate the proposed project or DOSL Alternative, including stations and amenities will constrain certain future changes within the corridor (i.e., accommodation of left turns across dedicated transit lanes from minor roadways intersecting the route alignment);
- Reduction in capacity for other motorized modes of travel on segments where dedicated transit lanes are proposed will result in the redistribution of existing and future traffic from the proposed corridor to alternate routes and contribute to significant adverse traffic impacts in 2035;
- The proposed project will require the removal of up to 59 median trees along the corridor within the Cities of Oakland and San Leandro. The proposed project or DOSL Alternative will comply with the Migratory Bird Treaty Act to avoid or minimize impacts to biological resources. The proposed project would replace trees and landscaping removed during construction. As shown in Table 4.6-4 of the Final EIS/EIR, approximately 100 new trees would be planted within the City of Oakland. Thus, the impact is not considered significant.
- Long-term commitments for the proposed project or DOSL Alternative will consist of fuel consumption to operate the BRT vehicles. As discussed in Section 4.14, potential impacts of future energy consumption by the proposed project or DOSL Alternative is not considered significant
- Pollutant emissions from project construction and operation will occur. Emissions of NO_x during construction will exceed the BAAQMD's significance threshold, even after the implementation of mitigation measures. This will result in a significant and unavoidable temporary impact.
- Construction noise impacts will be temporary and minimized through the implementation of mitigation measures. Operation of the proposed project or DOSL Alternative will contribute to ambient noise levels; however, project-related noise will not exceed applicable FTA standards.

10 CEQA ALTERNATIVES

10.1 ALTERNATIVES CONSIDERED AND DISMISSED FROM FURTHER CONSIDERATION

An EIR must briefly describe the rationale for selection of alternatives. The lead agency may make an initial determination as to which alternatives are potentially feasible; and therefore, merit in-depth consideration, and those which are clearly infeasible and need not be considered further. Alternatives that are remote or speculative, or the effects of which cannot be reasonably predicted, need not be considered [CEQA Guidelines Section 15126.6 (f)(3)]. This section identifies alternatives considered by the AC Transit, but rejected as infeasible and provides a brief explanation of the reasons for their exclusion. As noted above, alternatives may be eliminated from detailed consideration in the EIR if they fail to meet most of the project objectives, are infeasible, or do not avoid any significant environmental effects.

In addition to the No Build Alternative, the following alternatives were considered in the Draft EIS/EIR.

- Build Alternative 1 – Separate BRT and Local Service to Bay Fan BART
- Build Alternative 2 – Separate BRT and Local Service to San Leandro BART
- Build Alternative 3 – Combined BRT and Local Service to Bay Fan BART
- Build Alternative 4 – Combined BRT and Local Service to San Leandro BART

Following the circulation of the Draft EIS/EIR in 2007, each of the three cities in the corridor provided their input on selection of the proposed project in a public process held during spring 2010. As a result of decisions by the cities of San Leandro and Berkeley, the southern terminus of the proposed corridor was identified as the San Leandro BART station, and dedicated BRT lanes were deleted from segments of Telegraph Avenue in Berkeley. In June 2010, the AC Transit Board of Directors formally adopted the proposed project/LPA. The selection of the proposed project (LPA) is based on the Draft EIS/EIR analysis, consultation with permitting agencies, comments received during the Draft EIS/EIR review and comment period and more detailed analysis of the planning processes conducted by the cities of Berkeley, Oakland and San Leandro. The process for selecting the proposed project is described in greater detail in Section 2.1 of the Final EIS/EIR.

As discussed in Section 2.1.3, the Berkeley City Council voted to support a new alternative with a mix of transit and non-transit elements referred to as "Alternative B." Alternative B would not include dedicated bus lanes on Telegraph Avenue and Shattuck Avenue, with extension of the project beyond University Avenue and Shattuck Avenue. Alternative B would also require conversion of Bancroft Way, Durant Avenue and southbound Shattuck Avenue, between University Avenue and Center Street, from one-way to two-way operations. This would require the installation of up to 10 new traffic signals. Further, the City recommended that AC Transit evaluate whether it would be "technically or financially feasible" to construct curb extension stations with platforms level with the bus floor and bus queue jump lanes to bypass auto traffic at congested intersections. Alternative B was determined to be technically and economically infeasible; and therefore, was not advanced for the following reasons:

- 1) The proposed conversion of one-way streets to two-way operations would not be eligible for FTA Small Starts funding which AC Transit is seeking for BRT implementation. As discussed in Section 8.2.2.1 of this Final EIS/EIR, FTA Small Starts funding would comprise \$74.99 million, or 36.6 percent of the total capital costs of the proposed project. Small Starts funding is the largest single prospective funding source identified for the proposed project. Because selection of Alternative B would result in the loss of more than one-third of the total funding for all capital costs, implementation would be financially infeasible; and

- 2) Alternative B would be detrimental to transit riders and efficient transit operations. Conversion to two-way operations with an accompanying reduction in travel lanes could slow down bus operation and expose transit vehicles to more conflicts with other motor vehicles. The transit elements proposed by Berkeley for Telegraph Avenue would not improve performance sufficiently to offset the slower speeds in the Southside and Downtown areas.

The proposed project is a variation of Build Alternative 4 – Combined BRT and Local Service to San Leandro BART evaluated in the Draft EIS/EIR. For the portion of the alignment between 1st Avenue and 14th Avenue in the Eastlake District within the City of Oakland, two alignment variations were under consideration in the Draft EIS/EIR. The proposed project incorporates the selection of the International Boulevard-12th Street couplet variation.

10.2 SUMMARY OF ALTERNATIVES CONSIDERED.

As discussed above, CEQA requires the discussion of "a range of reasonable alternatives to a project or to the location of a project, which would feasibly attain most of the basic objectives of the project and avoid or substantially lessen any of the significant effects." Section 15126.6 (e)(1) of the CEQA Guidelines states that an analysis of a "no project" alternative is specifically required and shall address existing conditions, as well as projected future conditions that would be "reasonably expected to occur in the foreseeable future if the project were not approved, based on current plans and consistent with available infrastructure and community services."

The No Build Alternative, which is described and analyzed in Chapters 2 through 9 of the Final EIS/EIR, is the "no project" alternative, as defined in Section 2.3.1 of the Final EIS/EIR. The No-Build Alternative includes all transportation improvements currently planned and programmed in the project area except for the East Bay BRT Project itself. The currently planned improvements in the project area have been updated to reflect any changes that have occurred in the period between circulation of the Draft EIS/EIR and preparation of this Final EIS/EIR. The No-Build Alternative includes projects such as the MacArthur BART Transit Village, Fruitvale BART Transit Village, and expansion of BART to serve the Oakland Airport and Warm Springs. Section 1.3.4 of the Final EIS/EIR provides further detail on these and other key projects currently planned and programmed for the project area.

As described in Section 15126.6 (c), other alternatives to be selected for consideration "shall be those that feasibly accomplish most of the basic objectives of the project and could avoid or substantially lessen one or more of the significant effects." The Downtown Oakland San Leandro (DOSL) Alternative described in the Final EIS/EIR is an additional alternative to the proposed project that meets the selection criteria. Given the above considerations, the alternatives considered in this section are: (1) Alternative 1: the No Build Alternative, and (2) Alternative 2: the DOSL Alternative. Consistent with the analysis contained in Chapters 3 and 4 of this EIS/EIR, issue areas that could be adversely affected by the proposed project are: Transportation/Traffic, Land Use and Planning, Visual/Aesthetics, Cultural Resources Hazards and Hazardous Materials, Air Quality (construction and operation), Noise and Vibration, and Greenhouse Gases.

ENVIRONMENTALLY SUPERIOR ALTERNATIVE

Alternative 2 – DOSL Alternative, is the environmentally superior alternative because it would result in fewer traffic impacts than the proposed project. In addition, Alternative 2 substantially meets the project objectives as described above; and therefore, is considered feasible.

11 STATEMENT OF OVERRIDING CONSIDERATIONS

As set forth in the preceding sections of these Findings, the proposed project would result in the following significant and unavoidable traffic and circulation impacts.

2015 – AFTERNOON PEAK

- Telegraph Avenue/Alcatraz Avenue intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.

2035 – MORNING PEAK

- Telegraph Avenue/Alcatraz Avenue intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.
- Telegraph Avenue/55th Street intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.
- East 12th Street/5th Avenue intersection in the City of Oakland would operate at LOS F with mitigation. This would be a significant and unavoidable adverse impact.

2035 – AFTERNOON PEAK

- Telegraph Avenue/Alcatraz Avenue intersection in the City of Oakland would operate at LOS with mitigation. This would be a significant and unavoidable adverse impact.
- Telegraph Avenue/55th Street intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.
- Telegraph Avenue/40th Street intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.
- Telegraph Avenue/West MacArthur Boulevard intersection in the City of Oakland would operate at LOS E with mitigation. This would be a significant and unavoidable adverse impact.
- Ashby Avenue/Claremont Avenue intersection in the City of Berkeley would operate at LOS F with mitigation. This would be a significant and unavoidable adverse impact.

Regarding the DOSL, traffic operation impacts resulting in operations below established local standards would occur at 17 of the 129 study intersections in Year 2015 and Year 2035. Of those impacts, eight are projected to occur in both Year 2015 and Year 2035; nine would occur only in the Year 2035 scenario. For those impacts not projected to occur in Year 2015, but that would occur in Year 2035, it is likely that the impact would occur between 2015 and 2035, pending future land use and circulation patterns.

Impacts can be mitigated to result in intersection operations that do not exceed significance thresholds at most of these locations. Mitigation measures are proposed at all 17 impacted locations, although at one location they are not sufficient to result in a less than significant increase in delay associated with the project. Mitigation of impacts to reduce the project impact to a less than significant level for Year 2015 impacts would be possible at all study intersections.

Mitigation of impacts to reduce the project impact to a less than significant level for Year 2035 impacts would not be possible at the following signalized intersection in the City of Oakland:

- East 12th Street & 5th Avenue (morning peak hour).

Despite these impacts, the AC Transit Board of Director has agreed to certify the Final EIS/EIR with the option of later approving either the proposed project or DOSL Alternative as the preferred alternative. To do so, AC Transit must first adopt this Statement of Overriding Considerations. Any one of the reasons for approval cited below is sufficient to justify approval of either the proposed project or DOSL

Alternative. Thus, even if a Court were to conclude that not every reason is supported by substantial evidence, AC Transit would stand by its determination that each individual reason is sufficient. The substantial evidence supporting the various benefits can be found in the preceding sections of these Findings, which are incorporated by reference into this Section, and in the documents listed in the Record of Proceedings (Section 3.4.3 of these Findings). In addition, AC Transit finds that the proposed project would have the following economic, social, or other benefits:

Improve transit service and better accommodate high existing bus ridership. The proposed project or DOSL would provide improved service to current riders, including low-income and transit-dependent populations, by offering higher frequency, faster, and more reliable service, along with improved security, cleanliness, and comfort.

Increase transit ridership by providing a viable and competitive transit alternative to the private automobile. The proposed project or DOSL would attract new riders by offering improved transit service and facilities, transit travel times competitive with auto travel, and a rail-like experience proven to attract riders using automobiles as their primary form of transportation.

Improve and maintain efficiency of transit service delivery and lower AC Transit's operating costs per rider. The proposed project or DOSL would improve fleet speeds and service efficiencies by reducing delays from running in mixed-flow traffic and during slow boarding and alighting of passengers. The investment in bus-only lanes, stations, and multi-door boarding means that the improvement in travel time and reliability will continue into the future without continual service degradation due to increased traffic congestion and delays with increased boardings.

Support local and regional planning goals to organize development along transit corridors and around transit stations. Providing BRT infrastructure of dedicated transit lanes and highly visible transit stations offers a sense of permanence that can help cities attract investment in transit-oriented development.

For each and all of these reasons, AC Transit finds that, on balance, the benefits of the proposed project and DOSL outweigh the unavoidable environmental risks. Although significant unavoidable impacts would result from implementation of the proposed project and DOSL, the level of environmental risk is considered acceptable given the range of benefits associated with implementation of the proposed project or DOSL.