



Legislation Details (With Text)

File #: 16-0618 **Version:** 1

Type: City Resolution **Status:** In Rules Committee

File created: 1/12/2017 **In control:** *Community & Economic Development Committee

On agenda: 2/28/2017 **Final action:** 1/24/2017

Title: Subject: Lead Hazard Prevention And Control To Eliminate Lead Hazards And Prevent Lead Poisoning
From: Vice Mayor Annie Campbell Washington
Recommendation: Adopt An City Of Oakland Lead Hazard Prevention And Control Ordinance To Eliminate Lead Hazards And Prevent Lead Poisoning Through Lead-Safe Housing, Ensuring Lead-Safe Work Practices, And Mandate Lead Testing In Children Between The Ages Of 9 And 12 Months And 24 To 36 Months Of Age By Requiring: (1) Renovators To Use Lead- Safe Work Practices When Disturbing Lead Paint With Specific Lead Concentrations; (2) Visual Verification By Inspectors Depending On The Lead Concentrations And The Quantities Of Paint Being Disturbed, Lead Dust Clearances May Also Be Required; (3) Property Owners To Correct Lead Hazards In Pre-1979 Buildings After A Notice Of Lead Hazard; (4) Home Improvement/Water Pressure Equipment Rental Stores To Make Available Lead Education Material To Customers; (5) Childcare Facilities And Elementary Schools To Obtain Proof Of Blood Lead Testing At Enrollment In Pre-School And Kindergarten

Sponsors:

Indexes:

Code sections:

Attachments:

Date	Ver.	Action By	Action	Result
2/17/2022	1	*Rules & Legislation Committee	Withdrawn with No New Date	
2/9/2017	1	*Rules & Legislation Committee	Scheduled	
1/12/2017	1	*Rules & Legislation Committee	Scheduled	

Subject: Lead Hazard Prevention And Control To Eliminate Lead Hazards And Prevent Lead Poisoning
From: Vice Mayor Annie Campbell Washington
Recommendation: Adopt An City Of Oakland Lead Hazard Prevention And Control Ordinance To Eliminate Lead Hazards And Prevent Lead Poisoning Through Lead-Safe Housing, Ensuring Lead-Safe Work Practices, And Mandate Lead Testing In Children Between The Ages Of 9 And 12 Months And 24 To 36 Months Of Age By Requiring: (1) Renovators To Use Lead- Safe Work Practices When Disturbing Lead Paint With Specific Lead Concentrations; (2) Visual Verification By Inspectors Depending On The Lead Concentrations And The Quantities Of Paint Being Disturbed, Lead Dust Clearances May Also Be Required; (3) Property Owners To Correct Lead Hazards In Pre-1979 Buildings After A Notice Of Lead Hazard; (4) Home Improvement/Water Pressure Equipment Rental Stores To Make Available Lead Education Material To Customers; (5) Childcare Facilities And Elementary Schools To Obtain Proof Of Blood Lead Testing At Enrollment In Pre-School And Kindergarten