



## Legislation Details (With Text)

**File #:** 18-1486      **Version:** 1      **Name:**

**Type:** Ordinance      **Status:** Passed

**File created:** 2/27/2019      **In control:** \* Concurrent Meeting of the Oakland Redevelopment Successor Agency and the City Council

**On agenda:** 5/21/2019      **Final action:** 5/21/2019

**Title:** Subject: Repeal And Adopt Code For Minimum Ceiling Heights  
From: Council President Kaplan  
Recommendation: Adopt An Ordinance Repealing Part Of The Oakland Amendments To The 2016 Edition Of The State Housing Law Regulations And The California Model Building Construction Codes Implemented Through Ordinance No. 13407 And No. 13408 In The Oakland Municipal Code By Striking Out Sections 15.04.3.2545 And 15.04.3.2550 And Amending Section 15.08.210.A By Adopting The Existing 2016 California Residential Code To Require A Minimum Ceiling Height Of 7' Feet For Habitable Spaces And 6 Feet 8 Inches For Bathrooms Toilet Rooms, And Laundry Rooms In Buildings Within The Scope Of The California Residential Code As Set Forth In California Residential Code Section 1.1.3

**Sponsors:**

**Indexes:**

**Code sections:**

**Attachments:** 1. View Report, 2. View Report 4/18/2019, 3. 13534 CMS, 4. Proof Of Publication

Date	Ver.	Action By	Action	Result
5/21/2019	3	* Concurrent Meeting of the Oakland Redevelopment Successor Agency and the City Council	Approved for Final Passage	Pass
5/7/2019	1	* Concurrent Meeting of the Oakland Redevelopment Successor Agency and the City Council	Approved On Introduction and Scheduled for Final Passage	Pass
4/9/2019	2	*Community & Economic Development Committee	Approved the Recommendation of Staff, and Forward	Pass
3/19/2019	1	*Special Community & Economic Development Committee	Continued	Pass
3/14/2019	1	*Rules & Legislation Committee	Accepted	
2/28/2019	1	*Rules & Legislation Committee	Scheduled	

Subject:Repeal And Adopt Code For Minimum Ceiling Heights  
From: Council President Kaplan  
Recommendation: Adopt An Ordinance Repealing Part Of The Oakland Amendments To The 2016 Edition Of The State Housing Law Regulations And The California Model Building Construction Codes Implemented Through Ordinance No. 13407 And No. 13408 In The Oakland Municipal Code By Striking Out Sections 15.04.3.2545 And 15.04.3.2550 And Amending Section 15.08.210.A By Adopting The Existing 2016 California Residential Code To Require A Minimum Ceiling Height Of 7' Feet For Habitable Spaces And 6 Feet 8 Inches For Bathrooms Toilet Rooms, And Laundry Rooms In Buildings Within The Scope Of The California Residential Code As Set Forth In California Residential Code Section 1.1.3